




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121523\
 Data File : BP018885.D
 Acq On : 15 Dec 2023 18:20
 Operator : MA/JU
 Sample : 05752-04DL 10X
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0AT2DL

Manual IntegrationsAPPROVED

Quant Time: Dec 15 23:23:49 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 13 23:34:47 2023
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 12/16/2023
 Supervised By :mohammad ahmed 12/16/2023



TIC: BP018885.D\data.ms

(39) 1,2,4,5-Tetrachlorobenzene

12.652min (-0.006) 53.30 ng/u1

response 989835

Ion	Exp%	Act%
216.00	100.00	100.00
214.00	79.90	79.20
179.00	20.40	20.41
108.00	15.80	14.87

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121523\
 Data File : BP018885.D
 Acq On : 15 Dec 2023 18:20
 Operator : MA/JU
 Sample : 05752-04DL 10X
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0AT2DL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/16/2023
 Supervised By :mohammad ahmed 12/16/2023

Quant Time: Dec 15 23:27:52 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 13 23:34:47 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.840	152	243579	20.000	ng/ul	0.00
20) Naphthalene-d8	10.640	136	865822	20.000	ng/ul	0.01
38) Acenaphthene-d10	14.457	164	511900	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.204	188	1118615	20.000	ng/ul	-0.01
79) Chrysene-d12	21.292	240	1196591	20.000	ng/ul	-0.01
88) Perylene-d12	23.651	264	1424560	20.000	ng/ul	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	0.000	96	0d	0.000	ng/uL	
4) Pyridine-d5	0.000	84	0d	0.000	ng/ul	
7) Phenol-d5	6.999	99	36251	1.483	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.170	67	25752	1.778	ng/ul	0.00
11) 2-Chlorophenol-d4	7.358	132	28606	1.500	ng/ul	0.00
15) 4-Methylphenol-d8	8.540	113	26845	1.357	ng/ul	0.00
21) Nitrobenzene-d5	8.993	128	7722	1.002	ng/ul	0.00
24) 2-Nitrophenol-d4	9.711	143	7783	0.974	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.252	165	26189	1.603	ng/ul	0.00
31) 4-Chloroaniline-d4	10.775	131	22084	1.034	ng/ul	0.00
46) Dimethylphthalate-d6	13.875	166	78436	1.717	ng/ul	0.00
49) Acenaphthylene-d8	14.151	160	87452	1.738	ng/ul	0.00
54) 4-Nitrophenol-d4	0.000	143	0d	0.000	ng/ul	
60) Fluorene-d10	15.451	176	77631	2.024	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	0.000	200	0d	0.000	ng/ul	
73) Anthracene-d10	17.304	188	108506	1.845	ng/ul	0.00
81) Pyrene-d10	19.545	212	146724	1.575	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.498	264	154659	1.862	ng/ul	-0.02
Target Compounds						
					Qvalue	
39) 1,2,4,5-Tetrachloroben...	12.652	216	1240206m	66.777	ng/ul	
75) 1,2,3,4-Tetrachloroben...	13.263	216	3774650	195.154	ng/uL	98
76) Pentachlorobenzene	14.775	250	435179	22.905	ng/uL	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121523\
Data File : BP018885.D
Acq On : 15 Dec 2023 18:20
Operator : MA/JU
Sample : 05752-04DL 10X
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AT2DL

Manual IntegrationsAPPROVED

Quant Time: Dec 15 23:27:52 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 13 23:34:47 2023
Response via : Initial Calibration

Reviewed By :Yogesh Patel 12/16/2023
Supervised By :mohammad ahmed 12/16/2023

