

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP122023\
 Data File : BP018962.D
 Acq On : 20 Dec 2023 15:41
 Operator : MA/JU
 Sample : 05850-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0QM2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/21/2023
 Supervised By :mohammad ahmed 12/22/2023

Quant Time: Dec 20 22:18:44 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 19 05:28:03 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.852	152	86912m	20.000	ng/u1	0.02
20) Naphthalene-d8	10.640	136	398865	20.000	ng/u1	0.01
38) Acenaphthene-d10	14.457	164	257368	20.000	ng/u1	-0.01
64) Phenanthrene-d10	17.210	188	617683	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.298	240	718755	20.000	ng/u1	-0.02
88) Perylene-d12	23.663	264	872829	20.000	ng/u1	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.258	96	13493	5.290	ng/uL	0.00
4) Pyridine-d5	3.681	84	86966	12.730	ng/u1	0.00
7) Phenol-d5	7.005	99	59677	6.842	ng/u1	-0.01
9) Bis-(2-Chloroethyl)eth...	7.181	67	176909	34.222	ng/u1	0.01
11) 2-Chlorophenol-d4	7.369	132	186497	27.403	ng/u1	0.00
15) 4-Methylphenol-d8	8.552	113	103600	14.677	ng/u1	0.00
21) Nitrobenzene-d5	8.999	128	110019	30.991	ng/u1	0.00
24) 2-Nitrophenol-d4	9.716	143	124044	33.703	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.257	165	213439	28.360	ng/u1	0.00
31) 4-Chloroaniline-d4	10.775	131	215820	21.943	ng/u1	0.00
46) Dimethylphthalate-d6	13.875	166	699150	30.437	ng/u1	0.00
49) Acenaphthylene-d8	14.151	160	805809	31.858	ng/u1	-0.01
54) 4-Nitrophenol-d4	14.687	143	15187	4.028	ng/u1	0.00
60) Fluorene-d10	15.451	176	629157	32.630	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.581	200	79430	21.446	ng/u1	-0.01
73) Anthracene-d10	17.310	188	1032981	31.811	ng/u1	0.00
81) Pyrene-d10	19.545	212	1379242	24.652	ng/u1	-0.01
92) Benzo(a)pyrene-d12	23.510	264	1601845	31.475	ng/u1	-0.02
Target Compounds					Qvalue	
12) 2-Chlorophenol	7.399	128	26508	3.848	ng/u1	96
22) Nitrobenzene	9.040	77	906950	105.077	ng/u1	97
25) 2-Nitrophenol	9.746	139	12734	3.231	ng/u1#	96
39) 1,2,4,5-Tetrachloroben...	12.651	216	760400m	81.433	ng/u1	
58) 2,3,4,6-Tetrachlorophenol	15.092	232	6115	1.119	ng/u1	93
75) 1,2,3,4-Tetrachloroben...	13.263	216	1743495	163.244	ng/uL	98
76) Pentachlorobenzene	14.775	250	49302	4.699	ng/uL	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP122023\
Data File : BP018962.D
Acq On : 20 Dec 2023 15:41
Operator : MA/JU
Sample : 05850-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0QM2

Quant Time: Dec 20 22:18:44 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 19 05:28:03 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/21/2023
Supervised By :mohammad ahmed 12/22/2023

