

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP122420\
 Data File : BP004438.D
 Acq On : 24 Dec 2020 18:18
 Operator : CG/JU
 Sample : L5132-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A54R8

Quant Time: Dec 25 01:23:15 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP121820MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 25 01:03:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	238510	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	899952	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.47	164	523914	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.23	188	1090447	20.00	ng/ul	0.00
78) Chrysene-d12	21.32	240	1077781	20.00	ng/ul	0.00
86) Perylene-d12	23.68	264	1083447	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.32	96	37548	6.55	ng/uL	0.00
5) Phenol-d5	6.99	99	685077	33.09	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.15	67	403797	34.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.35	132	576766	34.06	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	467775	28.37	ng/ul	0.00
19) Nitrobenzene-d5	8.98	128	291847	37.47	ng/ul	0.00
22) 2-Nitrophenol-d4	9.70	143	325010	38.26	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.23	165	566840	35.98	ng/ul	0.00
29) 4-Chloroaniline-d4	10.75	131	709856	39.75	ng/ul	0.00
44) Dimethylphthalate-d6	13.87	166	1700015	40.54	ng/ul	0.00
47) Acenaphthylene-d8	14.16	160	2225933	42.74	ng/ul	0.00
52) 4-Nitrophenol-d4	14.67	143	213867	28.23	ng/ul	0.00
58) Fluorene-d10	15.47	176	1488326	40.57	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.59	200	200897	28.56	ng/ul	0.00
71) Anthracene-d10	17.33	188	2248579	41.74	ng/ul	0.00
79) Pyrene-d10	19.57	212	2529849	43.94	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.53	264	2643538	44.30	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	7.01	94	168093	8.069 ng/ul	97
45) Dimethylphthalate	13.92	163	323458	7.699 ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP122420\
Data File : BP004438.D
Acq On : 24 Dec 2020 18:18
Operator : CG/JU
Sample : L5132-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
A54R8

Quant Time: Dec 25 01:23:15 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP121820MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 25 01:03:58 2020
Response via : Initial Calibration





#6

Phenol

Concen: 8.069 ng/ul

RT: 7.01 min Scan# 650

Delta R.T. -0.01 min

Lab File: BP004438.D

Acq: 24 Dec 2020 18:18

Instrument :

BNA_P

ClientSampleId :

A54R8





Tot Ion: 94 Resp: 168093

Ion Ratio Lower Upper

94 100

65 25.7 20.3 30.5

66 35.7 26.2 39.2



#45

Dimethylphthalate

Concen: 7.699 ng/ul

RT: 13.92 min Scan# 1825

Delta R.T. 0.00 min

Lab File: BP004438.D

Acq: 24 Dec 2020 18:18

Tgt Ion: 163 Resp: 323458

Ion Ratio Lower Upper

163 100

194 4.4 3.5 5.3

164 9.7 7.8 11.8

