

Data Path : Z:\SVOASRV\HPCHEM1\BNA_P\DATA\BP122420\
 Data File : BP004443.D
 Acq On : 24 Dec 2020 21:08
 Operator : CG/JU
 Sample : L5132-10
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A54S5

Quant Time: Dec 25 01:58:06 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP121820MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 25 01:03:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	246237	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	912296	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.47	164	516170	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.23	188	1057203	20.00	ng/ul	0.00
78) Chrysene-d12	21.32	240	1090476	20.00	ng/ul	0.00
86) Perylene-d12	23.68	264	1161926	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.32	96	23885	4.03	ng/uL	0.00
5) Phenol-d5	6.99	99	455283	21.30	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.15	67	300824	25.09	ng/ul	0.00
9) 2-Chlorophenol-d4	7.35	132	402271	23.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	356330	20.93	ng/ul	0.00
19) Nitrobenzene-d5	8.97	128	209995	26.59	ng/ul	0.00
22) 2-Nitrophenol-d4	9.70	143	178284	20.70	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.23	165	369564	23.14	ng/ul	0.00
29) 4-Chloroaniline-d4	10.75	131	294165	16.25	ng/ul	0.00
44) Dimethylphthalate-d6	13.87	166	780083	18.88	ng/ul	0.00
47) Acenaphthylene-d8	14.16	160	1526612	29.75	ng/ul	0.00
52) 4-Nitrophenol-d4	14.67	143	55550	7.44	ng/ul	0.00
58) Fluorene-d10	15.46	176	998973	27.64	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.59	200	49010	7.19	ng/ul	0.00
71) Anthracene-d10	17.33	188	1504778	28.81	ng/ul	0.00
79) Pyrene-d10	19.57	212	1680165	28.84	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.53	264	1860377	29.07	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	7.01	94	27435	1.276	ng/ul#	88
45) Dimethylphthalate	13.92	163	72767	1.758	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP122420\
Data File : BP004443.D
Acq On : 24 Dec 2020 21:08
Operator : CG/JU
Sample : L5132-10
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
A54S5

Quant Time: Dec 25 01:58:06 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP121820MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 25 01:03:58 2020
Response via : Initial Calibration





#6

Phenol

Concen: 1.276 ng/ul

RT: 7.01 min Scan# 650

Delta R.T. -0.01 min

Lab File: BP004443.D

Acq: 24 Dec 2020 21:08

Instrument :

BNA_P

ClientSampleId :

A54S5





Tot Ion: 94 Resp: 27435

Ion Ratio Lower Upper

94 100

65 28.8 20.3 30.5

66 42.0 26.2 39.2#



#45

Dimethylphthalate

Concen: 1.758 ng/ul

RT: 13.92 min Scan# 1825

Delta R.T. -0.00 min

Lab File: BP004443.D

Acq: 24 Dec 2020 21:08

Tgt Ion: 163 Resp: 72767

Ion Ratio Lower Upper

163 100

194 4.1 3.5 5.3

164 9.4 7.8 11.8

