

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010919\
 Data File : BG039047.D
 Acq On : 10 Jan 2019 9:32
 Operator : JU/SJ
 Sample : K1006-06
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JC-03-010819-C

Quant Time: Jan 10 10:26:56 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	19768	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	79611	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	58070	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	162929	20.00	ng	0.00
76) Chrysene-d12	21.70	240	181061	20.00	ng	0.00
87) Perylene-d12	24.98	264	199154	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	131229	125.93	ng	0.00
7) Phenol-d6	7.19	99	159449	106.32	ng	0.00
23) Nitrobenzene-d5	9.21	82	131689	90.51	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	132942	136.57	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	380381	89.65	ng	0.00
79) Terphenyl-d14	20.02	244	848569	86.70	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.21	70	17857	18.133	ng	# 67
51) 2,6-Dinitrotoluene	14.66	165	7330	6.681	ng	# 24
57) 2,4-Dinitrotoluene	14.66	165	7330	4.657	ng	# 26
67) 4-Bromophenyl-phenylether	16.16	248	8895	4.247	ng	# 1
77) Benzidine	20.02	184	13368	2.414	ng	# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010919\
Data File : BG039047.D
Acq On : 10 Jan 2019 9:32
Operator : JU/SJ
Sample : K1006-06
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-C

Quant Time: Jan 10 10:26:56 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 840
Delta R.T. -0.01 min
Lab File: BG039047.D
Acq: 10 Jan 2019 9:32

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-C

Tgt Ion:152 Resp: 19768
Ion Ratio Lower Upper
152 100
150 164.3 124.7 187.1
115 63.0 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 125.930 ng
RT: 5.58 min Scan# 424
Delta R.T. -0.00 min
Lab File: BG039047.D
Acq: 10 Jan 2019 9:32

Tgt Ion:112 Resp: 131229
Ion Ratio Lower Upper
112 100
64 59.8 47.0 70.6
63 35.3 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 106.322 ng

RT: 7.19 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039047.D

Acq: 10 Jan 2019 9:32

Instrument :

BNA_G

ClientSampleId :

JC-03-010819-C


Tgt Ion: 99 Resp: 159449

Ion Ratio Lower Upper




99 100

42 19.8 15.8 23.6

71 38.7 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 18.133 ng

RT: 9.21 min Scan# 1041

Delta R.T. 0.37 min

Lab File: BG039047.D

Acq: 10 Jan 2019 9:32

Tgt Ion: 70 Resp: 17857


Ion Ratio Lower Upper

70 100



42 51.2 59.0 88.4#

101 0.0 10.4 15.6#

130 2.0 21.6 32.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.85 min Scan# 1320
Delta R.T. -0.00 min
Lab File: BG039047.D
Acq: 10 Jan 2019 9:32

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-C

Tgt Ion:	136	Resp:	79611
Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.4	14.2
54	9.1	7.2	10.8
68	5.2	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 90.515 ng
RT: 9.21 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG039047.D
Acq: 10 Jan 2019 9:32

Tgt Ion:	82	Resp:	131689
Ion	Ratio	Lower	Upper
82	100		
128	44.3	37.3	55.9
54	57.0	46.4	69.6



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.67 min Scan# 1971

Delta R.T. -0.00 min

Lab File: BG039047.D

Acq: 10 Jan 2019 9:32

Instrument :

BNA_G

ClientSampleId :

JC-03-010819-C


Tgt Ion:164 Resp: 58070

Ion Ratio Lower Upper

164 100

162 104.1 87.2 130.8




160 45.2 33.3 49.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 136.573 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.01 min

Lab File: BG039047.D

Acq: 10 Jan 2019 9:32


Tgt Ion:330 Resp: 132942

Ion Ratio Lower Upper

330 100

332 94.4 75.7 113.5



141 31.4 24.9 37.3




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 89.646 ng
 RT: 13.29 min Scan# 1736
 Delta R.T. -0.00 min
 Lab File: BG039047.D
 Acq: 10 Jan 2019 9:32




Instrument :
 BNA_G
 ClientSampleId :
 JC-03-010819-C

Tgt Ion:172 Resp: 380381
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.4 44.0
 170 24.4 20.1 30.1



#51
 2,6-Dinitrotoluene
 Concen: 6.681 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. 0.41 min
 Lab File: BG039047.D
 Acq: 10 Jan 2019 9:32

Tgt Ion:165 Resp: 7330
 Ion Ratio Lower Upper
 165 100
 63 0.0 43.6 65.4#
 89 0.0 43.7 65.5#






#57
 2,4-Dinitrotoluene
 Concen: 4.657 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. -0.38 min
 Lab File: BG039047.D
 Acq: 10 Jan 2019 9:32

Instrument :
 BNA_G
 ClientSampleId :
 JC-03-010819-C

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	30.2	45.4#
89	0.0	53.2	79.8#
182	0.0	2.7	4.1#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.42 min Scan# 2439
 Delta R.T. -0.00 min
 Lab File: BG039047.D
 Acq: 10 Jan 2019 9:32



Tgt Ion	Ratio	Lower	Upper
188	100		
94	5.6	5.0	7.4
80	6.1	4.7	7.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 4.247 ng
RT: 16.16 min Scan# 2225
Delta R.T. -0.44 min
Lab File: BG039047.D
Acq: 10 Jan 2019 9:32

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-C

Tgt Ion:248 Resp: 8895
Ion Ratio Lower Upper
248 100
250 140.3 79.9 119.9#
141 323.3 52.7 79.1#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.70 min Scan# 3167
Delta R.T. -0.01 min
Lab File: BG039047.D
Acq: 10 Jan 2019 9:32

Tgt Ion:240 Resp: 181061
Ion Ratio Lower Upper
240 100
120 6.1 4.3 6.5
236 27.5 20.1 30.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.414 ng

RT: 20.02 min Scan# 2882

Delta R.T. 0.36 min

Lab File: BG039047.D

Acq: 10 Jan 2019 9:32

Instrument :

BNA_G

ClientSampleId :

JC-03-010819-C


Tgt Ion:184 Resp: 13368

Ion Ratio Lower Upper

184 100

185 18.9 12.1 18.1#




183 11.1 9.5 14.3



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 86.698 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG039047.D

Acq: 10 Jan 2019 9:32


Tgt Ion:244 Resp: 848569

Ion Ratio Lower Upper

244 100

212 7.6 6.1 9.1



122 6.9 6.1 9.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 24.98 min Scan# 3725
Delta R.T. -0.01 min
Lab File: BG039047.D
Acq: 10 Jan 2019 9:32

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-C

Tgt Ion: 264 Resp: 199154
Ion Ratio Lower Upper
264 100
260 23.3 17.0 25.6
265 22.3 17.2 25.8

