

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010919\
 Data File : BG039048.D
 Acq On : 10 Jan 2019 10:11
 Operator : JU/SJ
 Sample : K1006-08
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JC-03-010819-D

Quant Time: Jan 10 10:58:43 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	18749	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	76824	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	57665	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	166202	20.00	ng	0.00
76) Chrysene-d12	21.69	240	192744	20.00	ng	-0.01
87) Perylene-d12	24.97	264	203270	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	143915	145.61	ng	0.00
7) Phenol-d6	7.19	99	182543	128.34	ng	0.00
23) Nitrobenzene-d5	9.21	82	131739	93.83	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	152967	158.25	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	371192	88.10	ng	0.00
79) Terphenyl-d14	20.02	244	964377	92.56	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.21	70	17223	18.439	ng	# 68
51) 2,6-Dinitrotoluene	14.67	165	7180	6.590	ng	# 28
57) 2,4-Dinitrotoluene	14.67	165	7180	4.594	ng	# 30
67) 4-Bromophenyl-phenylether	16.16	248	10190	4.770	ng	# 1
77) Benzidine	20.02	184	15771	2.675	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010919\
Data File : BG039048.D
Acq On : 10 Jan 2019 10:11
Operator : JU/SJ
Sample : K1006-08
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-D

Quant Time: Jan 10 10:58:43 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 840
Delta R.T. -0.01 min
Lab File: BG039048.D
Acq: 10 Jan 2019 10:11

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-D

Tgt Ion:152 Resp: 18749
Ion Ratio Lower Upper
152 100
150 166.8 124.7 187.1
115 63.6 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 145.610 ng
RT: 5.58 min Scan# 424
Delta R.T. 0.00 min
Lab File: BG039048.D
Acq: 10 Jan 2019 10:11

Tgt Ion:112 Resp: 143915
Ion Ratio Lower Upper
112 100
64 59.2 47.0 70.6
63 34.9 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 128.336 ng

RT: 7.19 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11

Instrument :

BNA_G

ClientSampleId :

JC-03-010819-D


Tgt Ion: 99 Resp: 182543

Ion Ratio Lower Upper




99 100

42 20.1 15.8 23.6

71 38.4 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 18.439 ng

RT: 9.21 min Scan# 1041

Delta R.T. 0.37 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11

Tgt Ion: 70 Resp: 17223


Ion Ratio Lower Upper

70 100



42 53.0 59.0 88.4#


101 0.0 10.4 15.6#

130 0.0 21.6 32.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.85 min Scan# 1320
Delta R.T. 0.00 min
Lab File: BG039048.D
Acq: 10 Jan 2019 10:11

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-D

Tgt Ion:	136	Resp:	76824
Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.4	14.2
54	8.3	7.2	10.8
68	4.7	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 93.834 ng
RT: 9.21 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG039048.D
Acq: 10 Jan 2019 10:11

Tgt Ion:	82	Resp:	131739
Ion	Ratio	Lower	Upper
82	100		
128	46.9	37.3	55.9
54	59.4	46.4	69.6



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.67 min Scan# 1971

Delta R.T. 0.00 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11

Instrument :

BNA_G

ClientSampleId :

JC-03-010819-D


Tgt Ion:164 Resp: 57665

Ion Ratio Lower Upper

164 100

162 102.2 87.2 130.8




160 44.9 33.3 49.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 158.249 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.01 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11


Tgt Ion:330 Resp: 152967

Ion Ratio Lower Upper

330 100

332 95.8 75.7 113.5



141 31.0 24.9 37.3




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 88.095 ng
 RT: 13.29 min Scan# 1736
 Delta R.T. 0.00 min
 Lab File: BG039048.D
 Acq: 10 Jan 2019 10:11




Instrument :
 BNA_G
 ClientSampleId :
 JC-03-010819-D


Tgt Ion:172 Resp: 371192
 Ion Ratio Lower Upper
 172 100
 171 35.4 29.4 44.0
 170 24.1 20.1 30.1



#51
 2,6-Dinitrotoluene
 Concen: 6.590 ng
 RT: 14.67 min Scan# 1970
 Delta R.T. 0.41 min
 Lab File: BG039048.D
 Acq: 10 Jan 2019 10:11

Tgt Ion:165 Resp: 7180
 Ion Ratio Lower Upper
 165 100
 63 0.0 43.6 65.4#
 89 4.9 43.7 65.5#





#57

2,4-Dinitrotoluene

Concen: 4.594 ng

RT: 14.67 min Scan# 1970

Delta R.T. -0.38 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11

Instrument :

BNA_G

ClientSampleId :

JC-03-010819-D

Tgt Ion:165 Resp: 7180


Ion Ratio Lower Upper

165 100

63 0.0 30.2 45.4#

89 4.9 53.2 79.8#

182 0.0 2.7 4.1#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. 0.00 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11


Tgt Ion:188 Resp: 166202

Ion Ratio Lower Upper

188 100

94 5.7 5.0 7.4


80 5.9 4.7 7.1




Abundance Ion 188.00 (187.70 to 188.70): E


Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



Time-->









#67
4-Bromophenyl-phenylether
Concen: 4.770 ng
RT: 16.16 min Scan# 2225
Delta R.T. -0.44 min
Lab File: BG039048.D
Acq: 10 Jan 2019 10:11

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-D

Tgt Ion:248 Resp: 10190
Ion Ratio Lower Upper
248 100
250 242.0 79.9 119.9#
141 449.8 52.7 79.1#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.69 min Scan# 3166
Delta R.T. -0.01 min
Lab File: BG039048.D
Acq: 10 Jan 2019 10:11

Tgt Ion:240 Resp: 192744
Ion Ratio Lower Upper
240 100
120 6.3 4.3 6.5
236 28.0 20.1 30.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.675 ng

RT: 20.02 min Scan# 2882

Delta R.T. 0.37 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11

Instrument :

BNA_G

ClientSampleId :

JC-03-010819-D


Tgt Ion:184 Resp: 15771

Ion Ratio Lower Upper

184 100

185 15.5 12.1 18.1




183 8.8 9.5 14.3#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 92.558 ng

RT: 20.02 min Scan# 2882

Delta R.T. 0.00 min

Lab File: BG039048.D

Acq: 10 Jan 2019 10:11


Tgt Ion:244 Resp: 964377

Ion Ratio Lower Upper

244 100

212 7.6 6.1 9.1



122 6.8 6.1 9.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 24.97 min Scan# 3724
Delta R.T. -0.01 min
Lab File: BG039048.D
Acq: 10 Jan 2019 10:11

Instrument :
BNA_G
ClientSampleId :
JC-03-010819-D

Tgt Ion	Ratio	Lower	Upper
264	100		
260	21.7	17.0	25.6
265	20.9	17.2	25.8

