

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011019\
 Data File : BG039057.D
 Acq On : 10 Jan 2019 18:02
 Operator : JU/SJ
 Sample : PB116291BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB116291BL

Quant Time: Jan 11 05:26:52 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	21821	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	90433	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	68784	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	193033	20.00	ng	0.00
76) Chrysene-d12	21.70	240	204479	20.00	ng	0.00
87) Perylene-d12	24.97	264	217794	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	159793	138.91	ng	0.00
7) Phenol-d6	7.19	99	222168	134.21	ng	0.00
23) Nitrobenzene-d5	9.21	82	131658	79.66	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	141549	122.76	ng	0.00
45) 2-Fluorobiphenyl	13.28	172	398845	79.36	ng	0.00
79) Terphenyl-d14	20.02	244	834588	75.50	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011019\
Data File : BG039057.D
Acq On : 10 Jan 2019 18:02
Operator : JU/SJ
Sample : PB116291BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB116291BL

Quant Time: Jan 11 05:26:52 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 840
Delta R.T. -0.01 min
Lab File: BG039057.D
Acq: 10 Jan 2019 18:02

Instrument :
BNA_G
ClientSampleId :
PB116291BL

Tot Ion:152 Resp: 21821
Ion Ratio Lower Upper
152 100
150 158.6 124.7 187.1
115 55.6 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.914 ng
RT: 5.58 min Scan# 424
Delta R.T. -0.00 min
Lab File: BG039057.D
Acq: 10 Jan 2019 18:02

Tgt Ion:112 Resp: 159793
Ion Ratio Lower Upper
112 100
64 62.4 47.0 70.6
63 34.7 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 134.205 ng

RT: 7.19 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039057.D

Acq: 10 Jan 2019 18:02

Instrument :

BNA_G

ClientSampleId :

PB116291BL


Tot Ion: 99 Resp: 222168

Ion Ratio Lower Upper




99 100

42 19.4 15.8 23.6

71 37.5 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1320

Delta R.T. -0.00 min

Lab File: BG039057.D

Acq: 10 Jan 2019 18:02

Tgt Ion: 136 Resp: 90433


Ion Ratio Lower Upper

136 100



137 11.4 9.4 14.2


54 10.0 7.2 10.8

68 4.2 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 79.664 ng
RT: 9.21 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG039057.D
Acq: 10 Jan 2019 18:02

Instrument :
BNA_G
ClientSampleId :
PB116291BL

Tot Ion: 82 Resp: 131658
Ion Ratio Lower Upper
82 100
128 46.5 37.3 55.9
54 57.4 46.4 69.6




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1971
Delta R.T. -0.00 min
Lab File: BG039057.D
Acq: 10 Jan 2019 18:02

Tgt Ion:164 Resp: 68784
Ion Ratio Lower Upper
164 100
162 105.7 87.2 130.8
160 42.4 33.3 49.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC






#42
 2,4,6-Tribromophenol
 Concen: 122.765 ng
 RT: 16.16 min Scan# 2225
 Delta R.T. -0.01 min
 Lab File: BG039057.D
 Acq: 10 Jan 2019 18:02

Instrument :
 BNA_G
 ClientSampleId :
 PB116291BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	75.7	113.5
141	30.8	24.9	37.3






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 79.356 ng
 RT: 13.28 min Scan# 1735
 Delta R.T. -0.01 min
 Lab File: BG039057.D
 Acq: 10 Jan 2019 18:02

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	29.4	44.0
170	24.1	20.1	30.1






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. -0.00 min

Lab File: BG039057.D

Acq: 10 Jan 2019 18:02

Instrument :

BNA_G

ClientSampleId :

PB116291BL


Tot Ion:188 Resp: 193033

Ion Ratio Lower Upper

188 100

94 5.6 5.0 7.4




80 5.5 4.7 7.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3167

Delta R.T. -0.01 min

Lab File: BG039057.D

Acq: 10 Jan 2019 18:02


Tgt Ion:240 Resp: 204479

Ion Ratio Lower Upper

240 100

120 6.4 4.3 6.5



236 26.5 20.1 30.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 75.504 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG039057.D

Acq: 10 Jan 2019 18:02

Instrument :

BNA_G

ClientSampleId :

PB116291BL


Tot Ion:244 Resp: 834588

Ion Ratio Lower Upper

244 100

212 7.5 6.1 9.1

122 6.8 6.1 9.1




Abundance Ion 244.00 (243.70 to 244.70): E


Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

20.02



Time-->



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.97 min Scan# 3724

Delta R.T. -0.01 min

Lab File: BG039057.D

Acq: 10 Jan 2019 18:02


Tgt Ion:264 Resp: 217794

Ion Ratio Lower Upper

264 100

260 22.5 17.0 25.6

265 22.9 17.2 25.8




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

24.97



Time-->