

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011119\
 Data File : BG039114.D
 Acq On : 12 Jan 2019 11:47
 Operator : JU/SJ
 Sample : K1119-04
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jan 14 10:04:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	20425	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	89206	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	78295	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	213976	20.00	ng	0.00
76) Chrysene-d12	21.69	240	217545	20.00	ng	-0.01
87) Perylene-d12	24.96	264	225590	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	142888	132.71	ng	0.00
7) Phenol-d6	7.18	99	173318	111.85	ng	0.00
23) Nitrobenzene-d5	9.20	82	144529	88.65	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	161855	123.32	ng	-0.01
45) 2-Fluorobiphenyl	13.28	172	503534	88.02	ng	0.00
79) Terphenyl-d14	20.02	244	1060367	90.17	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.20	70	19982	19.638	ng	# 66
51) 2,6-Dinitrotoluene	14.66	165	10448	7.063	ng	# 24
57) 2,4-Dinitrotoluene	14.66	165	10448	4.923	ng	# 26
67) 4-Bromophenyl-phenylether	16.16	248	10602	3.854	ng	# 1
77) Benzidine	20.02	184	17012	2.557	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011119\
Data File : BG039114.D
Acq On : 12 Jan 2019 11:47
Operator : JU/SJ
Sample : K1119-04
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jan 14 10:04:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.02 min Scan# 840
Delta R.T. -0.01 min
Lab File: BG039114.D
Acq: 12 Jan 2019 11:47

Instrument :
BNA_G
ClientSampled :

Tot Ion:152 Resp: 20425
Ion Ratio Lower Upper
152 100
150 155.6 124.7 187.1
115 55.3 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 132.708 ng
RT: 5.58 min Scan# 424
Delta R.T. -0.00 min
Lab File: BG039114.D
Acq: 12 Jan 2019 11:47

Tgt Ion:112 Resp: 142888
Ion Ratio Lower Upper
112 100
64 59.8 47.0 70.6
63 35.0 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 111.852 ng

RT: 7.18 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 173318

Ion Ratio Lower Upper




99 100

42 18.9 15.8 23.6

71 38.3 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 19.638 ng

RT: 9.20 min Scan# 1041

Delta R.T. 0.37 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47

Tgt Ion: 70 Resp: 19982


Ion Ratio Lower Upper

70 100



42 49.3 59.0 88.4#


101 0.0 10.4 15.6#

130 2.4 21.6 32.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.84 min Scan# 1320
Delta R.T. -0.00 min
Lab File: BG039114.D
Acq: 12 Jan 2019 11:47

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	89206
Ion Ratio	Lower	Upper
136	100	
137	10.8	9.4 14.2
54	8.9	7.2 10.8
68	3.2	3.5 5.3#




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 88.655 ng
RT: 9.20 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG039114.D
Acq: 12 Jan 2019 11:47

Tgt Ion: 82	Resp:	144529
Ion Ratio	Lower	Upper
82	100	
128	46.1	37.3 55.9
54	60.0	46.4 69.6



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.66 min Scan# 1970

Delta R.T. -0.01 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 78295

Ion Ratio Lower Upper

164 100

162 102.8 87.2 130.8




160 44.9 33.3 49.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 123.324 ng

RT: 16.16 min Scan# 2224

Delta R.T. -0.01 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47


Tgt Ion:330 Resp: 161855

Ion Ratio Lower Upper

330 100

332 96.8 75.7 113.5



141 31.4 24.9 37.3




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 88.016 ng
 RT: 13.28 min Scan# 1735
 Delta R.T. -0.01 min
 Lab File: BG039114.D
 Acq: 12 Jan 2019 11:47




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.4	44.0
170	23.3	20.1	30.1



#51
 2,6-Dinitrotoluene
 Concen: 7.063 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. 0.40 min
 Lab File: BG039114.D
 Acq: 12 Jan 2019 11:47

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	43.6	65.4#
89	0.0	43.7	65.5#









#57
 2,4-Dinitrotoluene
 Concen: 4.923 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. -0.38 min
 Lab File: BG039114.D
 Acq: 12 Jan 2019 11:47




Instrument :
 BNA_G
 ClientSampled :


Tot Ion:165	Resp:	10448
Ion Ratio	Lower	Upper
165	100	
63	0.0	30.2 45.4#
89	0.0	53.2 79.8#
182	0.0	2.7 4.1#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.41 min Scan# 2438
 Delta R.T. -0.01 min
 Lab File: BG039114.D
 Acq: 12 Jan 2019 11:47

Tgt Ion:188	Resp:	213976
Ion Ratio	Lower	Upper
188	100	
94	6.7	5.0 7.4
80	6.1	4.7 7.1





#67

4-Bromophenyl-phenylether

Concen: 3.854 ng

RT: 16.16 min Scan# 2224

Delta R.T. -0.45 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47

Instrument :

BNA_G

ClientSampleId :


Tot Ion:248 Resp: 10602

Ion Ratio Lower Upper

248 100

250 190.2 79.9 119.9#




141 357.9 52.7 79.1#



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3166

Delta R.T. -0.01 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47


Tgt Ion:240 Resp: 217545

Ion Ratio Lower Upper

240 100

120 7.2 4.3 6.5#



236 26.2 20.1 30.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.557 ng

RT: 20.02 min Scan# 2881

Delta R.T. 0.36 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47

Instrument :

BNA_G

ClientSampleId :


Tot Ion:184 Resp: 17012

Ion Ratio Lower Upper

184 100

185 15.2 12.1 18.1




183 8.8 9.5 14.3#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 90.168 ng

RT: 20.02 min Scan# 2881

Delta R.T. -0.01 min

Lab File: BG039114.D

Acq: 12 Jan 2019 11:47


Tgt Ion:244 Resp: 1060367

Ion Ratio Lower Upper

244 100

212 7.9 6.1 9.1



122 7.7 6.1 9.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.96 min Scan# 3723
 Delta R.T. -0.02 min
 Lab File: BG039114.D
 Acq: 12 Jan 2019 11:47

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.4	17.0	25.6
265	20.9	17.2	25.8

