

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011119\  
 Data File : BG039116.D  
 Acq On : 12 Jan 2019 13:06  
 Operator : JU/SJ  
 Sample : K1119-08  
 Misc :  
 ALS Vial : 27 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 ClientSampleId :

Quant Time: Jan 14 10:04:20 2019  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Wed Jan 09 14:23:53 2019  
 Response via : Initial Calibration


| Internal Standards             | R.T.  | QIon | Response | Conc   | Units | Dev(Min) |
|--------------------------------|-------|------|----------|--------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4      | 8.03  | 152  | 19834    | 20.00  | ng    | 0.00     |
| 21) Naphthalene-d8             | 10.84 | 136  | 84409    | 20.00  | ng    | 0.00     |
| 39) Acenaphthene-d10           | 14.67 | 164  | 69910    | 20.00  | ng    | 0.00     |
| 64) Phenanthrene-d10           | 17.42 | 188  | 195109   | 20.00  | ng    | 0.00     |
| 76) Chrysene-d12               | 21.69 | 240  | 180386   | 20.00  | ng    | -0.02    |
| 87) Perylene-d12               | 24.97 | 264  | 188791   | 20.00  | ng    | -0.02    |
| System Monitoring Compounds    |       |      |          |        |       |          |
| 5) 2-Fluorophenol              | 5.58  | 112  | 150533   | 143.97 | ng    | 0.00     |
| 7) Phenol-d6                   | 7.19  | 99   | 191062   | 126.98 | ng    | 0.00     |
| 23) Nitrobenzene-d5            | 9.20  | 82   | 146249   | 94.81  | ng    | -0.01    |
| 42) 2,4,6-Tribromophenol       | 16.16 | 330  | 158452   | 135.21 | ng    | -0.01    |
| 45) 2-Fluorobiphenyl           | 13.29 | 172  | 445356   | 87.18  | ng    | 0.00     |
| 79) Terphenyl-d14              | 20.02 | 244  | 947794   | 97.20  | ng    | 0.00     |
| Target Compounds               |       |      |          |        |       |          |
| 19) n-Nitroso-di-n-propylamine | 9.20  | 70   | 19792    | 20.031 | ng    | # 64     |
| 51) 2,6-Dinitrotoluene         | 14.67 | 165  | 8962     | 6.785  | ng    | # 24     |
| 57) 2,4-Dinitrotoluene         | 14.67 | 165  | 8962     | 4.729  | ng    | # 26     |
| 67) 4-Bromophenyl-phenylether  | 16.16 | 248  | 10147    | 4.046  | ng    | # 1      |
| 77) Benzidine                  | 20.02 | 184  | 15091    | 2.735  | ng    | # 88     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011119\  
Data File : BG039116.D  
Acq On : 12 Jan 2019 13:06  
Operator : JU/SJ  
Sample : K1119-08  
Misc :  
ALS Vial : 27 Sample Multiplier: 1

Instrument :  
BNA\_G  
ClientSampleId :

Quant Time: Jan 14 10:04:20 2019  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Wed Jan 09 14:23:53 2019  
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 8.03 min Scan# 840  
Delta R.T. -0.00 min  
Lab File: BG039116.D  
Acq: 12 Jan 2019 13:06

Instrument :  
BNA\_G  
ClientSampled :

Tot Ion:152 Resp: 19834  
Ion Ratio Lower Upper  
152 100  
150 155.1 124.7 187.1  
115 56.3 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E  
Ion 150.00 (149.70 to 150.70): E  
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol  
Concen: 143.974 ng  
RT: 5.58 min Scan# 423  
Delta R.T. -0.00 min  
Lab File: BG039116.D  
Acq: 12 Jan 2019 13:06

Tgt Ion:112 Resp: 150533  
Ion Ratio Lower Upper  
112 100  
64 59.2 47.0 70.6  
63 32.7 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E  
Ion 64.00 (63.70 to 64.70): BGC  
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 126.978 ng

RT: 7.19 min Scan# 697

Delta R.T. -0.00 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06

Instrument :

BNA\_G

ClientSampleId :


Tot Ion: 99 Resp: 191062

Ion Ratio Lower Upper




99 100

42 20.8 15.8 23.6

71 38.1 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC  
Ion 42.00 (41.70 to 42.70): BGC  
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 20.031 ng

RT: 9.20 min Scan# 1040

Delta R.T. 0.37 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06

Tgt Ion: 70 Resp: 19792


Ion Ratio Lower Upper

70 100



42 46.7 59.0 88.4#


101 0.0 10.4 15.6#

130 1.9 21.6 32.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC  
Ion 42.00 (41.70 to 42.70): BGC  
Ion 101.00 (100.70 to 101.70): BGC  
Ion 130.00 (129.70 to 130.70): BGC









#21  
Naphthalene-d8  
Concen: 20.000 ng  
RT: 10.84 min Scan# 1319  
Delta R.T. -0.00 min  
Lab File: BG039116.D  
Acq: 12 Jan 2019 13:06

Instrument :  
BNA\_G  
ClientSampleId :

|             |       |             |
|-------------|-------|-------------|
| Tot Ion:136 | Resp: | 84409       |
| Ion         | Ratio | Lower Upper |
| 136         | 100   |             |
| 137         | 10.6  | 9.4 14.2    |
| 54          | 8.7   | 7.2 10.8    |
| 68          | 4.6   | 3.5 5.3     |




Abundance Ion 136.00 (135.70 to 136.70): E  
Ion 137.00 (136.70 to 137.70): E  
Ion 54.00 (53.70 to 54.70): BGC  
Ion 68.00 (67.70 to 68.70): BGC






#23  
Nitrobenzene-d5  
Concen: 94.808 ng  
RT: 9.20 min Scan# 1040  
Delta R.T. -0.01 min  
Lab File: BG039116.D  
Acq: 12 Jan 2019 13:06

|             |       |             |
|-------------|-------|-------------|
| Tgt Ion: 82 | Resp: | 146249      |
| Ion         | Ratio | Lower Upper |
| 82          | 100   |             |
| 128         | 47.4  | 37.3 55.9   |
| 54          | 59.1  | 46.4 69.6   |



Abundance Ion 82.00 (81.70 to 82.70): BGC  
Ion 128.00 (127.70 to 128.70): E  
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.67 min Scan# 1970

Delta R.T. -0.00 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06


Instrument :

BNA\_G

ClientSampleId :

Tot Ion:164 Resp: 69910

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 164 | 100   |       |       |
| 162 | 100.1 | 87.2  | 130.8 |
| 160 | 44.8  | 33.3  | 49.9  |






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 135.211 ng

RT: 16.16 min Scan# 2224


Delta R.T. -0.01 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06

Tgt Ion:330 Resp: 158452

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 330 | 100   |       |       |
| 332 | 94.2  | 75.7  | 113.5 |
| 141 | 30.8  | 24.9  | 37.3  |






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45  
 2-Fluorobiphenyl  
 Concen: 87.183 ng  
 RT: 13.29 min Scan# 1735  
 Delta R.T. -0.00 min  
 Lab File: BG039116.D  
 Acq: 12 Jan 2019 13:06




Instrument :  
 BNA\_G  
 ClientSampleId :


| Tot Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 172     | 100   |       |       |
| 171     | 38.0  | 29.4  | 44.0  |
| 170     | 24.4  | 20.1  | 30.1  |



#51  
 2,6-Dinitrotoluene  
 Concen: 6.785 ng  
 RT: 14.67 min Scan# 1970  
 Delta R.T. 0.41 min  
 Lab File: BG039116.D  
 Acq: 12 Jan 2019 13:06

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 165     | 100   |       |       |
| 63      | 0.0   | 43.6  | 65.4# |
| 89      | 0.0   | 43.7  | 65.5# |









#57  
 2,4-Dinitrotoluene  
 Concen: 4.729 ng  
 RT: 14.67 min Scan# 1970  
 Delta R.T. -0.38 min  
 Lab File: BG039116.D  
 Acq: 12 Jan 2019 13:06

Instrument :  
 BNA\_G  
 ClientSampleId :

Tot Ion:165 Resp: 8962  
 Ion Ratio Lower Upper  
 165 100  
 63 0.0 30.2 45.4#  
 89 0.0 53.2 79.8#  
 182 0.0 2.7 4.1#




Abundance Ion 165.00 (164.70 to 165.70): E  
 Ion 63.00 (62.70 to 63.70): BGC  
 Ion 89.00 (88.70 to 89.70): BGC  
 Ion 182.00 (181.70 to 182.70): E






#64  
 Phenanthrene-d10  
 Concen: 20.000 ng  
 RT: 17.42 min Scan# 2438  
 Delta R.T. -0.00 min  
 Lab File: BG039116.D  
 Acq: 12 Jan 2019 13:06

Tgt Ion:188 Resp: 195109  
 Ion Ratio Lower Upper  
 188 100  
 94 5.9 5.0 7.4  
 80 5.4 4.7 7.1



Abundance Ion 188.00 (187.70 to 188.70): E  
 Ion 94.00 (93.70 to 94.70): BGC  
 Ion 80.00 (79.70 to 80.70): BGC





#67

4-Bromophenyl-phenylether

Concen: 4.046 ng

RT: 16.16 min Scan# 2224

Delta R.T. -0.45 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06

Instrument :

BNA\_G

ClientSampleId :


Tot Ion:248 Resp: 10147

Ion Ratio Lower Upper

248 100

250 261.5 79.9 119.9#

141 459.6 52.7 79.1#






Abundance

Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3165

Delta R.T. -0.02 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06


Tgt Ion:240 Resp: 180386

Ion Ratio Lower Upper

240 100

120 6.0 4.3 6.5

236 24.7 20.1 30.1






Abundance

Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.735 ng

RT: 20.02 min Scan# 2881

Delta R.T. 0.36 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06

Instrument :

BNA\_G

ClientSampled :


Tot Ion:184 Resp: 15091

Ion Ratio Lower Upper

184 100

185 20.9 12.1 18.1#




183 8.4 9.5 14.3#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 97.198 ng

RT: 20.02 min Scan# 2881

Delta R.T. -0.00 min

Lab File: BG039116.D

Acq: 12 Jan 2019 13:06


Tgt Ion:244 Resp: 947794

Ion Ratio Lower Upper

244 100

212 7.6 6.1 9.1



122 6.5 6.1 9.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87  
Pervlene-d12  
Concen: 20.000 ng  
RT: 24.97 min Scan# 3723  
Delta R.T. -0.02 min  
Lab File: BG039116.D  
Acq: 12 Jan 2019 13:06

Instrument :  
BNA\_G  
ClientSampleId :

| Tot Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 264     | 100   |       |       |
| 260     | 22.0  | 17.0  | 25.6  |
| 265     | 20.3  | 17.2  | 25.8  |



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

