

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011119\
 Data File : BG039103.D
 Acq On : 12 Jan 2019 2:38
 Operator : JU/SJ
 Sample : PB116333BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB116333BL

Quant Time: Jan 12 04:15:15 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	22171	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	94791	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	76103	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	216824	20.00	ng	0.00
76) Chrysene-d12	21.69	240	215691	20.00	ng	-0.02
87) Perylene-d12	24.96	264	207579	20.00	ng	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.58	112	146636	125.46	ng	0.00
7) Phenol-d6	7.18	99	213528	126.95	ng	0.00
23) Nitrobenzene-d5	9.20	82	116528	67.27	ng	-0.01
42) 2,4,6-Tribromophenol	16.16	330	87318	68.45	ng	-0.01
45) 2-Fluorobiphenyl	13.28	172	339204	61.00	ng	0.00
79) Terphenyl-d14	20.02	244	729585	62.57	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011119\
Data File : BG039103.D
Acq On : 12 Jan 2019 2:38
Operator : JU/SJ
Sample : PB116333BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB116333BL

Quant Time: Jan 12 04:15:15 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 840
Delta R.T. -0.01 min
Lab File: BG039103.D
Acq: 12 Jan 2019 2:38

Instrument :
BNA_G
ClientSampleId :
PB116333BL

Tot Ion:152 Resp: 22171
Ion Ratio Lower Upper
152 100
150 152.2 124.7 187.1
115 58.9 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 125.464 ng
RT: 5.58 min Scan# 423
Delta R.T. -0.01 min
Lab File: BG039103.D
Acq: 12 Jan 2019 2:38

Tgt Ion:112 Resp: 146636
Ion Ratio Lower Upper
112 100
64 60.3 47.0 70.6
63 32.2 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 126.950 ng

RT: 7.18 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039103.D

Acq: 12 Jan 2019 2:38

Instrument :

BNA_G

ClientSampleId :

PB116333BL


Tot Ion: 99 Resp: 213528

Ion Ratio Lower Upper

99 100

42 17.3 15.8 23.6

71 34.6 30.2 45.4






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1320

Delta R.T. -0.00 min

Lab File: BG039103.D

Acq: 12 Jan 2019 2:38

Tgt Ion: 136 Resp: 94791


Ion Ratio Lower Upper

136 100

137 12.1 9.4 14.2

54 8.7 7.2 10.8

68 4.3 3.5 5.3





Abundance


Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 67.267 ng
 RT: 9.20 min Scan# 1040
 Delta R.T. -0.01 min
 Lab File: BG039103.D
 Acq: 12 Jan 2019 2:38




Instrument :
 BNA_G
 ClientSampleId :
 PB116333BL


Tot Ion	82	Resp	116528
Ion Ratio	Lower	Upper	
82	100		
128	45.2	37.3	55.9
54	56.0	46.4	69.6



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. -0.01 min
 Lab File: BG039103.D
 Acq: 12 Jan 2019 2:38

Tgt Ion	164	Resp	76103
Ion Ratio	Lower	Upper	
164	100		
162	102.7	87.2	130.8
160	44.9	33.3	49.9






#42
 2,4,6-Tribromophenol
 Concen: 68.447 ng
 RT: 16.16 min Scan# 2224
 Delta R.T. -0.01 min
 Lab File: BG039103.D
 Acq: 12 Jan 2019 2:38

Instrument :
 BNA_G
 ClientSampleId :
 PB116333BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.0	75.7	113.5
141	32.1	24.9	37.3






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 60.999 ng
 RT: 13.28 min Scan# 1735
 Delta R.T. -0.01 min
 Lab File: BG039103.D
 Acq: 12 Jan 2019 2:38

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.1	29.4	44.0
170	24.4	20.1	30.1






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2438

Delta R.T. -0.01 min

Lab File: BG039103.D

Acq: 12 Jan 2019 2:38

Instrument :

BNA_G

ClientSampleId :

PB116333BL


Tot Ion:188 Resp: 216824

Ion Ratio Lower Upper

188 100

94 6.5 5.0 7.4




80 7.2 4.7 7.1#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3165

Delta R.T. -0.02 min

Lab File: BG039103.D

Acq: 12 Jan 2019 2:38


Tgt Ion:240 Resp: 215691

Ion Ratio Lower Upper

240 100

120 7.6 4.3 6.5#



236 26.6 20.1 30.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 62.573 ng

RT: 20.02 min Scan# 2881

Delta R.T. -0.01 min

Lab File: BG039103.D

Acq: 12 Jan 2019 2:38

Instrument :

BNA_G

ClientSampleId :

PB116333BL


Tot Ion:244 Resp: 729585

Ion Ratio Lower Upper

244 100

212 7.7 6.1 9.1




122 7.7 6.1 9.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.96 min Scan# 3723

Delta R.T. -0.02 min

Lab File: BG039103.D

Acq: 12 Jan 2019 2:38


Tgt Ion:264 Resp: 207579

Ion Ratio Lower Upper

264 100

260 23.1 17.0 25.6

265 21.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

