

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG011519\
 Data File : BG039137.D
 Acq On : 15 Jan 2019 18:34
 Operator : JU/SJ
 Sample : K1128-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200053

Quant Time: Jan 16 01:09:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	4266	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	25161	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	39141	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	151217	20.00	ng	0.00
76) Chrysene-d12	21.69	240	202045	20.00	ng	-0.01
87) Perylene-d12	24.97	264	174883	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	37400	166.31	ng	0.00
7) Phenol-d6	7.18	99	50236	155.22	ng	0.00
23) Nitrobenzene-d5	9.20	82	45265	98.44	ng	0.00
42) 2,4,6-Tribromophenol	16.15	330	98436	150.03	ng	-0.01
45) 2-Fluorobiphenyl	13.28	172	145800	50.98	ng	0.00
79) Terphenyl-d14	20.02	244	926863	84.86	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.20	70	5609	26.392	ng	# 64
51) 2,6-Dinitrotoluene	14.66	165	4868	6.583	ng	# 24
57) 2,4-Dinitrotoluene	14.66	165	4868	4.588	ng	# 26
67) 4-Bromophenyl-phenylether	16.16	248	5971	3.072	ng	# 1
77) Benzidine	20.02	184	14091	2.280	ng	# 90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG011519\
Data File : BG039137.D
Acq On : 15 Jan 2019 18:34
Operator : JU/SJ
Sample : K1128-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
RBR-200053

Quant Time: Jan 16 01:09:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 841
Delta R.T. -0.00 min
Lab File: BG039137.D
Acq: 15 Jan 2019 18:34

Instrument :
BNA_G
ClientSampleId :
RBR-200053

Tgt Ion:152 Resp: 4266
Ion Ratio Lower Upper
152 100
150 181.5 124.7 187.1
115 57.5 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 166.308 ng
RT: 5.58 min Scan# 425
Delta R.T. 0.00 min
Lab File: BG039137.D
Acq: 15 Jan 2019 18:34

Tgt Ion:112 Resp: 37400
Ion Ratio Lower Upper
112 100
64 63.1 47.0 70.6
63 31.9 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 155.223 ng

RT: 7.18 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039137.D

Acq: 15 Jan 2019 18:34

Instrument :

BNA_G

ClientSampleId :

RBR-200053


Tgt Ion: 99 Resp: 50236

Ion Ratio Lower Upper




99 100

42 20.5 15.8 23.6

71 36.7 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 26.392 ng

RT: 9.20 min Scan# 1041

Delta R.T. 0.37 min

Lab File: BG039137.D

Acq: 15 Jan 2019 18:34

Tgt Ion: 70 Resp: 5609


Ion Ratio Lower Upper

70 100



42 47.4 59.0 88.4#


101 0.0 10.4 15.6#

130 0.0 21.6 32.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.84 min Scan# 1320
Delta R.T. -0.00 min
Lab File: BG039137.D
Acq: 15 Jan 2019 18:34

Instrument :
BNA_G
ClientSampleId :
RBR-200053

Tgt Ion: 136 Resp: 25161
Ion Ratio Lower Upper
136 100
137 14.3 9.4 14.2#
54 9.4 7.2 10.8
68 6.3 3.5 5.3#




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 98.441 ng
RT: 9.20 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG039137.D
Acq: 15 Jan 2019 18:34

Tgt Ion: 82 Resp: 45265
Ion Ratio Lower Upper
82 100
128 48.8 37.3 55.9
54 57.0 46.4 69.6



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.66 min Scan# 1970

Delta R.T. -0.01 min

Lab File: BG039137.D

Acq: 15 Jan 2019 18:34

Instrument :

BNA_G

ClientSampleId :

RBR-200053


Tgt Ion:164 Resp: 39141

Ion Ratio Lower Upper

164 100

162 97.1 87.2 130.8




160 41.5 33.3 49.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 150.029 ng

RT: 16.15 min Scan# 2224

Delta R.T. -0.01 min

Lab File: BG039137.D

Acq: 15 Jan 2019 18:34


Tgt Ion:330 Resp: 98436

Ion Ratio Lower Upper

330 100

332 95.9 75.7 113.5



141 32.6 24.9 37.3




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 50.979 ng
 RT: 13.28 min Scan# 1735
 Delta R.T. -0.01 min
 Lab File: BG039137.D
 Acq: 15 Jan 2019 18:34

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200053

Tgt Ion:172 Resp: 145800
 Ion Ratio Lower Upper
 172 100
 171 35.7 29.4 44.0
 170 22.2 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#51
 2,6-Dinitrotoluene
 Concen: 6.583 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. 0.40 min
 Lab File: BG039137.D
 Acq: 15 Jan 2019 18:34

Tgt Ion:165 Resp: 4868
 Ion Ratio Lower Upper
 165 100
 63 0.0 43.6 65.4#
 89 0.0 43.7 65.5#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC









#57
 2,4-Dinitrotoluene
 Concen: 4.588 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. -0.38 min
 Lab File: BG039137.D
 Acq: 15 Jan 2019 18:34

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200053

Tgt Ion:165 Resp: 4868
 Ion Ratio Lower Upper
 165 100
 63 0.0 30.2 45.4#
 89 0.0 53.2 79.8#
 182 0.0 2.7 4.1#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.41 min Scan# 2438
 Delta R.T. -0.01 min
 Lab File: BG039137.D
 Acq: 15 Jan 2019 18:34

Tgt Ion:188 Resp: 151217
 Ion Ratio Lower Upper
 188 100
 94 6.3 5.0 7.4
 80 7.1 4.7 7.1#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 3.072 ng
 RT: 16.16 min Scan# 2225
 Delta R.T. -0.44 min
 Lab File: BG039137.D
 Acq: 15 Jan 2019 18:34

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200053

Tgt Ion:248 Resp: 5971
 Ion Ratio Lower Upper
 248 100
 250 253.7 79.9 119.9#
 141 453.4 52.7 79.1#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.69 min Scan# 3166
 Delta R.T. -0.01 min
 Lab File: BG039137.D
 Acq: 15 Jan 2019 18:34

Tgt Ion:240 Resp: 202045
 Ion Ratio Lower Upper
 240 100
 120 7.1 4.3 6.5#
 236 26.7 20.1 30.1



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.280 ng

RT: 20.02 min Scan# 2882

Delta R.T. 0.36 min

Lab File: BG039137.D

Acq: 15 Jan 2019 18:34

Instrument :

BNA_G

ClientSampleId :

RBR-200053


Tgt Ion:184 Resp: 14091

Ion Ratio Lower Upper

184 100

185 20.3 12.1 18.1#




183 9.6 9.5 14.3



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 84.862 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG039137.D

Acq: 15 Jan 2019 18:34


Tgt Ion:244 Resp: 926863

Ion Ratio Lower Upper

244 100

212 7.4 6.1 9.1



122 6.7 6.1 9.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 24.97 min Scan# 3724
Delta R.T. -0.01 min
Lab File: BG039137.D
Acq: 15 Jan 2019 18:34

Instrument :
BNA_G
ClientSampleId :
RBR-200053

Tgt Ion: 264 Resp: 174883

Ion	Ratio	Lower	Upper
264	100		
260	22.3	17.0	25.6
265	20.8	17.2	25.8

