

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG011519\
 Data File : BG039138.D
 Acq On : 15 Jan 2019 19:13
 Operator : JU/SJ
 Sample : K1128-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200036

Quant Time: Jan 16 01:09:48 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	7541	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	42723	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	46738	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	170959	20.00	ng	0.00
76) Chrysene-d12	21.69	240	213786	20.00	ng	-0.01
87) Perylene-d12	24.96	264	194864	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	66677	167.73	ng	0.00
7) Phenol-d6	7.18	99	97109	169.74	ng	0.00
23) Nitrobenzene-d5	9.20	82	65193	83.50	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	126344	161.26	ng	-0.01
45) 2-Fluorobiphenyl	13.28	172	260352	76.24	ng	0.00
79) Terphenyl-d14	20.02	244	1052713	91.09	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.20	70	8423	22.421	ng	# 68
51) 2,6-Dinitrotoluene	14.66	165	5778	6.543	ng	# 24
57) 2,4-Dinitrotoluene	14.66	165	5778	4.561	ng	# 26
67) 4-Bromophenyl-phenylether	16.16	248	8196	3.730	ng	# 1
77) Benzidine	20.02	184	16635	2.544	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG011519\
Data File : BG039138.D
Acq On : 15 Jan 2019 19:13
Operator : JU/SJ
Sample : K1128-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
RBR-200036

Quant Time: Jan 16 01:09:48 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.02 min Scan# 840
 Delta R.T. -0.01 min
 Lab File: BG039138.D
 Acq: 15 Jan 2019 19:13

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200036

Tgt Ion:152 Resp: 7541
 Ion Ratio Lower Upper
 152 100
 150 142.8 124.7 187.1
 115 51.3 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 167.730 ng
 RT: 5.58 min Scan# 424
 Delta R.T. -0.00 min
 Lab File: BG039138.D
 Acq: 15 Jan 2019 19:13

Tgt Ion:112 Resp: 66677
 Ion Ratio Lower Upper
 112 100
 64 59.8 47.0 70.6
 63 33.3 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 169.744 ng

RT: 7.18 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039138.D

Acq: 15 Jan 2019 19:13

Instrument :

BNA_G

ClientSampleId :

RBR-200036


Tgt Ion: 99 Resp: 97109

Ion Ratio Lower Upper




99 100

42 20.3 15.8 23.6

71 37.6 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 22.421 ng

RT: 9.20 min Scan# 1041

Delta R.T. 0.37 min

Lab File: BG039138.D

Acq: 15 Jan 2019 19:13

Tgt Ion: 70 Resp: 8423


Ion Ratio Lower Upper

70 100



42 51.7 59.0 88.4#

101 0.0 10.4 15.6#

130 3.3 21.6 32.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.84 min Scan# 1320
Delta R.T. -0.00 min
Lab File: BG039138.D
Acq: 15 Jan 2019 19:13

Instrument :
BNA_G
ClientSampleId :
RBR-200036

Tgt Ion:	136	Resp:	42723
Ion	Ratio	Lower	Upper
136	100		
137	10.2	9.4	14.2
54	9.1	7.2	10.8
68	4.1	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 83.499 ng
RT: 9.20 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG039138.D
Acq: 15 Jan 2019 19:13

Tgt Ion:	82	Resp:	65193
Ion	Ratio	Lower	Upper
82	100		
128	47.1	37.3	55.9
54	61.8	46.4	69.6



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.66 min Scan# 1970

Delta R.T. -0.01 min

Lab File: BG039138.D

Acq: 15 Jan 2019 19:13

Instrument :

BNA_G

ClientSampleId :

RBR-200036


Tgt Ion:164 Resp: 46738

Ion Ratio Lower Upper

164 100

162 104.5 87.2 130.8




160 39.9 33.3 49.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 161.265 ng

RT: 16.16 min Scan# 2224

Delta R.T. -0.01 min

Lab File: BG039138.D

Acq: 15 Jan 2019 19:13


Tgt Ion:330 Resp: 126344

Ion Ratio Lower Upper

330 100

332 96.2 75.7 113.5



141 31.1 24.9 37.3



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 76.235 ng
 RT: 13.28 min Scan# 1735
 Delta R.T. -0.01 min
 Lab File: BG039138.D
 Acq: 15 Jan 2019 19:13




Instrument :
 BNA_G
 ClientSampleId :
 RBR-200036

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.2	29.4	44.0
170	23.7	20.1	30.1



#51
 2,6-Dinitrotoluene
 Concen: 6.543 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. 0.40 min
 Lab File: BG039138.D
 Acq: 15 Jan 2019 19:13

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	43.6	65.4#
89	0.0	43.7	65.5#






#57
 2,4-Dinitrotoluene
 Concen: 4.561 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. -0.38 min
 Lab File: BG039138.D
 Acq: 15 Jan 2019 19:13

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200036

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	30.2	45.4#
89	0.0	53.2	79.8#
182	0.0	2.7	4.1#






Abundance

Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.41 min Scan# 2438
 Delta R.T. -0.01 min
 Lab File: BG039138.D
 Acq: 15 Jan 2019 19:13

Tgt Ion	Ratio	Lower	Upper
188	100		
94	5.9	5.0	7.4
80	6.9	4.7	7.1






Abundance

Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 3.730 ng
RT: 16.16 min Scan# 2224
Delta R.T. -0.45 min
Lab File: BG039138.D
Acq: 15 Jan 2019 19:13

Instrument :
BNA_G
ClientSampleId :
RBR-200036

Tgt Ion:248 Resp: 8196
Ion Ratio Lower Upper
248 100
250 184.0 79.9 119.9#
141 344.3 52.7 79.1#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.69 min Scan# 3166
Delta R.T. -0.01 min
Lab File: BG039138.D
Acq: 15 Jan 2019 19:13

Tgt Ion:240 Resp: 213786
Ion Ratio Lower Upper
240 100
120 7.3 4.3 6.5#
236 25.8 20.1 30.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.544 ng

RT: 20.02 min Scan# 2881

Delta R.T. 0.36 min

Lab File: BG039138.D

Acq: 15 Jan 2019 19:13

Instrument :

BNA_G

ClientSampleId :

RBR-200036


Tgt Ion:184 Resp: 16635

Ion Ratio Lower Upper

184 100

185 15.4 12.1 18.1




183 10.4 9.5 14.3



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 91.091 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG039138.D

Acq: 15 Jan 2019 19:13


Tgt Ion:244 Resp: 1052713

Ion Ratio Lower Upper

244 100

212 7.8 6.1 9.1



122 7.4 6.1 9.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 24.96 min Scan# 3723
Delta R.T. -0.02 min
Lab File: BG039138.D
Acq: 15 Jan 2019 19:13

Instrument :
BNA_G
ClientSampleId :
RBR-200036

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.5	17.0	25.6
265	21.5	17.2	25.8

