

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011519\
 Data File : BG039150.D
 Acq On : 16 Jan 2019 6:58
 Operator : JU/SJ
 Sample : K1007-02
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 NB-07-011419

Quant Time: Jan 16 07:36:00 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 09 14:23:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	6693	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	27682	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	29114	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	160110	20.00	ng	0.00
76) Chrysene-d12	21.69	240	186835	20.00	ng	-0.01
87) Perylene-d12	24.96	264	181529	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	55419	157.07	ng	0.00
7) Phenol-d6	7.18	99	76654	150.97	ng	0.00
23) Nitrobenzene-d5	9.20	82	54587	107.90	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	106765	218.77	ng	-0.01
45) 2-Fluorobiphenyl	13.28	172	170909	80.34	ng	0.00
79) Terphenyl-d14	20.02	244	995558	98.57	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011519\
Data File : BG039150.D
Acq On : 16 Jan 2019 6:58
Operator : JU/SJ
Sample : K1007-02
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
NB-07-011419

Quant Time: Jan 16 07:36:00 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 09 14:23:53 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.02 min Scan# 840

Delta R.T. -0.01 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58

Instrument :

BNA_G

ClientSampleId :

NB-07-011419


Tot Ion:152 Resp: 6693

Ion Ratio Lower Upper

152 100

150 162.4 124.7 187.1




115 55.4 46.5 69.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 157.073 ng

RT: 5.58 min Scan# 424

Delta R.T. -0.00 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58


Tgt Ion:112 Resp: 55419

Ion Ratio Lower Upper

112 100

64 62.2 47.0 70.6



63 30.1 28.0 42.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 150.965 ng

RT: 7.18 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58

Instrument :

BNA_G

ClientSampled :

NB-07-011419


Tot Ion: 99 Resp: 76654

Ion Ratio Lower Upper




99 100

42 19.5 15.8 23.6

71 36.4 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.84 min Scan# 1320

Delta R.T. -0.00 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58

Tgt Ion: 136 Resp: 27682


Ion Ratio Lower Upper

136 100



137 13.1 9.4 14.2


54 9.0 7.2 10.8

68 4.1 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 107.903 ng
RT: 9.20 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG039150.D
Acq: 16 Jan 2019 6:58

Instrument :
BNA_G
ClientSampleId :
NB-07-011419

Tot Ion	Ratio	Lower	Upper
82	100		
128	45.0	37.3	55.9
54	56.2	46.4	69.6




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1970
Delta R.T. -0.01 min
Lab File: BG039150.D
Acq: 16 Jan 2019 6:58

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.2	87.2	130.8
160	43.0	33.3	49.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 218.767 ng
 RT: 16.16 min Scan# 2224
 Delta R.T. -0.01 min
 Lab File: BG039150.D
 Acq: 16 Jan 2019 6:58

Instrument :
 BNA_G
 ClientSampleId :
 NB-07-011419

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.4	75.7	113.5
141	32.0	24.9	37.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 80.339 ng
 RT: 13.28 min Scan# 1735
 Delta R.T. -0.01 min
 Lab File: BG039150.D
 Acq: 16 Jan 2019 6:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.4	44.0
170	25.2	20.1	30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2438

Delta R.T. -0.01 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58

Instrument :

BNA_G

ClientSampleId :

NB-07-011419


Tot Ion:188 Resp: 160110

Ion Ratio Lower Upper

188 100

94 6.7 5.0 7.4




80 7.1 4.7 7.1#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3166

Delta R.T. -0.01 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58


Tgt Ion:240 Resp: 186835

Ion Ratio Lower Upper

240 100

120 6.3 4.3 6.5



236 25.5 20.1 30.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 98.572 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58

Instrument :

BNA_G

ClientSampleId :

NB-07-011419


Tot Ion:244 Resp: 995558

Ion Ratio Lower Upper

244 100

212 7.3 6.1 9.1




122 6.8 6.1 9.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.96 min Scan# 3723

Delta R.T. -0.02 min

Lab File: BG039150.D

Acq: 16 Jan 2019 6:58


Tgt Ion:264 Resp: 181529

Ion Ratio Lower Upper

264 100

260 22.7 17.0 25.6

265 21.8 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

