

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011819\
 Data File : BG039221.D
 Acq On : 18 Jan 2019 18:35
 Operator : JU/SJ
 Sample : PB116481BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB116481BL

Quant Time: Jan 18 22:25:37 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 18 04:20:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	13677	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	53346	20.00	ng	0.00
39) Acenaphthene-d10	14.65	164	42678	20.00	ng	0.00
64) Phenanthrene-d10	17.40	188	120543	20.00	ng	0.00
76) Chrysene-d12	21.67	240	124719	20.00	ng	0.00
87) Perylene-d12	24.93	264	129444	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	82280	114.12	ng	0.00
7) Phenol-d6	7.17	99	117430	113.18	ng	0.00
23) Nitrobenzene-d5	9.18	82	69102	70.88	ng	0.00
42) 2,4,6-Tribromophenol	16.14	330	80247	112.17	ng	0.00
45) 2-Fluorobiphenyl	13.27	172	221389	70.99	ng	0.00
79) Terphenyl-d14	20.00	244	458445	68.00	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG011819\
Data File : BG039221.D
Acq On : 18 Jan 2019 18:35
Operator : JU/SJ
Sample : PB116481BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB116481BL

Quant Time: Jan 18 22:25:37 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 18 04:20:14 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.01 min Scan# 837
 Delta R.T. -0.01 min
 Lab File: BG039221.D
 Acq: 18 Jan 2019 18:35

Instrument :
 BNA_G
 ClientSampleId :
 PB116481BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	149.7	124.7	187.1
115	55.6	46.5	69.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 114.121 ng
 RT: 5.56 min Scan# 421
 Delta R.T. -0.00 min
 Lab File: BG039221.D
 Acq: 18 Jan 2019 18:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.2	47.0	70.6
63	32.8	28.0	42.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 113.175 ng

RT: 7.17 min Scan# 694

Delta R.T. -0.01 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35

Instrument :

BNA_G

ClientSampleId :

PB116481BL


Tot Ion: 99 Resp: 117430

Ion Ratio Lower Upper




99 100

42 19.9 15.8 23.6

71 38.6 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1317

Delta R.T. -0.00 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35

Tgt Ion: 136 Resp: 53346


Ion Ratio Lower Upper

136 100



137 10.8 9.4 14.2


54 9.9 7.2 10.8

68 4.2 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 70.881 ng
RT: 9.18 min Scan# 1037
Delta R.T. -0.01 min
Lab File: BG039221.D
Acq: 18 Jan 2019 18:35

Instrument :
BNA_G
ClientSampleID :
PB116481BL

Tot Ion: 82 Resp: 69102
Ion Ratio Lower Upper
82 100
128 47.7 37.3 55.9
54 59.2 46.4 69.6




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.65 min Scan# 1967
Delta R.T. -0.01 min
Lab File: BG039221.D
Acq: 18 Jan 2019 18:35

Tgt Ion: 164 Resp: 42678
Ion Ratio Lower Upper
164 100
162 99.5 87.2 130.8
160 43.1 33.3 49.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 112.171 ng

RT: 16.14 min Scan# 2222

Delta R.T. -0.01 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35

Instrument :

BNA_G

ClientSampleId :

PB116481BL


Tot Ion:330 Resp: 80247

Ion Ratio Lower Upper

330 100

332 95.9 75.7 113.5




141 30.8 24.9 37.3



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 70.993 ng

RT: 13.27 min Scan# 1732

Delta R.T. -0.01 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35


Tgt Ion:172 Resp: 221389

Ion Ratio Lower Upper

172 100

171 36.1 29.4 44.0



170 23.7 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.40 min Scan# 2435

Delta R.T. -0.01 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35

Instrument :

BNA_G

ClientSampleId :

PB116481BL


Tot Ion:188 Resp: 120543

Ion Ratio Lower Upper

188 100

94 6.7 5.0 7.4




80 6.7 4.7 7.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.67 min Scan# 3163

Delta R.T. -0.01 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35


Tgt Ion:240 Resp: 124719

Ion Ratio Lower Upper

240 100

120 5.8 4.3 6.5



236 25.6 20.1 30.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 67.999 ng

RT: 20.00 min Scan# 2878

Delta R.T. -0.01 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35

Instrument :

BNA_G

ClientSampleId :

PB116481BL


Tot Ion:244 Resp: 458445

Ion Ratio Lower Upper

244 100

212 7.1 6.1 9.1




122 7.2 6.1 9.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.93 min Scan# 3717

Delta R.T. -0.02 min

Lab File: BG039221.D

Acq: 18 Jan 2019 18:35


Tgt Ion:264 Resp: 129444

Ion Ratio Lower Upper

264 100

260 22.6 17.0 25.6

265 23.6 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

