

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG011823\
 Data File : BG056326.D
 Acq On : 18 Jan 2023 13:05
 Operator : CG/JU
 Sample : PB150306BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB150306BL

Quant Time: Jan 19 00:29:54 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 12 03:38:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.306	152	39566	20.000	ng	-0.01
21) Naphthalene-d8	11.144	136	154730	20.000	ng	0.00
39) Acenaphthene-d10	14.922	164	128532	20.000	ng	0.00
64) Phenanthrene-d10	17.660	188	333784	20.000	ng	0.00
76) Chrysene-d12	21.949	240	309182	20.000	ng	#-0.01
86) Perylene-d12	25.392	264	323865	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.827	112	350050	157.967	ng	0.00
7) Phenol-d6	7.448	99	492601	144.751	ng	0.00
23) Nitrobenzene-d5	9.481	82	266657	88.153	ng	-0.01
42) 2,4,6-Tribromophenol	16.402	330	237664	146.000	ng	0.00
45) 2-Fluorobiphenyl	13.547	172	866569	93.101	ng	-0.01
79) Terphenyl-d14	20.233	244	1689551	97.873	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG011823\
Data File : BG056326.D
Acq On : 18 Jan 2023 13:05
Operator : CG/JU
Sample : PB150306BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB150306BL

Quant Time: Jan 19 00:29:54 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 12 03:38:40 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.306 min Scan# 81
Delta R.T. -0.011 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05




Instrument :
BNA_G
ClientSampleId :
PB150306BL

Tgt Ion:152 Resp: 39566
Ion Ratio Lower Upper
152 100
150 160.3 127.9 191.9
115 54.0 44.2 66.2



#5
2-Fluorophenol
Concen: 157.967 ng
RT: 5.827 min Scan# 432
Delta R.T. 0.001 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05

Tgt Ion:112 Resp: 350050
Ion Ratio Lower Upper
112 100
64 43.1 33.3 49.9
63 23.3 19.0 28.4









#7
Phenol-d6
Concen: 144.751 ng
RT: 7.448 min Scan# 70
Delta R.T. 0.001 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05




Instrument :
BNA_G
ClientSampleId :
PB150306BL

Tgt Ion: 99 Resp: 492601
Ion Ratio Lower Upper
99 100
42 7.8 5.9 8.9
71 29.4 25.4 38.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.144 min Scan# 1337
Delta R.T. -0.005 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05

Tgt Ion: 136 Resp: 154730
Ion Ratio Lower Upper
136 100
137 11.6 9.4 14.0
54 3.2 2.2 3.2
68 4.2 3.4 5.0









#23
Nitrobenzene-d5
Concen: 88.153 ng
RT: 9.481 min Scan# 1054
Delta R.T. -0.011 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05




Instrument :
BNA_G
ClientSampleId :
PB150306BL


Tgt Ion: 82 Resp: 266657
Ion Ratio Lower Upper
82 100
128 42.7 33.4 50.2
54 27.5 20.3 30.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.922 min Scan# 1980
Delta R.T. -0.005 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05


Tgt Ion:164 Resp: 128532
Ion Ratio Lower Upper
164 100
162 105.6 84.7 127.1
160 42.9 36.3 54.5







#42
2,4,6-Tribromophenol
Concen: 146.000 ng
RT: 16.402 min Scan# 21
Delta R.T. -0.005 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05

Instrument :
BNA_G
ClientSampleId :
PB150306BL







Tgt Ion:330 Resp: 237664
Ion Ratio Lower Upper
330 100
332 96.8 77.3 115.9
141 33.2 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 93.101 ng
RT: 13.547 min Scan# 1746
Delta R.T. -0.011 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05

Tgt Ion:172 Resp: 866569
Ion Ratio Lower Upper
172 100
171 36.3 29.6 44.4
170 24.2 19.4 29.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.660 min Scan# 2449
Delta R.T. -0.005 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05




Instrument :
BNA_G
ClientSampleId :
PB150306BL


Tgt Ion:188 Resp: 333784
Ion Ratio Lower Upper
188 100
94 6.1 4.2 6.2
80 6.0 5.0 7.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.949 min Scan# 3176
Delta R.T. -0.011 min
Lab File: BG056326.D
Acq: 18 Jan 2023 13:05

Tgt Ion:240 Resp: 309182
Ion Ratio Lower Upper
240 100
120 4.0 2.6 4.0#
236 26.1 20.8 31.2









#79
 Terphenyl-d14
 Concen: 97.873 ng
 RT: 20.233 min Scan# 2884
 Delta R.T. -0.005 min
 Lab File: BG056326.D
 Acq: 18 Jan 2023 13:05

Instrument :
 BNA_G
 ClientSampleId :
 PB150306BL

Tgt Ion:244 Resp: 1689551
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.7 8.5
 122 5.5 3.5 5.3#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.392 min Scan# 3762
 Delta R.T. -0.011 min
 Lab File: BG056326.D
 Acq: 18 Jan 2023 13:05

Tgt Ion:264 Resp: 323865
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.6 28.0
 265 21.4 16.7 25.1

