

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020623\
 Data File : BG056552.D
 Acq On : 6 Feb 2023 12:45
 Operator : CG/JU
 Sample : PB150235BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB150235BL

Quant Time: Feb 07 04:32:07 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG012723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 07 04:30:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.276	152	38130	20.000	ng	# 0.00
21) Naphthalene-d8	11.108	136	152649	20.000	ng	0.00
39) Acenaphthene-d10	14.897	164	122880	20.000	ng	0.00
64) Phenanthrene-d10	17.635	188	342943	20.000	ng	0.00
76) Chrysene-d12	21.924	240	317041	20.000	ng	0.00
86) Perylene-d12	25.356	264	347213	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.796	112	312698	150.861	ng	0.00
7) Phenol-d6	7.424	99	429374	139.809	ng	0.00
23) Nitrobenzene-d5	9.451	82	219883	81.796	ng	0.00
42) 2,4,6-Tribromophenol	16.384	330	213448	130.660	ng	0.00
45) 2-Fluorobiphenyl	13.523	172	733088	82.713	ng	0.00
79) Terphenyl-d14	20.215	244	1551903	85.973	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020623\
Data File : BG056552.D
Acq On : 6 Feb 2023 12:45
Operator : CG/JU
Sample : PB150235BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB150235BL

Quant Time: Feb 07 04:32:07 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG012723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 07 04:30:04 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.276 min Scan# 84
Delta R.T. 0.001 min
Lab File: BG056552.D
Acq: 6 Feb 2023 12:45




Instrument :
BNA_G
ClientSampleId :
PB150235BL


Tgt Ion:152 Resp: 38130
Ion Ratio Lower Upper
152 100
150 160.0 120.2 180.4
115 57.9 36.3 54.5#



#5
2-Fluorophenol
Concen: 150.861 ng
RT: 5.796 min Scan# 427
Delta R.T. 0.006 min
Lab File: BG056552.D
Acq: 6 Feb 2023 12:45

Tgt Ion:112 Resp: 312698
Ion Ratio Lower Upper
112 100
64 41.6 31.9 47.9
63 24.2 17.4 26.0









#7
Phenol-d6
Concen: 139.809 ng
RT: 7.424 min Scan# 704
Delta R.T. 0.006 min
Lab File: BG056552.D
Acq: 6 Feb 2023 12:45




Instrument :
BNA_G
ClientSampleId :
PB150235BL


Tgt Ion: 99 Resp: 429374
Ion Ratio Lower Upper
99 100
42 7.6 6.6 10.0
71 28.6 23.4 35.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.108 min Scan# 1331
Delta R.T. 0.001 min
Lab File: BG056552.D
Acq: 6 Feb 2023 12:45

Tgt Ion: 136 Resp: 152649
Ion Ratio Lower Upper
136 100
137 10.5 9.4 14.0
54 2.3 2.2 3.4
68 4.0 3.6 5.4





#23

Nitrobenzene-d5

Concen: 81.796 ng

RT: 9.451 min Scan# 1049

Delta R.T. 0.001 min

Lab File: BG056552.D

Acq: 6 Feb 2023 12:45

Instrument :

BNA_G

ClientSampleId :

PB150235BL





Tgt Ion: 82 Resp: 219883

Ion Ratio Lower Upper

82 100

128 46.1 39.4 59.2

54 26.9 21.4 32.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.897 min Scan# 1976

Delta R.T. 0.001 min

Lab File: BG056552.D

Acq: 6 Feb 2023 12:45




Tgt Ion:164 Resp: 122880


Ion Ratio Lower Upper

164 100

162 100.5 79.6 119.4


160 42.0 34.9 52.3








#42
 2,4,6-Tribromophenol
 Concen: 130.660 ng
 RT: 16.384 min Scan# 21
 Delta R.T. 0.001 min
 Lab File: BG056552.D
 Acq: 6 Feb 2023 12:45


Instrument :
 BNA_G
 ClientSampleId :
 PB150235BL





Tgt Ion:330 Resp: 213448
 Ion Ratio Lower Upper
 330 100
 332 98.4 79.0 118.6
 141 30.3 24.2 36.4




#45
 2-Fluorobiphenyl
 Concen: 82.713 ng
 RT: 13.523 min Scan# 1742
 Delta R.T. 0.001 min
 Lab File: BG056552.D
 Acq: 6 Feb 2023 12:45



Tgt Ion:172 Resp: 733088
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.5 44.3
 170 24.6 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.635 min Scan# 2442
Delta R.T. -0.005 min
Lab File: BG056552.D
Acq: 6 Feb 2023 12:45




Instrument :
BNA_G
ClientSampleId :
PB150235BL


Tgt Ion:188 Resp: 342943
Ion Ratio Lower Upper
188 100
94 5.6 4.1 6.1
80 6.1 5.0 7.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.924 min Scan# 3172
Delta R.T. -0.005 min
Lab File: BG056552.D
Acq: 6 Feb 2023 12:45

Tgt Ion:240 Resp: 317041
Ion Ratio Lower Upper
240 100
120 4.9 3.8 5.8
236 25.0 20.2 30.2









#79
 Terphenyl-d14
 Concen: 85.973 ng
 RT: 20.215 min Scan# 2881
 Delta R.T. 0.001 min
 Lab File: BG056552.D
 Acq: 6 Feb 2023 12:45

Instrument :
 BNA_G
 ClientSampleId :
 PB150235BL

Tgt Ion:244 Resp: 1551903
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.5 8.3
 122 5.3 4.4 6.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.356 min Scan# 3756
 Delta R.T. -0.005 min
 Lab File: BG056552.D
 Acq: 6 Feb 2023 12:45

Tgt Ion:264 Resp: 347213
 Ion Ratio Lower Upper
 264 100
 260 24.3 18.2 27.4
 265 21.6 18.1 27.1

