

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020719\
 Data File : BG039392.D
 Acq On : 7 Feb 2019 21:36
 Operator : JU/SJ
 Sample : K1392-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-6

Quant Time: Feb 09 00:15:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG012919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 29 15:41:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.18	152	52483	20.00	ng	0.00
21) Naphthalene-d8	11.00	136	219214	20.00	ng	0.00
39) Acenaphthene-d10	14.80	164	144743	20.00	ng	0.00
64) Phenanthrene-d10	17.55	188	348631	20.00	ng	0.00
76) Chrysene-d12	21.83	240	371163	20.00	ng	-0.01
87) Perylene-d12	25.22	264	374206	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	218341	71.20	ng	0.00
7) Phenol-d6	7.31	99	197407	43.73	ng	-0.01
23) Nitrobenzene-d5	9.35	82	420682	119.89	ng	-0.01
42) 2,4,6-Tribromophenol	16.28	330	253974	162.95	ng	0.00
45) 2-Fluorobiphenyl	13.43	172	1009976	100.10	ng	0.00
79) Terphenyl-d14	20.14	244	1583608	90.31	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020719\
Data File : BG039392.D
Acq On : 7 Feb 2019 21:36
Operator : JU/SJ
Sample : K1392-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-6

Quant Time: Feb 09 00:15:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG012919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 29 15:41:51 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.18 min Scan# 866

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36

Instrument :

BNA_G

ClientSampled :

MW-6


Tot Ion:152 Resp: 52483

Ion Ratio Lower Upper

152 100

150 145.4 123.7 185.5

115 57.3 45.9 68.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 71.203 ng

RT: 5.71 min Scan# 447

Delta R.T. -0.00 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36


Tgt Ion:112 Resp: 218341

Ion Ratio Lower Upper

112 100

64 73.2 57.8 86.8

63 37.8 29.8 44.6






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 43.734 ng

RT: 7.31 min Scan# 718

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36

Instrument :

BNA_G

ClientSampleId :

MW-6


Tot Ion: 99 Resp: 197407

Ion Ratio Lower Upper

99 100

42 19.9 18.2 27.2

71 34.4 28.0 42.0






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.00 min Scan# 1347

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36

Tgt Ion: 136 Resp: 219214


Ion Ratio Lower Upper

136 100

137 10.7 9.1 13.7

54 10.4 9.4 14.2

68 6.1 4.2 6.4





Abundance


Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 119.886 ng
RT: 9.35 min Scan# 1066
Delta R.T. -0.01 min
Lab File: BG039392.D
Acq: 7 Feb 2019 21:36




Instrument :
BNA_G
ClientSampleId :
MW-6


Tot Ion	82	Resp	420682
Ion Ratio	Lower	Upper	
82	100		
128	42.6	31.3	46.9
54	59.4	50.9	76.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.80 min Scan# 1994
Delta R.T. -0.01 min
Lab File: BG039392.D
Acq: 7 Feb 2019 21:36

Tgt Ion	164	Resp	144743
Ion Ratio	Lower	Upper	
164	100		
162	100.6	81.6	122.4
160	44.6	34.2	51.2





#42

2,4,6-Tribromophenol

Concen: 162.947 ng

RT: 16.28 min Scan# 2246

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36

Instrument :

BNA_G

ClientSampleId :

MW-6


Tot Ion:330 Resp: 253974

Ion Ratio Lower Upper




330 100

332 94.8 75.7 113.5

141 41.4 35.6 53.4



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 100.099 ng

RT: 13.43 min Scan# 1760

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36


Tgt Ion:172 Resp: 1009976

Ion Ratio Lower Upper



172 100


171 37.9 30.8 46.2

170 25.4 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.55 min Scan# 2461

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36

Instrument :

BNA_G

ClientSampleId :

MW-6


Tot Ion:188 Resp: 348631

Ion Ratio Lower Upper

188 100

94 7.6 6.9 10.3




80 8.3 8.1 12.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.83 min Scan# 3191

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36


Tgt Ion:240 Resp: 371163

Ion Ratio Lower Upper

240 100

120 8.5 7.0 10.6



236 26.0 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 90.311 ng

RT: 20.14 min Scan# 2902

Delta R.T. -0.01 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36

Instrument :

BNA_G

ClientSampled :

MW-6


Tot Ion:244 Resp: 1583608

Ion Ratio Lower Upper

244 100

212 9.5 7.3 10.9




122 10.5 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.22 min Scan# 3767

Delta R.T. -0.03 min

Lab File: BG039392.D

Acq: 7 Feb 2019 21:36


Tgt Ion:264 Resp: 374206

Ion Ratio Lower Upper

264 100

260 23.3 18.2 27.4

265 20.3 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

