

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020819\
 Data File : BG039427.D
 Acq On : 8 Feb 2019 22:31
 Operator : JU/SJ
 Sample : K1348-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OK-01-020719

Quant Time: Feb 09 00:34:29 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG012919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 29 15:41:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	50800	20.00	ng	0.00
21) Naphthalene-d8	10.99	136	217728	20.00	ng	-0.02
39) Acenaphthene-d10	14.79	164	137984	20.00	ng	-0.02
64) Phenanthrene-d10	17.54	188	338817	20.00	ng	-0.02
76) Chrysene-d12	21.83	240	378839	20.00	ng	-0.02
87) Perylene-d12	25.21	264	359944	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	411971	138.80	ng	0.00
7) Phenol-d6	7.31	99	533359	122.08	ng	0.00
23) Nitrobenzene-d5	9.35	82	371937	106.72	ng	-0.01
42) 2,4,6-Tribromophenol	16.28	330	218779	147.24	ng	0.00
45) 2-Fluorobiphenyl	13.42	172	872215	90.68	ng	-0.02
79) Terphenyl-d14	20.13	244	1497550	83.67	ng	-0.02


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020819\
Data File : BG039427.D
Acq On : 8 Feb 2019 22:31
Operator : JU/SJ
Sample : K1348-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OK-01-020719

Quant Time: Feb 09 00:34:29 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG012919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 29 15:41:51 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.17 min Scan# 866
Delta R.T. -0.01 min
Lab File: BG039427.D
Acq: 8 Feb 2019 22:31

Instrument :
BNA_G
ClientSampleId :
OK-01-020719

Tot Ion:152 Resp: 50800
Ion Ratio Lower Upper
152 100
150 150.9 123.7 185.5
115 63.4 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 138.798 ng
RT: 5.71 min Scan# 447
Delta R.T. -0.00 min
Lab File: BG039427.D
Acq: 8 Feb 2019 22:31

Tgt Ion:112 Resp: 411971
Ion Ratio Lower Upper
112 100
64 69.5 57.8 86.8
63 36.6 29.8 44.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 122.077 ng

RT: 7.31 min Scan# 719

Delta R.T. -0.01 min

Lab File: BG039427.D

Acq: 8 Feb 2019 22:31

Instrument :

BNA_G

ClientSampleId :

OK-01-020719


Tot Ion: 99 Resp: 533359

Ion Ratio Lower Upper

99 100

42 19.7 18.2 27.2

71 35.0 28.0 42.0






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.99 min Scan# 1346

Delta R.T. -0.02 min

Lab File: BG039427.D

Acq: 8 Feb 2019 22:31

Tgt Ion: 136 Resp: 217728


Ion Ratio Lower Upper

136 100

137 11.6 9.1 13.7

54 10.4 9.4 14.2

68 5.7 4.2 6.4





Abundance

Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 106.718 ng
 RT: 9.35 min Scan# 1066
 Delta R.T. -0.01 min
 Lab File: BG039427.D
 Acq: 8 Feb 2019 22:31




Instrument :
 BNA_G
 ClientSampled :
 OK-01-020719

Tot Ion	82	Resp	371937
Ion Ratio	Lower	Upper	
82	100		
128	42.6	31.3	46.9
54	57.1	50.9	76.3



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.79 min Scan# 1993
 Delta R.T. -0.02 min
 Lab File: BG039427.D
 Acq: 8 Feb 2019 22:31

Tgt Ion	164	Resp	137984
Ion Ratio	Lower	Upper	
164	100		
162	108.0	81.6	122.4
160	45.7	34.2	51.2








#42
 2,4,6-Tribromophenol
 Concen: 147.242 ng
 RT: 16.28 min Scan# 2246
 Delta R.T. -0.01 min
 Lab File: BG039427.D
 Acq: 8 Feb 2019 22:31

Instrument :
 BNA_G
 ClientSampleId :
 OK-01-020719

Tot Ion:330 Resp: 218779
 Ion Ratio Lower Upper
 330 100
 332 96.2 75.7 113.5
 141 39.5 35.6 53.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 90.680 ng
 RT: 13.42 min Scan# 1759
 Delta R.T. -0.02 min
 Lab File: BG039427.D
 Acq: 8 Feb 2019 22:31

Tgt Ion:172 Resp: 872215
 Ion Ratio Lower Upper
 172 100
 171 38.1 30.8 46.2
 170 25.0 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.54 min Scan# 2460

Delta R.T. -0.02 min

Lab File: BG039427.D

Acq: 8 Feb 2019 22:31

Instrument :

BNA_G

ClientSampleId :

OK-01-020719


Tot Ion:188 Resp: 338817

Ion Ratio Lower Upper

188 100

94 7.8 6.9 10.3




80 9.4 8.1 12.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.83 min Scan# 3190

Delta R.T. -0.02 min

Lab File: BG039427.D

Acq: 8 Feb 2019 22:31


Tgt Ion:240 Resp: 378839

Ion Ratio Lower Upper

240 100

120 8.3 7.0 10.6



236 24.8 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 83.673 ng

RT: 20.13 min Scan# 2902

Delta R.T. -0.02 min

Lab File: BG039427.D

Acq: 8 Feb 2019 22:31

Instrument :


BNA_G

ClientSampleId :

OK-01-020719

Tot Ion:244 Resp: 1497550



Ion	Ratio	Lower	Upper
244	100		
212	9.5	7.3	10.9
122	9.9	8.4	12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.21 min Scan# 3766


Delta R.T. -0.03 min

Lab File: BG039427.D

Acq: 8 Feb 2019 22:31

Tgt Ion:264 Resp: 359944

Ion	Ratio	Lower	Upper
264	100		
260	22.7	18.2	27.4
265	21.0	18.5	27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

