

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG021919\
 Data File : BG039561.D
 Acq On : 19 Feb 2019 19:03
 Operator : JU/SJ
 Sample : PB117212TB
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB117212TB

Quant Time: Feb 20 00:12:23 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG012919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 29 15:41:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	44075	20.00	ng	-0.02
21) Naphthalene-d8	10.99	136	195494	20.00	ng	-0.02
39) Acenaphthene-d10	14.79	164	134918	20.00	ng	-0.02
64) Phenanthrene-d10	17.53	188	354620	20.00	ng	-0.02
76) Chrysene-d12	21.82	240	370332	20.00	ng	-0.03
87) Perylene-d12	25.20	264	311372	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	350849	136.24	ng	0.00
7) Phenol-d6	7.31	99	522684	137.89	ng	0.00
23) Nitrobenzene-d5	9.34	82	289616	92.55	ng	-0.02
42) 2,4,6-Tribromophenol	16.27	330	196143	135.01	ng	-0.02
45) 2-Fluorobiphenyl	13.41	172	761349	80.95	ng	-0.02
79) Terphenyl-d14	20.13	244	1313754	75.09	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG021919\
Data File : BG039561.D
Acq On : 19 Feb 2019 19:03
Operator : JU/SJ
Sample : PB117212TB
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB117212TB

Quant Time: Feb 20 00:12:23 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG012919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 29 15:41:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.17 min Scan# 865
Delta R.T. -0.02 min
Lab File: BG039561.D
Acq: 19 Feb 2019 19:03

Instrument :
BNA_G
ClientSampleId :
PB117212TB

Tot Ion:152 Resp: 44075
Ion Ratio Lower Upper
152 100
150 150.6 123.7 185.5
115 60.3 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 136.241 ng
RT: 5.71 min Scan# 447
Delta R.T. -0.00 min
Lab File: BG039561.D
Acq: 19 Feb 2019 19:03

Tgt Ion:112 Resp: 350849
Ion Ratio Lower Upper
112 100
64 70.0 57.8 86.8
63 36.8 29.8 44.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 137.888 ng

RT: 7.31 min Scan# 719

Delta R.T. -0.01 min

Lab File: BG039561.D

Acq: 19 Feb 2019 19:03

Instrument :

BNA_G

ClientSampleId :

PB117212TB


Tot Ion: 99 Resp: 522684

Ion Ratio Lower Upper




99 100

42 18.8 18.2 27.2

71 33.4 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.99 min Scan# 1345

Delta R.T. -0.02 min

Lab File: BG039561.D

Acq: 19 Feb 2019 19:03

Tgt Ion: 136 Resp: 195494


Ion Ratio Lower Upper

136 100



137 11.4 9.1 13.7


54 10.6 9.4 14.2

68 7.2 4.2 6.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 92.549 ng
RT: 9.34 min Scan# 1065
Delta R.T. -0.02 min
Lab File: BG039561.D
Acq: 19 Feb 2019 19:03




Instrument :
BNA_G
ClientSampleId :
PB117212TB


Tot Ion	82	Resp	289616
Ion Ratio	100	Lower	Upper
128	44.8	31.3	46.9
54	59.2	50.9	76.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.79 min Scan# 1992
Delta R.T. -0.02 min
Lab File: BG039561.D
Acq: 19 Feb 2019 19:03

Tgt Ion	164	Resp	134918
Ion Ratio	100	Lower	Upper
162	102.1	81.6	122.4
160	46.0	34.2	51.2









#42
 2,4,6-Tribromophenol
 Concen: 135.007 ng
 RT: 16.27 min Scan# 2245
 Delta R.T. -0.02 min
 Lab File: BG039561.D
 Acq: 19 Feb 2019 19:03

Instrument :
 BNA_G
 ClientSampleId :
 PB117212TB

Tot Ion:330 Resp: 196143
 Ion Ratio Lower Upper
 330 100
 332 93.9 75.7 113.5
 141 39.4 35.6 53.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 80.952 ng
 RT: 13.41 min Scan# 1758
 Delta R.T. -0.02 min
 Lab File: BG039561.D
 Acq: 19 Feb 2019 19:03

Tgt Ion:172 Resp: 761349
 Ion Ratio Lower Upper
 172 100
 171 37.4 30.8 46.2
 170 25.4 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.53 min Scan# 2459

Delta R.T. -0.02 min

Lab File: BG039561.D

Acq: 19 Feb 2019 19:03

Instrument :

BNA_G

ClientSampleId :

PB117212TB


Tot Ion:188 Resp: 354620

Ion Ratio Lower Upper

188 100

94 8.7 6.9 10.3




80 9.6 8.1 12.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.82 min Scan# 3189

Delta R.T. -0.03 min

Lab File: BG039561.D

Acq: 19 Feb 2019 19:03


Tgt Ion:240 Resp: 370332

Ion Ratio Lower Upper

240 100

120 8.5 7.0 10.6



236 25.1 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 75.090 ng

RT: 20.13 min Scan# 2901

Delta R.T. -0.02 min

Lab File: BG039561.D

Acq: 19 Feb 2019 19:03

Instrument :

BNA_G

ClientSampleId :

PB117212TB


Tot Ion:244 Resp: 1313754

Ion Ratio Lower Upper

244 100

212 9.0 7.3 10.9




122 9.6 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.20 min Scan# 3764

Delta R.T. -0.05 min

Lab File: BG039561.D

Acq: 19 Feb 2019 19:03


Tgt Ion:264 Resp: 311372

Ion Ratio Lower Upper

264 100

260 21.6 18.2 27.4

265 20.8 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

