

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022023\
 Data File : BG056673.D
 Acq On : 20 Feb 2023 14:38
 Operator : CG/JU
 Sample : 01552-01DL 5X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-01-0-2.0DL

Quant Time: Feb 20 15:28:55 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG021523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 16 01:33:33 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.438	152	23661	20.000	ng	0.00
21) Naphthalene-d8	11.276	136	92357	20.000	ng	0.00
39) Acenaphthene-d10	15.036	164	65832	20.000	ng	0.00
64) Phenanthrene-d10	17.774	188	144689	20.000	ng	0.00
76) Chrysene-d12	22.093	240	130280	20.000	ng	0.00
86) Perylene-d12	25.636	264	140574	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.941	112	30742	21.140	ng	0.00
7) Phenol-d6	7.551	99	43166	20.095	ng	0.00
23) Nitrobenzene-d5	9.607	82	23711	13.145	ng	0.00
42) 2,4,6-Tribromophenol	16.511	330	15711	17.431	ng	0.00
45) 2-Fluorobiphenyl	13.667	172	66114	13.448	ng	0.00
79) Terphenyl-d14	20.336	244	105486	13.247	ng	-0.01
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	9.602	70	3461	2.152	ng	# 81
31) Naphthalene	11.323	128	70994	13.870	ng	98
33) 4-Chloroaniline	11.323	127	9516	4.069	ng	# 28
37) 2-Methylnaphthalene	12.892	142	13345	3.302	ng	99
38) 1-Methylnaphthalene	13.109	142	10698	2.837	ng	90
46) 1,1'-Biphenyl	13.873	154	11246	2.255	ng	89
48) 2-Nitroaniline	13.673	65	67	5.298	ng	# 23
49) Acenaphthylene	14.766	152	64841	10.112	ng	96
51) 2,6-Dinitrotoluene	14.995	165	786	3.323	ng	# 36
52) Acenaphthene	15.101	154	19682	4.976	ng	98
55) Dibenzofuran	15.430	168	29217	4.372	ng	95
56) 4-Nitrophenol	15.430	139	10994	13.583	ng	# 1
58) Fluorene	16.076	166	55633	10.530	ng	99
71) Phenanthrene	17.821	178	722547	91.789	ng	100
72) Anthracene	17.904	178	134327	16.677	ng	99
73) Carbazole	18.162	167	32166	4.633	ng	98
75) Fluoranthene	19.801	202	613192	59.036	ng	99
78) Pyrene	20.160	202	617467	62.757	ng	99
81) Benzo(a)anthracene	22.069	228	249721	25.775	ng	94
83) Chrysene	22.140	228	216714	23.927	ng	97
87) Indeno(1,2,3-cd)pyrene	29.719	276	148897	13.525	ng	# 99
88) Benzo(b)fluoranthene	24.514	252	260792	28.397	ng	100
89) Benzo(k)fluoranthene	24.514	252	260792	28.877	ng	97
90) Benzo(a)pyrene	25.471	252	231043	26.172	ng	99
91) Dibenzo(a,h)anthracene	29.778	278	38187	4.188	ng	# 97
92) Benzo(g,h,i)perylene	31.006	276	155730	17.479	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022023\
Data File : BG056673.D
Acq On : 20 Feb 2023 14:38
Operator : CG/JU
Sample : 01552-01DL 5X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Quant Time: Feb 20 15:28:55 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG021523.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 16 01:33:33 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.438 min Scan# 81
Delta R.T. -0.003 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL







Tgt Ion:152 Resp: 23661
Ion Ratio Lower Upper
152 100
150 152.0 124.8 187.2
115 59.1 44.7 67.1



#5
2-Fluorophenol
Concen: 21.140 ng
RT: 5.941 min Scan# 409
Delta R.T. 0.003 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:112 Resp: 30742
Ion Ratio Lower Upper
112 100
64 59.3 52.6 78.8
63 37.6 29.8 44.6









#7
Phenol-d6
Concen: 20.095 ng
RT: 7.551 min Scan# 61
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion: 99 Resp: 43166
Ion Ratio Lower Upper
99 100
42 17.2 16.8 25.2
71 41.3 33.9 50.9



#19
n-Nitroso-di-n-propylamine
Concen: 2.152 ng
RT: 9.602 min Scan# 1032
Delta R.T. 0.356 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion: 70 Resp: 3461
Ion Ratio Lower Upper
70 100
42 48.4 45.7 68.5
101 0.0 7.4 11.0#
130 0.0 14.2 21.4#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.276 min Scan# 11
Delta R.T. -0.002 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:136	Resp:	92357
Ion Ratio	Lower	Upper
136	100	
137	11.1	9.7 14.5
54	8.2	7.7 11.5
68	5.3	4.8 7.2



#23
Nitrobenzene-d5
Concen: 13.145 ng
RT: 9.607 min Scan# 1033
Delta R.T. -0.009 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion: 82	Resp:	23711
Ion Ratio	Lower	Upper
82	100	
128	38.0	29.4 44.2
54	50.4	37.8 56.6









#31
Naphthalene
Concen: 13.870 ng
RT: 11.323 min Scan# 11
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:128 Resp: 70994
Ion Ratio Lower Upper
128 100
129 12.1 8.7 13.1
127 13.9 10.9 16.3



#33
4-Chloroaniline
Concen: 4.069 ng
RT: 11.323 min Scan# 1325
Delta R.T. -0.096 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:127 Resp: 9516
Ion Ratio Lower Upper
127 100
129 86.6 24.1 36.1#
65 3.6 34.3 51.5#
92 0.0 18.6 28.0#





#37

2-Methylnaphthalene

Concen: 3.302 ng

RT: 12.892 min Scan# 1

Delta R.T. -0.008 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38

Instrument :

BNA_G

ClientSampleId :

SB-01-0-2.0DL





Tgt Ion:142 Resp: 13345

Ion Ratio Lower Upper

142 100

141 90.5 71.9 107.9

115 44.7 35.1 52.7



#38

1-Methylnaphthalene

Concen: 2.837 ng

RT: 13.109 min Scan# 1629

Delta R.T. -0.008 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38




Tgt Ion:142 Resp: 10698


Ion Ratio Lower Upper

142 100

141 100.3 72.7 109.1

116 4.3 4.2 6.4





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.036 min Scan# 1957

Delta R.T. -0.008 min

Lab File: BG056673.D


Acq: 20 Feb 2023 14:38

Instrument :

BNA_G

ClientSampleId :

SB-01-0-2.0DL






Tgt Ion:164 Resp: 65832

Ion Ratio Lower Upper

164 100

162 108.0 81.3 121.9

160 45.6 35.2 52.8



#42

2,4,6-Tribromophenol

Concen: 17.431 ng

RT: 16.511 min Scan# 2208

Delta R.T. -0.008 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38




Tgt Ion:330 Resp: 15711


Ion Ratio Lower Upper

330 100

332 99.9 75.7 113.5

141 26.3 24.6 37.0









#45
2-Fluorobiphenyl
Concen: 13.448 ng
RT: 13.667 min Scan# 1724
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:172 Resp: 66114
Ion Ratio Lower Upper
172 100
171 34.9 28.6 43.0
170 24.9 19.4 29.0



#46
1,1'-Biphenyl
Concen: 2.255 ng
RT: 13.873 min Scan# 1759
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38


Tgt Ion:154 Resp: 11246
Ion Ratio Lower Upper
154 100
153 33.5 21.9 61.9
76 13.3 0.0 31.9








#48
2-Nitroaniline
Concen: 5.298 ng
RT: 13.673 min Scan# 11
Delta R.T. -0.443 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL







Tgt Ion: 65 Resp: 67
Ion Ratio Lower Upper
65 100
92 90.0 53.8 80.6#
138 0.0 90.6 135.8#



#49
Acenaphthylene
Concen: 10.112 ng
RT: 14.766 min Scan# 1911
Delta R.T. -0.002 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:152 Resp: 64841
Ion Ratio Lower Upper
152 100
151 21.5 15.6 23.4
153 11.7 10.3 15.5









#51
2,6-Dinitrotoluene
Concen: 3.323 ng
RT: 14.995 min Scan# 1926
Delta R.T. 0.391 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:165 Resp: 786
Ion Ratio Lower Upper
165 100
63 21.4 45.8 68.8#
89 0.0 48.2 72.2#



#52
Acenaphthene
Concen: 4.976 ng
RT: 15.101 min Scan# 1968
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:154 Resp: 19682
Ion Ratio Lower Upper
154 100
153 114.7 89.5 134.3
152 55.3 43.7 65.5









#55
Dibenzenofuran
Concen: 4.372 ng
RT: 15.430 min Scan# 2068
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:168 Resp: 29217
Ion Ratio Lower Upper
168 100
139 39.2 29.0 43.6
169 11.7 10.7 16.1



#56
4-Nitrophenol
Concen: 13.583 ng
RT: 15.430 min Scan# 2024
Delta R.T. 0.227 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:139 Resp: 10994
Ion Ratio Lower Upper
139 100
109 0.0 79.3 119.3#
65 0.0 87.6 127.6#









#58
 Fluorene
 Concen: 10.530 ng
 RT: 16.076 min Scan# 2178
 Delta R.T. -0.008 min
 Lab File: BG056673.D
 Acq: 20 Feb 2023 14:38




Instrument :
 BNA_G
 ClientSampleId :
 SB-01-0-2.0DL


Tgt Ion:166 Resp: 55633
 Ion Ratio Lower Upper
 166 100
 165 102.7 82.9 124.3
 167 13.4 11.1 16.7



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.774 min Scan# 2423
 Delta R.T. -0.002 min
 Lab File: BG056673.D
 Acq: 20 Feb 2023 14:38

Tgt Ion:188 Resp: 144689
 Ion Ratio Lower Upper
 188 100
 94 5.2 4.0 6.0
 80 6.8 6.3 9.5









#71
Phenanthrene
Concen: 91.789 ng
RT: 17.821 min Scan# 2474
Delta R.T. -0.002 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:178 Resp: 722547
Ion Ratio Lower Upper
178 100
176 19.4 15.4 23.2
179 15.5 12.2 18.4



#72
Anthracene
Concen: 16.677 ng
RT: 17.904 min Scan# 2445
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:178 Resp: 134327
Ion Ratio Lower Upper
178 100
176 18.3 14.3 21.5
179 16.1 12.2 18.4





#73

Carbazole

Concen: 4.633 ng

RT: 18.162 min Scan# 24

Delta R.T. -0.008 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38

Instrument :

BNA_G

ClientSampleId :

SB-01-0-2.0DL





Tgt Ion:167 Resp: 32166

Ion Ratio Lower Upper

167 100

166 23.1 18.1 27.1

139 12.8 9.4 14.0



#75

Fluoranthene

Concen: 59.036 ng

RT: 19.801 min Scan# 2768

Delta R.T. -0.002 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38




Tgt Ion:202 Resp: 613192


Ion Ratio Lower Upper

202 100

101 5.2 0.0 25.8

203 17.7 0.0 37.6









#76
Chrysene-d12
Concen: 20.000 ng
RT: 22.093 min Scan# 3158
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:240 Resp: 130280
Ion Ratio Lower Upper
240 100
120 4.2 3.5 5.3
236 25.5 21.5 32.3



#78
Pyrene
Concen: 62.757 ng
RT: 20.160 min Scan# 2829
Delta R.T. -0.002 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:202 Resp: 617467
Ion Ratio Lower Upper
202 100
200 20.7 15.8 23.8
203 18.1 14.2 21.4





#79

Terphenyl-d14

Concen: 13.247 ng

RT: 20.336 min Scan# 21

Delta R.T. -0.014 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38

Instrument :

BNA_G

ClientSampleId :

SB-01-0-2.0DL





Tgt Ion:244 Resp: 105486

Ion Ratio Lower Upper

244 100

212 6.8 6.0 9.0

122 4.5 3.8 5.8



#81

Benzo(a)anthracene

Concen: 25.775 ng

RT: 22.069 min Scan# 3154

Delta R.T. -0.008 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38




Tgt Ion:228 Resp: 249721


Ion Ratio Lower Upper

228 100

226 30.4 20.4 30.6


229 20.1 16.0 24.0








#83
Chrysene
Concen: 23.927 ng
RT: 22.140 min Scan# 3166
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL







Tgt Ion:228 Resp: 216714
Ion Ratio Lower Upper
228 100
226 29.9 23.0 34.6
229 22.2 15.8 23.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.636 min Scan# 3761
Delta R.T. -0.002 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:264 Resp: 140574
Ion Ratio Lower Upper
264 100
260 23.5 18.6 27.8
265 23.1 17.0 25.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 13.525 ng

RT: 29.719 min Scan# 4456

Delta R.T. -0.026 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38

Instrument :

BNA_G

ClientSampleId :

SB-01-0-2.0DL





Tgt Ion:276 Resp: 148897

Ion Ratio Lower Upper

276 100

138 7.1 3.8 5.8#

277 25.2 20.3 30.5



#88

Benzo(b)fluoranthene

Concen: 28.397 ng

RT: 24.514 min Scan# 3570

Delta R.T. 0.003 min

Lab File: BG056673.D

Acq: 20 Feb 2023 14:38




Tgt Ion:252 Resp: 260792


Ion Ratio Lower Upper

252 100

253 21.5 17.3 25.9

125 4.4 3.7 5.5









#89
Benzo(k)fluoranthene
Concen: 28.877 ng
RT: 24.514 min Scan# 31
Delta R.T. -0.073 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38




Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL


Tgt Ion:252 Resp: 260792
Ion Ratio Lower Upper
252 100
253 21.5 18.5 27.7
125 4.4 3.4 5.0



#90
Benzo(a)pyrene
Concen: 26.172 ng
RT: 25.471 min Scan# 3733
Delta R.T. -0.008 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:252 Resp: 231043
Ion Ratio Lower Upper
252 100
253 21.9 17.9 26.9
125 4.8 4.0 6.0









#91
Dibenzo(a,h)anthracene
Concen: 4.188 ng
RT: 29.778 min Scan# 4466
Delta R.T. -0.043 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Instrument :
BNA_G
ClientSampleId :
SB-01-0-2.0DL

Tgt Ion:278 Resp: 38187
Ion Ratio Lower Upper
278 100
139 5.5 5.8 8.8#
279 23.4 19.6 29.4



#92
Benzo(g,h,i)perylene
Concen: 17.479 ng
RT: 31.006 min Scan# 4675
Delta R.T. -0.026 min
Lab File: BG056673.D
Acq: 20 Feb 2023 14:38

Tgt Ion:276 Resp: 155730
Ion Ratio Lower Upper
276 100
277 21.8 17.5 26.3
138 8.3 6.4 9.6

