

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG022120\
 Data File : BG044561.D
 Acq On : 21 Feb 2020 22:51
 Operator : CG/JU
 Sample : L1362-03
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BU-03-021820

Quant Time: Feb 24 00:45:57 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 21 16:02:12 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.88	152	60801	20.00	ng	0.00
21) Naphthalene-d8	10.68	136	240316	20.00	ng	0.00
39) Acenaphthene-d10	14.52	164	156379	20.00	ng	0.00
64) Phenanthrene-d10	17.27	188	374544	20.00	ng	0.00
76) Chrysene-d12	21.50	240	381747	20.00	ng	0.00
87) Perylene-d12	24.58	264	432195	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	481150	139.66	ng	0.00
7) Phenol-d6	7.06	99	563443	121.79	ng	0.00
23) Nitrobenzene-d5	9.04	82	411165	96.59	ng	0.00
42) 2,4,6-Tribromophenol	16.01	330	301954	164.48	ng	0.00
45) 2-Fluorobiphenyl	13.14	172	954409	102.20	ng	0.00
79) Terphenyl-d14	19.88	244	1739272	93.71	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.98	163	41034	3.650	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG022120\
Data File : BG044561.D
Acq On : 21 Feb 2020 22:51
Operator : CG/JU
Sample : L1362-03
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BU-03-021820

Quant Time: Feb 24 00:45:57 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 21 16:02:12 2020
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.88 min Scan# 815
 Delta R.T. 0.00 min
 Lab File: BG044561.D
 Acq: 21 Feb 2020 22:51

Instrument :
 BNA_G
 ClientSampleId :
 BU-03-021820

Tot Ion	Ratio	Lower	Upper
152	100		
150	161.6	123.1	184.7
115	60.2	45.1	67.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 139.661 ng
 RT: 5.46 min Scan# 403
 Delta R.T. 0.00 min
 Lab File: BG044561.D
 Acq: 21 Feb 2020 22:51

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.5	44.5	66.7
63	29.3	22.2	33.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 121.792 ng

RT: 7.06 min Scan# 675

Delta R.T. 0.00 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51

Instrument :

BNA_G

ClientSampleId :

BU-03-021820


Tot Ion: 99 Resp: 563443

Ion Ratio Lower Upper

99 100

42 16.2 13.4 20.0

71 31.2 24.7 37.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC

400000

300000

200000



100000

0

7.06

6.90 7.00 7.10 7.20 7.30

Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.68 min Scan# 1292

Delta R.T. 0.00 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51

Tgt Ion: 136 Resp: 240316


Ion Ratio Lower Upper

136 100

137 11.6 9.0 13.6

54 7.2 5.5 8.3

68 5.8 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC

150000

100000


50000

0

10.68

10.60 10.70 10.80

Time-->









#23
 Nitrobenzene-d5
 Concen: 96.593 ng
 RT: 9.04 min Scan# 1012
 Delta R.T. -0.00 min
 Lab File: BG044561.D
 Acq: 21 Feb 2020 22:51




Instrument :
 BNA_G
 ClientSampleId :
 BU-03-021820

Tot Ion	82	Resp	411165
Ion Ratio	Lower	Upper	
82	100		
128	46.9	39.1	58.7
54	46.5	37.9	56.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.52 min Scan# 1946
 Delta R.T. 0.00 min
 Lab File: BG044561.D
 Acq: 21 Feb 2020 22:51

Tgt Ion	164	Resp	156379
Ion Ratio	Lower	Upper	
164	100		
162	103.8	81.9	122.9
160	45.1	35.5	53.3





#42

2,4,6-Tribromophenol

Concen: 164.481 ng

RT: 16.01 min Scan# 2199

Delta R.T. -0.00 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51

Instrument :

BNA_G

ClientSampleId :

BU-03-021820


Tot Ion:330 Resp: 301954

Ion Ratio Lower Upper

330 100

332 96.1 76.6 115.0




141 34.0 26.5 39.7



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 102.201 ng

RT: 13.14 min Scan# 1711

Delta R.T. -0.00 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51


Tgt Ion:172 Resp: 954409

Ion Ratio Lower Upper

172 100

171 38.6 32.3 48.5



170 25.2 21.6 32.4



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.650 ng

RT: 13.98 min Scan# 1853

Delta R.T. -0.00 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51

Instrument :

BNA_G

ClientSampleId :

BU-03-021820


Tot Ion:163 Resp: 41034

Ion Ratio Lower Upper

163 100

194 4.2 3.6 5.4




164 9.6 8.9 13.3



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.27 min Scan# 2413

Delta R.T. 0.00 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51


Tgt Ion:188 Resp: 374544

Ion Ratio Lower Upper

188 100

94 8.0 7.4 11.0



80 9.3 7.8 11.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.50 min Scan# 3134

Delta R.T. -0.01 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51

Instrument :

BNA_G

ClientSampleId :

BU-03-021820


Tot Ion:240 Resp: 381747

Ion Ratio Lower Upper

240 100

120 10.7 8.2 12.2




236 27.9 22.0 33.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 93.713 ng

RT: 19.88 min Scan# 2858

Delta R.T. -0.00 min

Lab File: BG044561.D

Acq: 21 Feb 2020 22:51


Tgt Ion:244 Resp: 1739272

Ion Ratio Lower Upper

244 100

212 8.9 7.6 11.4



122 11.6 9.8 14.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.58 min Scan# 3657
Delta R.T. -0.00 min
Lab File: BG044561.D
Acq: 21 Feb 2020 22:51

Instrument :
BNA_G
ClientSampleId :
BU-03-021820

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.2	19.8	29.8
265	21.9	17.6	26.4



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

