

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022723\
 Data File : BG056737.D
 Acq On : 27 Feb 2023 19:31
 Operator : CG/JU
 Sample : 01648-11
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DBZT9

Quant Time: Feb 28 00:32:06 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG022323.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Feb 28 00:23:23 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.420	152	15927	20.000	ng/ul	0.00
20) Naphthalene-d8	11.258	136	68711	20.000	ng/ul	0.00
38) Acenaphthene-d10	15.024	164	55443	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.756	188	146218	20.000	ng/ul	0.00
79) Chrysene-d12	22.063	240	133872	20.000	ng/ul	# 0.00
88) Perylene-d12	25.594	264	142622	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.702	96	1039	3.619	ng/uL	0.00
4) Pyridine-d5	4.143	84	5161	4.453	ng/ul	0.00
7) Phenol-d5	7.539	99	24083	15.110	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.721	67	15594	16.040	ng/ul	0.00
11) 2-Chlorophenol-d4	7.944	132	16709	15.787	ng/ul	0.00
15) 4-Methylphenol-d8	9.108	113	16968	13.933	ng/ul	0.00
21) Nitrobenzene-d5	9.595	128	8948	15.539	ng/ul	0.00
24) 2-Nitrophenol-d4	10.324	143	10470	15.275	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.865	165	19477	15.083	ng/ul	0.00
31) 4-Chloroaniline-d4	11.382	131	17297	10.270	ng/ul	0.00
46) Dimethylphthalate-d6	14.407	166	76195	17.033	ng/ul	0.00
49) Acenaphthylene-d8	14.719	160	83883	16.499	ng/ul	0.00
54) 4-Nitrophenol-d4	15.171	143	11426	14.815	ng/ul	0.00
60) Fluorene-d10	16.006	176	68094	16.456	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	16.100	200	13364	13.661	ng/ul	0.00
73) Anthracene-d10	17.856	188	117593	16.577	ng/ul	0.00
81) Pyrene-d10	20.113	212	143975	15.893	ng/ul	0.00
92) Benzo(a)pyrene-d12	25.348	264	131125	17.033	ng/ul	0.00
Target Compounds						
					Qvalue	
16) Acetophenone	9.249	105	4274	2.049	ng/ul	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022723\
Data File : BG056737.D
Acq On : 27 Feb 2023 19:31
Operator : CG/JU
Sample : 01648-11
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DBZT9

Quant Time: Feb 28 00:32:06 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG022323.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Feb 28 00:23:23 2023
Response via : Initial Calibration





#16
 Acetophenone
 Concen: 2.049 ng/ul
 RT: 9.249 min Scan# 91
 Delta R.T. 0.003 min
 Lab File: BG056737.D
 Acq: 27 Feb 2023 19:31

Instrument :
 BNA_G
 ClientSampleId :
 DBZT9

Tgt Ion:	105	Resp:	4274
Ion	Ratio	Lower	Upper
105	100		
77	81.7	71.4	107.0
51	25.3	23.6	35.4

