

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG030220\
 Data File : BG044647.D
 Acq On : 3 Mar 2020 00:24
 Operator : CG/JU
 Sample : L1744-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-2

Manual Integrations
 APPROVED

mohammad
 3/3/2020 12:28:25 PM

Quant Time: Mar 03 07:58:33 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG022420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 24 16:11:23 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	53629m	20.00	ng	-0.07
21) Naphthalene-d8	10.60	136	236547	20.00	ng	-0.07
39) Acenaphthene-d10	14.46	164	167382	20.00	ng	-0.06
64) Phenanthrene-d10	17.20	188	387381	20.00	ng	-0.06
76) Chrysene-d12	21.43	240	358185	20.00	ng	-0.07
87) Perylene-d12	24.45	264	401902	20.00	ng	-0.12
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	295748	88.48	ng	-0.07
7) Phenol-d6	6.98	99	399911	87.41	ng	-0.07
23) Nitrobenzene-d5	8.96	82	239162	52.09	ng	-0.07
42) 2,4,6-Tribromophenol	15.95	330	176995	74.58	ng	-0.06
45) 2-Fluorobiphenyl	13.08	172	612541	52.40	ng	-0.06
79) Terphenyl-d14	19.82	244	1096490	57.95	ng	-0.06
Target Compounds						
50) Dimethylphthalate	13.92	163	42917	3.177	ng	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG030220\
Data File : BG044647.D
Acq On : 3 Mar 2020 00:24
Operator : CG/JU
Sample : L1744-02
Misc :
ALS Vial : 16 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
TP-2

Manual Integrations
APPROVED

mohammad
3/3/2020 12:28:25 PM

Quant Time: Mar 03 07:58:33 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG022420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 24 16:11:23 2020
Response via : Initial Calibration





#1





1,4-Dichlorobenzene-d4
Concen: 20.000 ng/ml
RT: 7.81 min Scan# 803
Delta R.T. -0.07 min
Lab File: BG044647.D
Acq: 3 Mar 2020 00:24

Instrument :
BNA_G
ClientSampled :
TP-2

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.4	128.9	193.3
115	57.0	47.0	70.4

Manual Integrations
APPROVED




mohammad
3/3/2020 12:28:25 PM




#5

2-Fluorophenol
Concen: 88.482 ng/ml
RT: 5.37 min Scan# 389
Delta R.T. -0.07 min
Lab File: BG044647.D
Acq: 3 Mar 2020 00:24

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.1	44.8	67.2
63	29.6	22.3	33.5





#7

Phenol-d6

Concen: 87.408 ng

RT: 6.98 min Scan# 662

Delta R.T. -0.07 min

Lab File: BG044647.D

Acq: 3 Mar 2020 00:24

Instrument :

BNA_G





ClientSampleId :

TP-2

Tot Ion:	99	Resp:	399911
Ion	Ratio	Lower	Upper
99	100		
42	16.7	12.8	19.2
71	31.2	24.4	36.6

Manual Integrations
APPROVED

mohammad
3/3/2020 12:28:25 PM



#21

Naphthalene-d8

Concen: 20.000 ng




RT: 10.60 min Scan# 1279


Delta R.T. -0.07 min

Lab File: BG044647.D

Acq: 3 Mar 2020 00:24

Tgt Ion:	136	Resp:	236547
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	7.3	5.7	8.5
68	6.0	4.5	6.7









#23
 Nitrobenzene-d5
 Concen: 52.088 ng
 RT: 8.96 min Scan# 999
 Delta R.T. -0.07 min
 Lab File: BG044647.D
 Acq: 3 Mar 2020 00:24

Instrument :
 BNA_G
 ClientSampled :
 TP-2

Tot Ion	82	Resp	239162
Ion Ratio	100	Lower	Upper
128	44.6	38.1	57.1
54	46.8	37.5	56.3




Manual Integrations
 APPROVED


mohammad
 3/3/2020 12:28:25 PM



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.46 min Scan# 1935
 Delta R.T. -0.06 min
 Lab File: BG044647.D
 Acq: 3 Mar 2020 00:24

Tgt Ion	164	Resp	167382
Ion Ratio	100	Lower	Upper
162	103.8	83.6	125.4
160	44.1	36.2	54.4





#42

2,4,6-Tribromophenol

Concen: 74.576 ng

RT: 15.95 min Scan# 2189

Delta R.T. -0.06 min

Lab File: BG044647.D

Acq: 3 Mar 2020 00:24

Instrument :

BNA_G


ClientSampled :

TP-2




Tot Ion:	330	Resp:	176995
Ion Ratio	Lower	Upper	
330	100		
332	95.3	77.4	116.0
141	33.2	26.1	39.1

Manual Integrations
APPROVED

mohammad
3/3/2020 12:28:25 PM



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 52.404 ng


RT: 13.08 min Scan# 1700

Delta R.T. -0.06 min



Lab File: BG044647.D


Acq: 3 Mar 2020 00:24

Tgt Ion:	172	Resp:	612541
Ion Ratio	Lower	Upper	
172	100		
171	36.6	31.3	46.9
170	24.8	21.0	31.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 3.177 ng
RT: 13.92 min Scan# 1843
Delta R.T. -0.06 min
Lab File: BG044647.D
Acq: 3 Mar 2020 00:24

Instrument :
BNA_G
ClientSampled :
TP-2

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.9	3.4	5.0
164	9.2	8.7	13.1




Manual Integrations
APPROVED


mohammad
3/3/2020 12:28:25 PM



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.20 min Scan# 2402
Delta R.T. -0.06 min
Lab File: BG044647.D
Acq: 3 Mar 2020 00:24

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.2	6.7	10.1
80	9.1	7.6	11.4









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.43 min Scan# 3122
Delta R.T. -0.07 min
Lab File: BG044647.D
Acq: 3 Mar 2020 00:24

Instrument :
BNA_G
ClientSampleId :
TP-2

Tot Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.3	12.5
236	26.4	22.3	33.5




Manual Integrations
APPROVED


mohammad
3/3/2020 12:28:25 PM



#79
Terphenyl-d14
Concen: 57.951 ng
RT: 19.82 min Scan# 2848
Delta R.T. -0.06 min
Lab File: BG044647.D
Acq: 3 Mar 2020 00:24

Tgt Ion	Ratio	Lower	Upper
244	100		
212	7.8	6.5	9.7
122	10.5	8.2	12.4





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.45 min Scan# 3636
Delta R.T. -0.12 min
Lab File: BG044647.D
Acq: 3 Mar 2020 00:24

Instrument :
BNA_G
ClientSampleId :
TP-2

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.7	29.5
265	21.7	17.8	26.8

Manual Integrations
APPROVED

mohammad
3/3/2020 12:28:25 PM

