

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG030419\
 Data File : BG039727.D
 Acq On : 4 Mar 2019 12:19
 Operator : JU/SJ
 Sample : SSTDICC060
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060

Quant Time: Mar 04 13:46:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 11:45:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	42804	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	201542	20.00	ng	0.00
39) Acenaphthene-d10	14.79	164	137708	20.00	ng	0.00
64) Phenanthrene-d10	17.53	188	327651	20.00	ng	0.00
76) Chrysene-d12	21.82	240	318625	20.00	ng	0.00
87) Perylene-d12	25.20	264	333139	20.00	ng	0.00

System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	306902	122.71	ng	0.00
7) Phenol-d6	7.30	99	462667	125.68	ng	0.00
23) Nitrobenzene-d5	9.34	82	454759	140.96	ng	0.00
42) 2,4,6-Tribromophenol	16.27	330	201255	135.72	ng	0.00
45) 2-Fluorobiphenyl	13.41	172	1083831	112.91	ng	0.00
79) Terphenyl-d14	20.12	244	1617902	107.48	ng	0.00

Target Compounds					Qvalue
2) 1,4-Dioxane	3.59	88	69770	63.776 ng	95
3) Pyridine	4.00	79	182205	62.907 ng	99
4) n-Nitrosodimethylamine	3.91	42	93457	64.518 ng	# 92
6) Aniline	7.48	93	301388	65.360 ng	99
8) 2-Chlorophenol	7.72	128	185732	67.940 ng	98
9) Benzaldehyde	7.30	77	136143	67.826 ng	97
10) Phenol	7.33	94	249418	64.995 ng	96
11) bis(2-Chloroethyl)ether	7.57	93	193197	63.712 ng	95
12) 1,3-Dichlorobenzene	8.04	146	207463	62.645 ng	96
13) 1,4-Dichlorobenzene	8.20	146	209079	63.340 ng	99
14) 1,2-Dichlorobenzene	8.51	146	197749	61.883 ng	95
15) Benzyl Alcohol	8.40	79	188382	65.181 ng	98
16) 2,2'-oxybis(1-Chloropropan	8.68	45	371741	54.287 ng	100
17) 2-Methylphenol	8.59	107	162484	65.429 ng	97
18) Hexachloroethane	9.24	117	76317	67.202 ng	96
19) n-Nitroso-di-n-propylamine	8.97	70	165368	63.290 ng	99
20) 3+4-Methylphenols	8.92	107	225205	65.855 ng	97
22) Acetophenone	8.99	105	326405	60.292 ng	# 96
24) Nitrobenzene	9.38	77	236279	67.793 ng	98
25) Isophorone	9.89	82	478407	66.919 ng	99
26) 2-Nitrophenol	10.09	139	121133	94.886 ng	99
27) 2,4-Dimethylphenol	10.13	122	179105	61.931 ng	95
28) bis(2-Chloroethoxy)methane	10.38	93	284122	64.523 ng	99
29) 2,4-Dichlorophenol	10.62	162	207512	65.653 ng	98
30) 1,2,4-Trichlorobenzene	10.83	180	223457	62.971 ng	99
31) Naphthalene	11.03	128	630883	63.099 ng	99
32) Benzoic acid	10.28	122	123927	75.415 ng	95
33) 4-Chloroaniline	11.14	127	278494	60.073 ng	98
34) Hexachlorobutadiene	11.29	225	151817	64.332 ng	99
35) Caprolactam	11.94	113	78674	60.151 ng	97
36) 4-Chloro-3-methylphenol	12.24	107	232291	63.547 ng	98
37) 2-Methylnaphthalene	12.62	142	474302	64.049 ng	97
38) 1-Methylnaphthalene	12.84	142	461384	64.634 ng	96
40) 1,2,4,5-Tetrachlorobenzene	12.98	216	275676	62.919 ng	99


Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG030419\
 Data File : BG039727.D
 Acq On : 4 Mar 2019 12:19
 Operator : JU/SJ
 Sample : SSTDICC060
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060

Quant Time: Mar 04 13:46:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 11:45:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Hexachlorocyclopentadiene	12.95	237	159836	66.946	ng	100
43) 2,4,6-Trichlorophenol	13.22	196	170788	63.397	ng	99
44) 2,4,5-Trichlorophenol	13.29	196	193397	68.496	ng	97
46) 1,1'-Biphenyl	13.62	154	654358	57.111	ng	99
47) 2-Chloronaphthalene	13.67	162	496430	57.595	ng	99
48) 2-Nitroaniline	13.88	65	172405	78.810	ng	99
49) Acenaphthylene	14.51	152	819409	63.003	ng	98
50) Dimethylphthalate	14.23	163	666746	59.949	ng	98
51) 2,6-Dinitrotoluene	14.36	165	149279	79.417	ng	99
52) Acenaphthene	14.85	154	494798	58.609	ng	98
53) 3-Nitroaniline	14.70	138	150168	73.107	ng	97
54) 2,4-Dinitrophenol	14.90	184	88678	125.723	ng	96
55) Dibenzofuran	15.18	168	795506	58.770	ng	99
56) 4-Nitrophenol	14.99	139	134247	76.817	ng	98
57) 2,4-Dinitrotoluene	15.15	165	210983	89.058	ng	95
58) Fluorene	15.83	166	626858	62.124	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.40	232	187699	70.999	ng	99
60) Diethylphthalate	15.59	149	662432	57.607	ng	98
61) 4-Chlorophenyl-phenylether	15.81	204	336537	58.902	ng	98
62) 4-Nitroaniline	15.87	138	162487	74.546	ng	99
63) Azobenzene	16.11	77	597808	53.189	ng	99
65) 4,6-Dinitro-2-methylphenol	15.90	198	123965	102.946	ng	98
66) n-Nitrosodiphenylamine	16.03	169	566277	56.839	ng	99
67) 4-Bromophenyl-phenylether	16.71	248	222236	61.139	ng	96
68) Hexachlorobenzene	16.83	284	229228	62.855	ng	98
69) Atrazine	16.97	200	225376	61.903	ng	99
70) Pentachlorophenol	17.17	266	153447	60.539	ng	98
71) Phenanthrene	17.57	178	1033568	60.948	ng	98
72) Anthracene	17.67	178	1026893	61.476	ng	98
73) Carbazole	17.94	167	920452	55.215	ng	99
74) Di-n-butylphthalate	18.46	149	1087760	55.932	ng	99
75) Fluoranthene	19.57	202	1215349	61.745	ng	98
77) Benzidine	19.76	184	626528	59.976	ng	98
78) Pyrene	19.94	202	1204537	60.727	ng	97
80) Butylbenzylphthalate	20.80	149	502870	60.100	ng	99
81) Benzo(a)anthracene	21.80	228	1176867	62.508	ng	98
82) 3,3'-Dichlorobenzidine	21.71	252	442668	63.410	ng	98
83) Chrysene	21.87	228	1132299	63.178	ng	97
84) Bis(2-ethylhexyl)phthalate	21.67	149	708095	59.319	ng	99
85) Di-n-octyl phthalate	22.92	149	1181017	59.886	ng	99
86) Indeno(1,2,3-cd)pyrene	29.08	276	1366616	71.070	ng	99
88) Benzo(b)fluoranthene	24.12	252	1188256	65.404	ng	99
89) Benzo(k)fluoranthene	24.19	252	1108273	60.760	ng	100
90) Benzo(a)pyrene	25.04	252	1117520	63.869	ng	99
91) Dibenzo(a,h)anthracene	29.15	278	1084989	66.215	ng	99
92) Benzo(g,h,i)perylene	30.32	276	1102721	67.518	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.16 min Scan# 863
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDIC060

Tgt Ion:152 Resp: 42804
Ion Ratio Lower Upper
152 100
150 147.8 118.2 177.4
115 62.1 50.0 75.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 63.776 ng
RT: 3.59 min Scan# 85
Delta R.T. -0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion: 88 Resp: 69770
Ion Ratio Lower Upper
88 100
58 92.0 78.1 117.1
43 33.0 25.9 38.9



Abundance Ion 88.00 (87.70 to 88.70): BGC
Ion 58.00 (57.70 to 58.70): BGC
Ion 43.00 (42.70 to 43.70): BGC





#3

Pyridine

Concen: 62.907 ng

RT: 4.00 min Scan# 154

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion: 79 Resp: 182205

Ion Ratio Lower Upper

79 100

52 94.8 75.4 113.2




51 45.6 35.7 53.5



Abundance Ion 79.00 (78.70 to 79.70): BGC

Ion 52.00 (51.70 to 52.70): BGC

Ion 51.00 (50.70 to 51.70): BGC



#4

n-Nitrosodimethylamine

Concen: 64.518 ng

RT: 3.91 min Scan# 140

Delta R.T. -0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion: 42 Resp: 93457

Ion Ratio Lower Upper

42 100

74 117.0 101.0 151.6



44 9.4 6.2 9.4#




Abundance Ion 42.00 (41.70 to 42.70): BGC

Ion 74.00 (73.70 to 74.70): BGC

Ion 44.00 (43.70 to 44.70): BGC





#5

2-Fluorophenol

Concen: 122.714 ng

RT: 5.70 min Scan# 444

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:112 Resp: 306902

Ion Ratio Lower Upper

112 100

64 70.2 56.6 85.0




63 38.3 28.6 43.0



Abundance Ion 112.00 (111.70 to 112.70): BGC

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC



#6

Aniline

Concen: 65.360 ng

RT: 7.48 min Scan# 748

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion: 93 Resp: 301388

Ion Ratio Lower Upper

93 100

66 42.4 34.5 51.7



65 21.8 17.5 26.3




Abundance Ion 93.00 (92.70 to 93.70): BGC

Ion 66.00 (65.70 to 66.70): BGC

Ion 65.00 (64.70 to 65.70): BGC





#7

Phenol-d6

Concen: 125.679 ng

RT: 7.30 min Scan# 717

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion: 99 Resp: 462667

Ion Ratio Lower Upper




99 100

42 19.8 15.1 22.7

71 34.5 28.5 42.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#8

2-Chlorophenol

Concen: 67.940 ng

RT: 7.72 min Scan# 788

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion: 128 Resp: 185732

Ion Ratio Lower Upper



128 100


130 32.0 12.9 52.9

64 54.7 33.3 73.3



Abundance Ion 128.00 (127.70 to 128.70): BGC
Ion 130.00 (129.70 to 130.70): BGC
Ion 64.00 (63.70 to 64.70): BGC









#9
Benzaldehyde
Concen: 67.826 ng
RT: 7.30 min Scan# 717
Delta R.T. 0.01 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19




Instrument :
BNA_G
ClientSampleId :
SSTDICC060


Tgt Ion: 77 Resp: 136143
Ion Ratio Lower Upper
77 100
105 91.9 71.7 111.7
106 90.6 65.1 105.1



#10
Phenol
Concen: 64.995 ng
RT: 7.33 min Scan# 722
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion: 94 Resp: 249418
Ion Ratio Lower Upper
94 100
65 31.9 10.0 50.0
66 40.5 18.1 58.1









#11
 bis(2-Chloroethyl)ether
 Concen: 63.712 ng
 RT: 7.57 min Scan# 763
 Delta R.T. -0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion: 93 Resp: 193197
 Ion Ratio Lower Upper
 93 100
 63 89.8 64.4 104.4
 95 32.0 13.3 53.3



#12
 1,3-Dichlorobenzene
 Concen: 62.645 ng
 RT: 8.04 min Scan# 843
 Delta R.T. -0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion: 146 Resp: 207463
 Ion Ratio Lower Upper
 146 100
 148 65.2 49.3 73.9
 75 30.1 25.2 37.8









#13
 1,4-Dichlorobenzene
 Concen: 63.340 ng
 RT: 8.20 min Scan# 869
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion:146 Resp: 209079
 Ion Ratio Lower Upper
 146 100
 148 64.4 51.5 77.3
 111 40.7 31.8 47.8



#14
 1,2-Dichlorobenzene
 Concen: 61.883 ng
 RT: 8.51 min Scan# 923
 Delta R.T. -0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion:146 Resp: 197749
 Ion Ratio Lower Upper
 146 100
 148 65.6 48.3 72.5
 111 43.3 33.1 49.7





#15

Benzyl Alcohol

Concen: 65.181 ng

RT: 8.40 min Scan# 903

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060





Tgt Ion: 79 Resp: 188382

Ion Ratio Lower Upper

79 100

108 73.4 57.4 86.2

77 62.8 51.9 77.9



#16

2,2'-oxybis(1-Chloropropane)

Concen: 54.287 ng

RT: 8.68 min Scan# 951

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19




Tgt Ion: 45 Resp: 371741


Ion Ratio Lower Upper

45 100

77 10.5 0.0 30.6

79 8.2 0.0 28.1









#17
2-Methylphenol
Concen: 65.429 ng
RT: 8.59 min Scan# 936
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19




Instrument :
BNA_G
ClientSampleId :
SSTDIC060


Tgt Ion:107 Resp: 162484
Ion Ratio Lower Upper
107 100
108 113.6 88.5 132.7
77 50.4 37.8 56.8
79 49.6 38.2 57.2



#18
Hexachloroethane
Concen: 67.202 ng
RT: 9.24 min Scan# 1047
Delta R.T. -0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:117 Resp: 76317
Ion Ratio Lower Upper
117 100
119 96.2 80.2 120.4
201 114.6 95.1 142.7





#19

n-Nitroso-di-n-propylamine

Concen: 63.290 ng

RT: 8.97 min Scan# 1000

Delta R.T. 0.01 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060

Tgt Ion: 70 Resp: 165368


Ion Ratio Lower Upper

70 100

42 67.4 53.4 80.2

101 10.1 6.9 10.3

130 22.5 17.4 26.0






Abundance

Ion 70.00 (69.70 to 70.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 101.00 (100.70 to 101.70): BGC

Ion 130.00 (129.70 to 130.70): BGC



#20

3+4-Methylphenols

Concen: 65.855 ng

RT: 8.92 min Scan# 992

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Tgt Ion: 107 Resp: 225205


Ion Ratio Lower Upper

107 100

108 89.4 66.3 106.3

77 35.5 13.8 53.8

79 30.9 10.0 50.0





Abundance


Ion 107.00 (106.70 to 107.70): BGC

Ion 108.00 (107.70 to 108.70): BGC

Ion 77.00 (76.70 to 77.70): BGC

Ion 79.00 (78.70 to 79.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.98 min Scan# 1343
Delta R.T. -0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDIC060

Tgt Ion:	136	Resp:	201542
Ion	Ratio	Lower	Upper
136	100		
137	12.3	8.4	12.6
54	10.6	8.2	12.4
68	5.1	4.2	6.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#22
Acetophenone
Concen: 60.292 ng
RT: 8.99 min Scan# 1004
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:	105	Resp:	326405
Ion	Ratio	Lower	Upper
105	100		
71	0.8	0.5	0.7#
51	32.8	28.4	42.6
120	22.8	19.6	29.4



Abundance Ion 105.00 (104.70 to 105.70): E
Ion 71.00 (70.70 to 71.70): BGC
Ion 51.00 (50.70 to 51.70): BGC
Ion 120.00 (119.70 to 120.70): E









#23
 Nitrobenzene-d5
 Concen: 140.961 ng
 RT: 9.34 min Scan# 1064
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion: 82 Resp: 454759
 Ion Ratio Lower Upper
 82 100
 128 44.2 34.4 51.6
 54 59.1 45.7 68.5



#24
 Nitrobenzene
 Concen: 67.793 ng
 RT: 9.38 min Scan# 1071
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion: 77 Resp: 236279
 Ion Ratio Lower Upper
 77 100
 123 44.6 36.2 54.2
 65 15.8 10.9 16.3









#25
Isophorone
Concen: 66.919 ng
RT: 9.89 min Scan# 1158
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19




Instrument :
BNA_G
ClientSampleId :
SSTDICC060


Tgt Ion: 82 Resp: 478407
Ion Ratio Lower Upper
82 100
95 7.7 5.5 8.3
138 16.8 13.5 20.3



#26
2-Nitrophenol
Concen: 94.886 ng
RT: 10.09 min Scan# 1191
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion: 139 Resp: 121133
Ion Ratio Lower Upper
139 100
109 31.6 26.3 39.5
65 53.6 43.0 64.6





#27

2,4-Dimethylphenol

Concen: 61.931 ng

RT: 10.13 min Scan# 1198

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:122 Resp: 179105

Ion Ratio Lower Upper

122 100

107 116.5 98.7 148.1




121 56.3 46.2 69.4



Abundance Ion 122.00 (121.70 to 122.70): E

Ion 107.00 (106.70 to 107.70): E

Ion 121.00 (120.70 to 121.70): E



#28

bis(2-Chloroethoxy)methane

Concen: 64.523 ng

RT: 10.38 min Scan# 1240

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion: 93 Resp: 284122

Ion Ratio Lower Upper

93 100

95 33.3 25.8 38.8



123 11.0 8.9 13.3




Abundance Ion 93.00 (92.70 to 93.70): BGC

Ion 95.00 (94.70 to 95.70): BGC

Ion 123.00 (122.70 to 123.70): E





#29

2,4-Dichlorophenol

Concen: 65.653 ng

RT: 10.62 min Scan# 1282

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:162 Resp: 207512

Ion Ratio Lower Upper

162 100

164 66.9 44.4 84.4




98 35.0 15.5 55.5



Abundance Ion 162.00 (161.70 to 162.70): E

Ion 164.00 (163.70 to 164.70): E

Ion 98.00 (97.70 to 98.70): BGC



#30

1,2,4-Trichlorobenzene

Concen: 62.971 ng

RT: 10.83 min Scan# 1318

Delta R.T. -0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:180 Resp: 223457

Ion Ratio Lower Upper

180 100

182 93.1 75.7 113.5



145 28.1 21.9 32.9




Abundance Ion 180.00 (179.70 to 180.70): E

Ion 182.00 (181.70 to 182.70): E

Ion 145.00 (144.70 to 145.70): E





#31

Naphthalene

Concen: 63.099 ng

RT: 11.03 min Scan# 1352

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:128 Resp: 630883

Ion Ratio Lower Upper

128 100

129 11.7 8.9 13.3




127 14.6 11.5 17.3



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#32

Benzoic acid

Concen: 75.415 ng

RT: 10.28 min Scan# 1224

Delta R.T. 0.03 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:122 Resp: 123927

Ion Ratio Lower Upper

122 100

105 128.0 103.3 143.3



77 102.2 76.5 116.5




Abundance Ion 122.00 (121.70 to 122.70): E

Ion 105.00 (104.70 to 105.70): E

Ion 77.00 (76.70 to 77.70): BG









#33
4-Chloroaniline
Concen: 60.073 ng
RT: 11.14 min Scan# 1370
Delta R.T. -0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDIC060

Tgt Ion:	127	Resp:	278494
Ion	Ratio	Lower	Upper
127	100		
129	31.0	25.9	38.9
65	34.1	29.0	43.4
92	19.8	16.0	24.0




Abundance Ion 127.00 (126.70 to 127.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 65.00 (64.70 to 65.70): BG
Ion 92.00 (91.70 to 92.70): BG






#34
Hexachlorobutadiene
Concen: 64.332 ng
RT: 11.29 min Scan# 1396
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:	225	Resp:	151817
Ion	Ratio	Lower	Upper
225	100		
223	64.0	51.8	77.6
227	63.0	50.3	75.5



Abundance Ion 225.00 (224.70 to 225.70): E
Ion 223.00 (222.70 to 223.70): E
Ion 227.00 (226.70 to 227.70): E





#35

Caprolactam

Concen: 60.151 ng

RT: 11.94 min Scan# 1506

Delta R.T. 0.02 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDIC060


Tgt Ion:113 Resp: 78674

Ion Ratio Lower Upper

113 100

55 220.7 204.4 244.4




56 162.1 138.2 178.2



Abundance Ion 113.00 (112.70 to 113.70): E

Ion 55.00 (54.70 to 55.70): BGC

Ion 56.00 (55.70 to 56.70): BGC



#36

4-Chloro-3-methylphenol

Concen: 63.547 ng

RT: 12.24 min Scan# 1558

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:107 Resp: 232291

Ion Ratio Lower Upper

107 100

144 25.4 22.2 33.4



142 79.3 64.2 96.2




Abundance Ion 107.00 (106.70 to 107.70): E

Ion 144.00 (143.70 to 144.70): E

Ion 142.00 (141.70 to 142.70): E





#37

2-Methylnaphthalene

Concen: 64.049 ng

RT: 12.62 min Scan# 1623

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:142 Resp: 474302

Ion Ratio Lower Upper

142 100

141 90.1 69.5 104.3




115 37.2 28.8 43.2



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E



#38

1-Methylnaphthalene

Concen: 64.634 ng

RT: 12.84 min Scan# 1660

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:142 Resp: 461384

Ion Ratio Lower Upper

142 100

141 93.1 71.8 107.6



116 3.7 3.1 4.7




Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 116.00 (115.70 to 116.70): E









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.79 min Scan# 1991
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion:164 Resp: 137708
 Ion Ratio Lower Upper
 164 100
 162 107.9 80.7 121.1
 160 43.9 36.2 54.4



#40
 1,2,4,5-Tetrachlorobenzene
 Concen: 62.919 ng
 RT: 12.98 min Scan# 1684
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion:216 Resp: 275676
 Ion Ratio Lower Upper
 216 100
 214 79.7 63.2 94.8
 179 21.1 16.2 24.4
 108 15.9 13.4 20.0





#41

Hexachlorocyclopentadiene

Concen: 66.946 ng

RT: 12.95 min Scan# 1678

Delta R.T. -0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Instrument :

BNA_G

ClientSampleId :

SSTDICC060




Tgt Ion:	237	Resp:	159836
Ion Ratio	Lower	Upper	
237	100		
235	61.3	41.0	81.0
272	11.6	0.0	31.5



Abundance Ion 236.80 (236.50 to 237.50): E

Ion 234.90 (234.60 to 235.60): E

Ion 271.75 (271.45 to 272.45): E



#42

2,4,6-Tribromophenol

Concen: 135.719 ng


RT: 16.27 min Scan# 2244

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19



Tgt Ion:	330	Resp:	201255
Ion Ratio	Lower	Upper	
330	100		
332	94.3	75.8	113.6
141	41.1	32.8	49.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#43
 2,4,6-Trichlorophenol
 Concen: 63.397 ng
 RT: 13.22 min Scan# 1724
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion:196 Resp: 170788
 Ion Ratio Lower Upper
 196 100
 198 101.8 82.1 123.1
 200 32.5 25.1 37.7



#44
 2,4,5-Trichlorophenol
 Concen: 68.496 ng
 RT: 13.29 min Scan# 1737
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion:196 Resp: 193397
 Ion Ratio Lower Upper
 196 100
 198 99.6 81.4 122.0
 97 43.3 36.4 54.6
 132 26.4 18.5 27.7









#45
 2-Fluorobiphenyl
 Concen: 112.906 ng
 RT: 13.41 min Scan# 1756
 Delta R.T. -0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion:172 Resp: 1083831
 Ion Ratio Lower Upper
 172 100
 171 38.3 30.7 46.1
 170 25.6 20.2 30.2



#46
 1,1'-Biphenyl
 Concen: 57.111 ng
 RT: 13.62 min Scan# 1793
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion:154 Resp: 654358
 Ion Ratio Lower Upper
 154 100
 153 42.8 23.2 63.2
 76 12.5 0.0 31.7









#47
 2-Chloronaphthalene
 Concen: 57.595 ng
 RT: 13.67 min Scan# 1801
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion: 162 Resp: 496430
 Ion Ratio Lower Upper
 162 100
 127 38.4 30.7 46.1
 164 33.6 27.6 41.4



#48
 2-Nitroaniline
 Concen: 78.810 ng
 RT: 13.88 min Scan# 1836
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion: 65 Resp: 172405
 Ion Ratio Lower Upper
 65 100
 92 65.8 52.6 79.0
 138 91.6 74.6 111.8





#49

Acenaphthylene

Concen: 63.003 ng

RT: 14.51 min Scan# 1944

Delta R.T. -0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:152 Resp: 819409

Ion Ratio Lower Upper

152 100

151 21.5 16.7 25.1




153 15.0 11.1 16.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#50

Dimethylphthalate

Concen: 59.949 ng

RT: 14.23 min Scan# 1897

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:163 Resp: 666746

Ion Ratio Lower Upper

163 100

194 4.6 3.6 5.4



164 11.1 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E









#51
2,6-Dinitrotoluene
Concen: 79.417 ng
RT: 14.36 min Scan# 1919
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDICC060

Tgt Ion:165 Resp: 149279
Ion Ratio Lower Upper
165 100
63 56.3 44.6 66.8
89 54.6 44.0 66.0




Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BGC
Ion 89.00 (88.70 to 89.70): BGC






#52
Acenaphthene
Concen: 58.609 ng
RT: 14.85 min Scan# 2002
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:154 Resp: 494798
Ion Ratio Lower Upper
154 100
153 112.3 92.2 138.4
152 52.2 41.6 62.4



Abundance Ion 154.00 (153.70 to 154.70): E
Ion 153.00 (152.70 to 153.70): E
Ion 152.00 (151.70 to 152.70): E









#53
3-Nitroaniline
Concen: 73.107 ng
RT: 14.70 min Scan# 1976
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19




Instrument :
BNA_G
ClientSampleId :
SSTDICC060


Tgt Ion:138 Resp: 150168
Ion Ratio Lower Upper
138 100
108 11.3 10.0 15.0
92 122.4 95.7 143.5



#54
2,4-Dinitrophenol
Concen: 125.723 ng
RT: 14.90 min Scan# 2010
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:184 Resp: 88678
Ion Ratio Lower Upper
184 100
63 65.3 47.4 71.0
154 62.3 50.1 75.1









#55
Dibenzofuran
Concen: 58.770 ng
RT: 15.18 min Scan# 2058
Delta R.T. -0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19




Instrument :
BNA_G
ClientSampleId :
SSTDICC060


Tgt Ion:168 Resp: 795506
Ion Ratio Lower Upper
168 100
139 37.8 29.8 44.6
169 14.4 10.6 16.0



#56
4-Nitrophenol
Concen: 76.817 ng
RT: 14.99 min Scan# 2026
Delta R.T. 0.01 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:139 Resp: 134247
Ion Ratio Lower Upper
139 100
109 78.6 58.7 98.7
65 96.1 79.3 119.3






#57
2,4-Dinitrotoluene
Concen: 89.058 ng
RT: 15.15 min Scan# 2053
Delta R.T. 0.01 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDICC060

Tgt Ion	Ratio	Lower	Upper
165	100		
63	41.4	35.4	53.0
89	63.6	54.1	81.1
182	2.5	2.2	3.4






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#58
Fluorene
Concen: 62.124 ng
RT: 15.83 min Scan# 2169
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19



Tgt Ion	Ratio	Lower	Upper
166	100		
165	97.3	78.5	117.7
167	13.6	10.6	15.8




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E









#59
2,3,4,6-Tetrachlorophenol
Concen: 70.999 ng
RT: 15.40 min Scan# 2095
Delta R.T. -0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDIC060

Tgt Ion:232 Resp: 187699
Ion Ratio Lower Upper
232 100
131 41.0 32.6 49.0
130 2.3 2.0 3.0
166 30.3 22.9 34.3




Abundance Ion 232.00 (231.70 to 232.70): E
Ion 131.00 (130.70 to 131.70): E
Ion 130.00 (129.70 to 130.70): E
Ion 166.00 (165.70 to 166.70): E






#60
Diethylphthalate
Concen: 57.607 ng
RT: 15.59 min Scan# 2127
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:149 Resp: 662432
Ion Ratio Lower Upper
149 100
177 24.7 18.9 28.3
150 13.1 10.3 15.5



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 177.00 (176.70 to 177.70): E
Ion 150.00 (149.70 to 150.70): E









#61
 4-Chlorophenyl-phenylether
 Concen: 58.902 ng
 RT: 15.81 min Scan# 2166
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion: 204 Resp: 336537
 Ion Ratio Lower Upper
 204 100
 206 36.2 27.0 40.4
 141 58.6 46.4 69.6



#62
 4-Nitroaniline
 Concen: 74.546 ng
 RT: 15.87 min Scan# 2175
 Delta R.T. 0.01 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion: 138 Resp: 162487
 Ion Ratio Lower Upper
 138 100
 92 54.0 34.9 74.9
 108 86.8 67.5 107.5









#63
Azobenzene
Concen: 53.189 ng
RT: 16.11 min Scan# 2216
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 597808
Ion Ratio Lower Upper
77 100
182 29.3 8.9 48.9
105 21.0 0.9 40.9
51 32.9 12.4 52.4




Abundance Ion 77.00 (76.70 to 77.70): BGC
Ion 182.00 (181.70 to 182.70): BGC
Ion 105.00 (104.70 to 105.70): BGC
Ion 51.00 (50.70 to 51.70): BGC






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.53 min Scan# 2458
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion: 188 Resp: 327651
Ion Ratio Lower Upper
188 100
94 7.7 6.0 9.0
80 9.0 7.4 11.0



Abundance Ion 188.00 (187.70 to 188.70): BGC
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC









#65
 4,6-Dinitro-2-methylphenol
 Concen: 102.946 ng
 RT: 15.90 min Scan# 2181
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion	Ratio	Lower	Upper
198	100		
51	42.1	24.4	64.4
105	39.1	19.4	59.4



#66
 n-Nitrosodiphenylamine
 Concen: 56.839 ng
 RT: 16.03 min Scan# 2203
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion	Ratio	Lower	Upper
169	100		
168	67.6	54.8	82.2
167	35.8	28.0	42.0









#67
4-Bromophenyl-phenylether
Concen: 61.139 ng
RT: 16.71 min Scan# 2318
Delta R.T. -0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDICC060

Tgt Ion:248 Resp: 222236
Ion Ratio Lower Upper
248 100
250 96.4 75.2 112.8
141 75.4 55.8 83.6




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#68
Hexachlorobenzene
Concen: 62.855 ng
RT: 16.83 min Scan# 2338
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:284 Resp: 229228
Ion Ratio Lower Upper
284 100
142 33.6 28.2 42.2
249 35.0 28.2 42.4



Abundance Ion 283.80 (283.50 to 284.50): E
Ion 142.00 (141.70 to 142.70): E
Ion 249.00 (248.70 to 249.70): E





#69

Atrazine

Concen: 61.903 ng

RT: 16.97 min Scan# 2363

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:200 Resp: 225376

Ion Ratio Lower Upper

200 100

173 25.1 4.8 44.8




215 50.0 29.1 69.1



Abundance Ion 200.00 (199.70 to 200.70): E

Ion 173.00 (172.70 to 173.70): E

Ion 215.00 (214.70 to 215.70): E



#70

Pentachlorophenol

Concen: 60.539 ng

RT: 17.17 min Scan# 2396

Delta R.T. -0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:266 Resp: 153447

Ion Ratio Lower Upper

266 100

268 63.5 50.5 75.7



264 61.7 51.3 76.9




Abundance Ion 265.70 (265.40 to 266.40): E

Ion 268.00 (267.70 to 268.70): E

Ion 264.00 (263.70 to 264.70): E





#71

Phenanthrene

Concen: 60.948 ng

RT: 17.57 min Scan# 2465

Delta R.T. -0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:178 Resp: 1033568

Ion Ratio Lower Upper

178 100

176 21.2 16.5 24.7




179 16.9 12.8 19.2



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#72

Anthracene

Concen: 61.476 ng

RT: 17.67 min Scan# 2481

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:178 Resp: 1026893

Ion Ratio Lower Upper

178 100

176 20.3 15.7 23.5



179 16.7 12.8 19.2




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E









#73
 Carbazole
 Concen: 55.215 ng
 RT: 17.94 min Scan# 2527
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC060


Tgt Ion:167 Resp: 920452
 Ion Ratio Lower Upper
 167 100
 166 23.4 18.4 27.6
 139 14.0 11.0 16.4



#74
 Di-n-butylphthalate
 Concen: 55.932 ng
 RT: 18.46 min Scan# 2617
 Delta R.T. 0.00 min
 Lab File: BG039727.D
 Acq: 4 Mar 2019 12:19

Tgt Ion:149 Resp: 1087760
 Ion Ratio Lower Upper
 149 100
 150 10.1 8.0 12.0
 104 5.6 4.1 6.1





#75

Fluoranthene

Concen: 61.745 ng

RT: 19.57 min Scan# 2806

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampled :

SSTDICC060


Tgt Ion:202 Resp: 1215349

Ion Ratio Lower Upper

202 100

101 9.5 0.0 29.6




203 19.5 0.0 38.3



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.82 min Scan# 3189

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:240 Resp: 318625

Ion Ratio Lower Upper

240 100

120 8.2 6.9 10.3



236 27.1 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 59.976 ng

RT: 19.76 min Scan# 2837

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:184 Resp: 626528

Ion Ratio Lower Upper




184 100

185 17.4 13.1 19.7

183 13.8 10.5 15.7



Abundance Ion 184.00 (183.70 to 184.70): E
Ion 185.00 (184.70 to 185.70): E
Ion 183.00 (182.70 to 183.70): E



#78

Pyrene

Concen: 60.727 ng

RT: 19.94 min Scan# 2868

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:202 Resp: 1204537

Ion Ratio Lower Upper



202 100


200 23.6 18.1 27.1

203 19.9 14.9 22.3



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 200.00 (199.70 to 200.70): E
Ion 203.00 (202.70 to 203.70): E





#79

Terphenyl-d14

Concen: 107.480 ng

RT: 20.12 min Scan# 2899

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampled :

SSTDICC060


Tgt Ion:244 Resp: 1617902

Ion Ratio Lower Upper

244 100

212 9.8 7.4 11.0




122 10.3 7.8 11.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#80

Butylbenzylphthalate

Concen: 60.100 ng

RT: 20.80 min Scan# 3015

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:149 Resp: 502870

Ion Ratio Lower Upper

149 100

91 68.9 56.1 84.1



206 24.3 19.0 28.6




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BG

Ion 206.00 (205.70 to 206.70): E





#81

Benzo(a)anthracene

Concen: 62.508 ng

RT: 21.80 min Scan# 3185

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :





BNA_G

ClientSampleId :

SSTDICC060

Tgt Ion:228 Resp: 1176867

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.0	34.4
229	21.7	17.0	25.4



#82

3,3'-Dichlorobenzidine

Concen: 63.410 ng

RT: 21.71 min Scan# 3170




Delta R.T. 0.00 min


Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Tgt Ion:252 Resp: 442668

Ion	Ratio	Lower	Upper
252	100		
254	66.0	51.5	77.3
126	10.3	8.0	12.0





#83

Chrysene

Concen: 63.178 ng

RT: 21.87 min Scan# 3197

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19

Instrument :

BNA_G

ClientSampleId :

SSTDICC060


Tgt Ion:228 Resp: 1132299

Ion Ratio Lower Upper

228 100

226 33.4 25.3 37.9




229 21.9 16.3 24.5



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#84

Bis(2-ethylhexyl)phthalate

Concen: 59.319 ng

RT: 21.67 min Scan# 3162

Delta R.T. 0.00 min

Lab File: BG039727.D

Acq: 4 Mar 2019 12:19


Tgt Ion:149 Resp: 708095

Ion Ratio Lower Upper

149 100

167 29.2 23.0 34.6



279 5.2 3.9 5.9




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E









#85
Di-n-octyl phthalate
Concen: 59.886 ng
RT: 22.92 min Scan# 3376
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDICC060

Tgt Ion:149 Resp: 1181017
Ion Ratio Lower Upper
149 100
167 1.7 1.3 1.9
43 11.0 8.5 12.7




Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 43.00 (42.70 to 43.70): BGC






#86
Indeno(1,2,3-cd)pyrene
Concen: 71.070 ng
RT: 29.08 min Scan# 4424
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:276 Resp: 1366616
Ion Ratio Lower Upper
276 100
138 14.7 12.2 18.2
277 25.9 20.5 30.7



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E









#87
Perylene-d12
Concen: 20.000 ng
RT: 25.20 min Scan# 3763
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDICC060

Tgt Ion: 264 Resp: 333139




Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.2	28.8
265	22.7	16.6	25.0




#88
Benzo(b)fluoranthene
Concen: 65.404 ng
RT: 24.12 min Scan# 3579
Delta R.T. 0.00 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion: 252 Resp: 1188256

Ion	Ratio	Lower	Upper
252	100		
253	22.8	17.6	26.4
125	8.7	6.9	10.3









#89
Benzo(k)fluoranthene
Concen: 60.760 ng
RT: 24.19 min Scan# 3592
Delta R.T. 0.01 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19




Instrument :
BNA_G
ClientSampleId :
SSTDICC060


Tgt Ion:252 Resp: 1108273
Ion Ratio Lower Upper
252 100
253 23.0 18.3 27.5
125 8.2 6.5 9.7



#90
Benzo(a)pyrene
Concen: 63.869 ng
RT: 25.04 min Scan# 3737
Delta R.T. 0.01 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:252 Resp: 1117520
Ion Ratio Lower Upper
252 100
253 23.2 18.3 27.5
125 9.6 7.4 11.2









#91
Dibenzo(a,h)anthracene
Concen: 66.215 ng
RT: 29.15 min Scan# 4436
Delta R.T. 0.01 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Instrument :
BNA_G
ClientSampleId :
SSTDICC060

Tgt Ion:278 Resp: 1084989
Ion Ratio Lower Upper
278 100
139 13.4 10.5 15.7
279 24.5 20.2 30.4



#92
Benzo(g,h,i)perylene
Concen: 67.518 ng
RT: 30.32 min Scan# 4636
Delta R.T. 0.03 min
Lab File: BG039727.D
Acq: 4 Mar 2019 12:19

Tgt Ion:276 Resp: 1102721
Ion Ratio Lower Upper
276 100
277 24.3 18.3 27.5
138 17.6 14.4 21.6

