

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG030419\
 Data File : BG039753.D
 Acq On : 5 Mar 2019 6:13
 Operator : JU/SJ
 Sample : PB117574TB
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB117574TB

Quant Time: Mar 05 07:11:28 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	40197	20.00	ng	-0.01
21) Naphthalene-d8	10.98	136	168265	20.00	ng	-0.01
39) Acenaphthene-d10	14.78	164	116335	20.00	ng	0.00
64) Phenanthrene-d10	17.53	188	304857	20.00	ng	0.00
76) Chrysene-d12	21.82	240	326216	20.00	ng	-0.01
87) Perylene-d12	25.19	264	323981	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	335636	142.45	ng	0.00
7) Phenol-d6	7.30	99	471936	134.33	ng	-0.01
23) Nitrobenzene-d5	9.33	82	274038	88.08	ng	-0.01
42) 2,4,6-Tribromophenol	16.27	330	184736	136.24	ng	0.00
45) 2-Fluorobiphenyl	13.40	172	709206	86.80	ng	-0.01
79) Terphenyl-d14	20.12	244	1243845	83.95	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG030419\
Data File : BG039753.D
Acq On : 5 Mar 2019 6:13
Operator : JU/SJ
Sample : PB117574TB
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB117574TB

Quant Time: Mar 05 07:11:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.16 min Scan# 863

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13

Instrument :

BNA_G

ClientSampleId :

PB117574TB


Tgt Ion:152 Resp: 40197

Ion Ratio Lower Upper

152 100

150 148.1 123.7 185.5




115 57.3 45.9 68.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 142.448 ng

RT: 5.70 min Scan# 445

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13


Tgt Ion:112 Resp: 335636

Ion Ratio Lower Upper

112 100

64 70.6 57.8 86.8



63 36.5 29.8 44.6



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 134.331 ng

RT: 7.30 min Scan# 717

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13

Instrument :

BNA_G

ClientSampleId :

PB117574TB


Tgt Ion: 99 Resp: 471936

Ion Ratio Lower Upper




99 100

42 19.7 18.2 27.2

71 36.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.98 min Scan# 1343

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13

Tgt Ion: 136 Resp: 168265


Ion Ratio Lower Upper

136 100



137 10.8 9.1 13.7

54 11.3 9.4 14.2

68 6.7 4.2 6.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 88.082 ng
RT: 9.33 min Scan# 1063
Delta R.T. -0.01 min
Lab File: BG039753.D
Acq: 5 Mar 2019 6:13

Instrument :
BNA_G
ClientSampleId :
PB117574TB

Tgt Ion: 82 Resp: 274038
Ion Ratio Lower Upper
82 100
128 43.0 31.3 46.9
54 58.4 50.9 76.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.78 min Scan# 1991
Delta R.T. -0.01 min
Lab File: BG039753.D
Acq: 5 Mar 2019 6:13

Tgt Ion: 164 Resp: 116335
Ion Ratio Lower Upper
164 100
162 103.0 81.6 122.4
160 43.0 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 136.239 ng

RT: 16.27 min Scan# 2244

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13

Instrument :

BNA_G

ClientSampleId :

PB117574TB


Tgt Ion:330 Resp: 184736

Ion Ratio Lower Upper

330 100

332 95.8 75.7 113.5




141 41.4 35.6 53.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 86.800 ng

RT: 13.40 min Scan# 1756

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13


Tgt Ion:172 Resp: 709206

Ion Ratio Lower Upper

172 100

171 37.1 30.8 46.2



170 24.8 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.53 min Scan# 2458
Delta R.T. -0.01 min
Lab File: BG039753.D
Acq: 5 Mar 2019 6:13




Instrument :
BNA_G
ClientSampleId :
PB117574TB


Tgt Ion:188 Resp: 304857
Ion Ratio Lower Upper
188 100
94 7.6 6.9 10.3
80 9.4 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.82 min Scan# 3188
Delta R.T. -0.01 min
Lab File: BG039753.D
Acq: 5 Mar 2019 6:13

Tgt Ion:240 Resp: 326216
Ion Ratio Lower Upper
240 100
120 8.7 7.0 10.6
236 26.5 21.0 31.4





#79

Terphenyl-d14

Concen: 83.954 ng

RT: 20.12 min Scan# 2899

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13

Instrument :

BNA_G

ClientSampleId :

PB117574TB


Tgt Ion:244 Resp: 1243845

Ion Ratio Lower Upper

244 100

212 9.0 7.3 10.9




122 10.3 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.19 min Scan# 3762

Delta R.T. -0.01 min

Lab File: BG039753.D

Acq: 5 Mar 2019 6:13


Tgt Ion:264 Resp: 323981

Ion Ratio Lower Upper

264 100

260 24.1 18.2 27.4

265 20.5 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

