

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG030619\
 Data File : BG039794.D
 Acq On : 6 Mar 2019 19:26
 Operator : JU/SJ
 Sample : K1752-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DR-FC

Quant Time: Mar 07 01:02:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	49642	20.00	ng	-0.01
21) Naphthalene-d8	10.98	136	216797	20.00	ng	-0.01
39) Acenaphthene-d10	14.78	164	154347	20.00	ng	-0.01
64) Phenanthrene-d10	17.52	188	365763	20.00	ng	-0.01
76) Chrysene-d12	21.82	240	331505	20.00	ng	-0.01
87) Perylene-d12	25.19	264	341358	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	419630	144.21	ng	0.00
7) Phenol-d6	7.31	99	624225	143.87	ng	0.00
23) Nitrobenzene-d5	9.33	82	366523	91.44	ng	-0.01
42) 2,4,6-Tribromophenol	16.27	330	258665	143.78	ng	0.00
45) 2-Fluorobiphenyl	13.40	172	961265	88.68	ng	-0.01
79) Terphenyl-d14	20.12	244	1332479	88.50	ng	0.00
Target Compounds						
10) Phenol	7.32	94	11889	2.529	ng	Qvalue # 49
50) Dimethylphthalate	14.22	163	54672	4.236	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG030619\
Data File : BG039794.D
Acq On : 6 Mar 2019 19:26
Operator : JU/SJ
Sample : K1752-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DR-FC

Quant Time: Mar 07 01:02:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.16 min Scan# 863
Delta R.T. -0.01 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26

Instrument :
BNA_G
ClientSampled :
DR-FC

Tot Ion	Ratio	Lower	Upper
152	100		
150	148.2	123.7	185.5
115	60.5	45.9	68.9





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 144.211 ng
RT: 5.70 min Scan# 445
Delta R.T. -0.01 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26

Tgt Ion	Ratio	Lower	Upper
112	100		
64	67.6	57.8	86.8
63	34.9	29.8	44.6






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 143.873 ng

RT: 7.31 min Scan# 718

Delta R.T. -0.01 min

Lab File: BG039794.D

Acq: 6 Mar 2019 19:26

Instrument :

BNA_G

ClientSampleId :

DR-FC


Tot Ion: 99 Resp: 624225

Ion Ratio Lower Upper




99 100

42 20.4 18.2 27.2

71 35.8 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 2.529 ng

RT: 7.32 min Scan# 721

Delta R.T. -0.01 min

Lab File: BG039794.D

Acq: 6 Mar 2019 19:26


Tgt Ion: 94 Resp: 11889

Ion Ratio Lower Upper



94 100

65 38.5 11.7 51.7

66 95.2 23.7 63.7#



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.98 min Scan# 1343
Delta R.T. -0.01 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26

Instrument :
BNA_G
ClientSampleId :
DR-FC

Tot Ion:136	Resp:	216797
Ion	Ratio	Lower Upper
136	100	
137	11.5	9.1 13.7
54	11.3	9.4 14.2
68	6.1	4.2 6.4




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 91.436 ng
RT: 9.33 min Scan# 1063
Delta R.T. -0.01 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26

Tgt Ion: 82	Resp:	366523
Ion	Ratio	Lower Upper
82	100	
128	43.4	31.3 46.9
54	60.5	50.9 76.3



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.78 min Scan# 1990

Delta R.T. -0.01 min

Lab File: BG039794.D

Acq: 6 Mar 2019 19:26

Instrument :

BNA_G

ClientSampleId :

DR-FC


Tot Ion:164 Resp: 154347

Ion Ratio Lower Upper

164 100

162 98.7 81.6 122.4




160 42.4 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 143.780 ng

RT: 16.27 min Scan# 2244

Delta R.T. -0.01 min

Lab File: BG039794.D

Acq: 6 Mar 2019 19:26


Tgt Ion:330 Resp: 258665

Ion Ratio Lower Upper

330 100

332 96.5 75.7 113.5



141 41.2 35.6 53.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 88.675 ng
RT: 13.40 min Scan# 1756
Delta R.T. -0.01 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26

Instrument :
BNA_G
ClientSampleId :
DR-FC

Tot Ion:172 Resp: 961265
Ion Ratio Lower Upper
172 100
171 38.5 30.8 46.2
170 25.7 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 4.236 ng
RT: 14.22 min Scan# 1895
Delta R.T. -0.02 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26

Tgt Ion:163 Resp: 54672
Ion Ratio Lower Upper
163 100
194 5.0 3.6 5.4
164 9.8 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.52 min Scan# 2457
Delta R.T. -0.01 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26




Instrument :
BNA_G
ClientSampleId :
DR-FC


Tot Ion:188 Resp: 365763
Ion Ratio Lower Upper
188 100
94 8.2 6.9 10.3
80 9.4 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.82 min Scan# 3188
Delta R.T. -0.01 min
Lab File: BG039794.D
Acq: 6 Mar 2019 19:26

Tgt Ion:240 Resp: 331505
Ion Ratio Lower Upper
240 100
120 8.5 7.0 10.6
236 26.1 21.0 31.4





#79

Terphenyl-d14

Concen: 88.501 ng

RT: 20.12 min Scan# 2899

Delta R.T. -0.01 min

Lab File: BG039794.D

Acq: 6 Mar 2019 19:26

Instrument :

BNA_G

ClientSampleId :

DR-FC


Tot Ion:244 Resp: 1332479

Ion Ratio Lower Upper

244 100

212 9.1 7.3 10.9




122 10.4 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.19 min Scan# 3762

Delta R.T. -0.01 min

Lab File: BG039794.D

Acq: 6 Mar 2019 19:26


Tgt Ion:264 Resp: 341358

Ion Ratio Lower Upper

264 100

260 24.7 18.2 27.4

265 20.8 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

