

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031119\
 Data File : BG039841.D
 Acq On : 11 Mar 2019 14:35
 Operator : JU/SJ
 Sample : PB117780BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB117780BL

Quant Time: Mar 12 03:55:20 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	40464	20.00	ng	-0.02
21) Naphthalene-d8	10.98	136	169691	20.00	ng	-0.01
39) Acenaphthene-d10	14.78	164	121282	20.00	ng	-0.01
64) Phenanthrene-d10	17.52	188	318740	20.00	ng	-0.01
76) Chrysene-d12	21.81	240	354998	20.00	ng	-0.02
87) Perylene-d12	25.18	264	345101	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	293107	123.58	ng	0.00
7) Phenol-d6	7.30	99	426590	120.62	ng	-0.01
23) Nitrobenzene-d5	9.33	82	244531	77.94	ng	-0.01
42) 2,4,6-Tribromophenol	16.26	330	171121	121.05	ng	-0.01
45) 2-Fluorobiphenyl	13.40	172	644804	75.70	ng	-0.01
79) Terphenyl-d14	20.12	244	1194254	74.07	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031119\
Data File : BG039841.D
Acq On : 11 Mar 2019 14:35
Operator : JU/SJ
Sample : PB117780BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB117780BL

Quant Time: Mar 12 03:55:20 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.15 min Scan# 862
Delta R.T. -0.02 min
Lab File: BG039841.D
Acq: 11 Mar 2019 14:35

Instrument :
BNA_G
ClientSampleId :
PB117780BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.5	123.7	185.5
115	59.1	45.9	68.9





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 123.577 ng
RT: 5.70 min Scan# 445
Delta R.T. -0.01 min
Lab File: BG039841.D
Acq: 11 Mar 2019 14:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	67.3	57.8	86.8
63	35.7	29.8	44.6





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 120.623 ng

RT: 7.30 min Scan# 717

Delta R.T. -0.01 min

Lab File: BG039841.D

Acq: 11 Mar 2019 14:35

Instrument :

BNA_G

ClientSampleId :

PB117780BL


Tot Ion: 99 Resp: 426590

Ion Ratio Lower Upper



99 100

42 19.7 18.2 27.2

71 35.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.98 min Scan# 1343

Delta R.T. -0.01 min

Lab File: BG039841.D

Acq: 11 Mar 2019 14:35

Tgt Ion: 136 Resp: 169691


Ion Ratio Lower Upper

136 100



137 10.2 9.1 13.7


54 10.5 9.4 14.2

68 6.1 4.2 6.4



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 77.937 ng
RT: 9.33 min Scan# 1063
Delta R.T. -0.01 min
Lab File: BG039841.D
Acq: 11 Mar 2019 14:35




Instrument :
BNA_G
ClientSampleId :
PB117780BL


Tot Ion: 82 Resp: 244531
Ion Ratio Lower Upper
82 100
128 44.4 31.3 46.9
54 59.5 50.9 76.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.78 min Scan# 1990
Delta R.T. -0.01 min
Lab File: BG039841.D
Acq: 11 Mar 2019 14:35

Tgt Ion:164 Resp: 121282
Ion Ratio Lower Upper
164 100
162 103.8 81.6 122.4
160 46.9 34.2 51.2









#42
 2,4,6-Tribromophenol
 Concen: 121.051 ng
 RT: 16.26 min Scan# 2243
 Delta R.T. -0.01 min
 Lab File: BG039841.D
 Acq: 11 Mar 2019 14:35

Instrument :
 BNA_G
 ClientSampleId :
 PB117780BL

Tot Ion:330 Resp: 171121
 Ion Ratio Lower Upper
 330 100
 332 94.1 75.7 113.5
 141 39.9 35.6 53.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 75.699 ng
 RT: 13.40 min Scan# 1756
 Delta R.T. -0.01 min
 Lab File: BG039841.D
 Acq: 11 Mar 2019 14:35

Tgt Ion:172 Resp: 644804
 Ion Ratio Lower Upper
 172 100
 171 36.5 30.8 46.2
 170 24.6 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.52 min Scan# 2457
Delta R.T. -0.01 min
Lab File: BG039841.D
Acq: 11 Mar 2019 14:35




Instrument :
BNA_G
ClientSampleId :
PB117780BL


Tot Ion:188 Resp: 318740
Ion Ratio Lower Upper
188 100
94 8.4 6.9 10.3
80 9.8 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.81 min Scan# 3187
Delta R.T. -0.02 min
Lab File: BG039841.D
Acq: 11 Mar 2019 14:35

Tgt Ion:240 Resp: 354998
Ion Ratio Lower Upper
240 100
120 9.1 7.0 10.6
236 25.7 21.0 31.4





#79

Terphenyl-d14

Concen: 74.071 ng

RT: 20.12 min Scan# 2899

Delta R.T. -0.01 min

Lab File: BG039841.D

Acq: 11 Mar 2019 14:35

Instrument :

BNA_G

ClientSampleId :

PB117780BL


Tot Ion:244 Resp: 1194254

Ion Ratio Lower Upper

244 100

212 9.1 7.3 10.9




122 9.8 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.18 min Scan# 3761

Delta R.T. -0.02 min

Lab File: BG039841.D

Acq: 11 Mar 2019 14:35


Tgt Ion:264 Resp: 345101

Ion Ratio Lower Upper

264 100

260 23.2 18.2 27.4

265 21.2 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

