

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031119\
 Data File : BG039867.D
 Acq On : 12 Mar 2019 10:15
 Operator : JU/SJ
 Sample : K1837-11
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MR-MH-06-COMP

Quant Time: Mar 12 11:09:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	38923	20.00	ng	-0.02
21) Naphthalene-d8	10.97	136	172261	20.00	ng	-0.02
39) Acenaphthene-d10	14.78	164	122600	20.00	ng	-0.01
64) Phenanthrene-d10	17.52	188	296436	20.00	ng	-0.01
76) Chrysene-d12	21.81	240	313762	20.00	ng	-0.02
87) Perylene-d12	25.18	264	311312	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	358688	157.21	ng	-0.01
7) Phenol-d6	7.30	99	528425	155.33	ng	-0.01
23) Nitrobenzene-d5	9.33	82	315129	98.94	ng	-0.01
42) 2,4,6-Tribromophenol	16.26	330	216900	151.79	ng	-0.01
45) 2-Fluorobiphenyl	13.40	172	657091	76.31	ng	-0.01
79) Terphenyl-d14	20.12	244	1172033	82.25	ng	0.00
Target Compounds						
10) Phenol	7.33	94	15269	4.143	ng	90
50) Dimethylphthalate	14.22	163	56397	5.501	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031119\
Data File : BG039867.D
Acq On : 12 Mar 2019 10:15
Operator : JU/SJ
Sample : K1837-11
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MR-MH-06-COMP

Quant Time: Mar 12 11:09:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.15 min Scan# 862
Delta R.T. -0.02 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Instrument :
BNA_G
ClientSampleId :
MR-MH-06-COMP

Tot Ion:152 Resp: 38923
Ion Ratio Lower Upper
152 100
150 151.8 123.7 185.5
115 63.9 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 157.214 ng
RT: 5.70 min Scan# 444
Delta R.T. -0.01 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Tgt Ion:112 Resp: 358688
Ion Ratio Lower Upper
112 100
64 72.3 57.8 86.8
63 39.2 29.8 44.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 155.333 ng

RT: 7.30 min Scan# 717

Delta R.T. -0.01 min

Lab File: BG039867.D

Acq: 12 Mar 2019 10:15

Instrument :

BNA_G

ClientSampleId :

MR-MH-06-COMP


Tot Ion: 99 Resp: 528425

Ion Ratio Lower Upper




99 100

42 20.5 18.2 27.2

71 35.9 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 4.143 ng

RT: 7.33 min Scan# 722

Delta R.T. -0.01 min

Lab File: BG039867.D

Acq: 12 Mar 2019 10:15


Tgt Ion: 94 Resp: 15269

Ion Ratio Lower Upper



94 100


65 25.9 11.7 51.7

66 49.6 23.7 63.7



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.97 min Scan# 1342
Delta R.T. -0.02 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Instrument :
BNA_G
ClientSampleId :
MR-MH-06-COMP

Tot Ion:136	Resp:	172261
Ion	Ratio	Lower Upper
136	100	
137	10.1	9.1 13.7
54	10.6	9.4 14.2
68	5.8	4.2 6.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 98.940 ng
RT: 9.33 min Scan# 1063
Delta R.T. -0.01 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Tgt Ion: 82	Resp:	315129
Ion	Ratio	Lower Upper
82	100	
128	43.1	31.3 46.9
54	57.8	50.9 76.3



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.78 min Scan# 1990

Delta R.T. -0.01 min

Lab File: BG039867.D

Acq: 12 Mar 2019 10:15

Instrument :

BNA_G

ClientSampleId :

MR-MH-06-COMP


Tot Ion:164 Resp: 122600

Ion Ratio Lower Upper

164 100

162 100.1 81.6 122.4




160 43.9 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 151.785 ng

RT: 16.26 min Scan# 2243

Delta R.T. -0.01 min

Lab File: BG039867.D

Acq: 12 Mar 2019 10:15


Tgt Ion:330 Resp: 216900

Ion Ratio Lower Upper

330 100

332 94.5 75.7 113.5



141 39.6 35.6 53.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 76.312 ng
RT: 13.40 min Scan# 1756
Delta R.T. -0.01 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Instrument :
BNA_G
ClientSampleId :
MR-MH-06-COMP

Tot Ion:172 Resp: 657091
Ion Ratio Lower Upper
172 100
171 37.2 30.8 46.2
170 24.1 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 5.501 ng
RT: 14.22 min Scan# 1895
Delta R.T. -0.02 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Tgt Ion:163 Resp: 56397
Ion Ratio Lower Upper
163 100
194 4.6 3.6 5.4
164 8.4 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.52 min Scan# 2457
Delta R.T. -0.01 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Instrument :
BNA_G
ClientSampleId :
MR-MH-06-COMP

Tot Ion	Ratio	Lower	Upper
188	100		
94	8.4	6.9	10.3
80	9.2	8.1	12.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.81 min Scan# 3187
Delta R.T. -0.02 min
Lab File: BG039867.D
Acq: 12 Mar 2019 10:15

Tgt Ion	Ratio	Lower	Upper
240	100		
120	8.6	7.0	10.6
236	25.6	21.0	31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 82.247 ng

RT: 20.12 min Scan# 2899

Delta R.T. -0.01 min

Lab File: BG039867.D

Acq: 12 Mar 2019 10:15

Instrument :

BNA_G

ClientSampleId :

MR-MH-06-COMP


Tot Ion:244 Resp: 1172033

Ion Ratio Lower Upper

244 100

212 9.0 7.3 10.9




122 9.2 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.18 min Scan# 3761

Delta R.T. -0.02 min

Lab File: BG039867.D

Acq: 12 Mar 2019 10:15


Tgt Ion:264 Resp: 311312

Ion Ratio Lower Upper

264 100

260 22.6 18.2 27.4

265 19.7 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

