

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG031819\
 Data File : BG039993.D
 Acq On : 19 Mar 2019 6:26
 Operator : JU/SJ
 Sample : PB117977BL
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB117977BL

Quant Time: Mar 19 07:54:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	38424	20.00	ng	-0.03
21) Naphthalene-d8	10.97	136	159740	20.00	ng	-0.02
39) Acenaphthene-d10	14.77	164	107183	20.00	ng	-0.02
64) Phenanthrene-d10	17.52	188	268674	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	286090	20.00	ng	-0.03
87) Perylene-d12	25.17	264	280814	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	182830	81.18	ng	-0.02
7) Phenol-d6	7.29	99	262878	78.28	ng	-0.02
23) Nitrobenzene-d5	9.32	82	158283	53.59	ng	-0.02
42) 2,4,6-Tribromophenol	16.26	330	98259	78.65	ng	-0.02
45) 2-Fluorobiphenyl	13.39	172	399014	53.01	ng	-0.02
79) Terphenyl-d14	20.11	244	673728	51.85	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.32	70	20465	8.466	ng	# 66
51) 2,6-Dinitrotoluene	14.77	165	13472	7.090	ng	# 22
57) 2,4-Dinitrotoluene	14.77	165	13472	5.046	ng	# 17
67) 4-Bromophenyl-phenylether	16.26	248	7653	2.545	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG031819\
Data File : BG039993.D
Acq On : 19 Mar 2019 6:26
Operator : JU/SJ
Sample : PB117977BL
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB117977BL

Quant Time: Mar 19 07:54:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.14 min Scan# 860

Delta R.T. -0.03 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26

Instrument :

BNA_G

ClientSampleId :

PB117977BL


Tgt Ion:152 Resp: 38424

Ion Ratio Lower Upper

152 100

150 155.8 123.7 185.5




115 59.9 45.9 68.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 81.176 ng

RT: 5.69 min Scan# 443

Delta R.T. -0.02 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26


Tgt Ion:112 Resp: 182830

Ion Ratio Lower Upper

112 100

64 69.0 57.8 86.8



63 37.0 29.8 44.6






Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 78.278 ng

RT: 7.29 min Scan# 715

Delta R.T. -0.02 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26

Instrument :

BNA_G

ClientSampleId :

PB117977BL





Tgt Ion: 99 Resp: 262878

Ion Ratio Lower Upper

99 100

42 21.3 18.2 27.2

71 36.5 28.0 42.0



#19

n-Nitroso-di-n-propylamine

Concen: 8.466 ng

RT: 9.32 min Scan# 1061

Delta R.T. 0.35 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26

Tgt Ion: 70 Resp: 20465


Ion Ratio Lower Upper


70 100

42 47.5 60.4 90.6#

101 0.0 7.5 11.3#

130 1.6 16.9 25.3#






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.97 min Scan# 1341
Delta R.T. -0.02 min
Lab File: BG039993.D
Acq: 19 Mar 2019 6:26

Instrument :
BNA_G
ClientSampleId :
PB117977BL

Tgt Ion	Ratio	Lower	Upper
136	100		
137	11.7	9.1	13.7
54	11.3	9.4	14.2
68	6.6	4.2	6.4#






Abundance

Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC



#23
Nitrobenzene-d5
Concen: 53.591 ng
RT: 9.32 min Scan# 1061
Delta R.T. -0.02 min
Lab File: BG039993.D
Acq: 19 Mar 2019 6:26

Tgt Ion	Ratio	Lower	Upper
82	100		
128	41.0	31.3	46.9
54	59.8	50.9	76.3






Abundance

Ion 82.00 (81.70 to 82.70): BGC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.77 min Scan# 1988

Delta R.T. -0.02 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26

Instrument :

BNA_G

ClientSampleId :

PB117977BL


Tgt Ion:164 Resp: 107183

Ion Ratio Lower Upper

164 100

162 102.0 81.6 122.4




160 45.8 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 78.651 ng

RT: 16.26 min Scan# 2242

Delta R.T. -0.02 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26


Tgt Ion:330 Resp: 98259

Ion Ratio Lower Upper

330 100

332 95.6 75.7 113.5



141 42.4 35.6 53.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 53.005 ng
 RT: 13.39 min Scan# 1754
 Delta R.T. -0.02 min
 Lab File: BG039993.D
 Acq: 19 Mar 2019 6:26




Instrument :
 BNA_G
 ClientSampleId :
 PB117977BL


Tgt Ion:172 Resp: 399014
 Ion Ratio Lower Upper
 172 100
 171 36.7 30.8 46.2
 170 23.2 20.2 30.4



#51
 2,6-Dinitrotoluene
 Concen: 7.090 ng
 RT: 14.77 min Scan# 1989
 Delta R.T. 0.41 min
 Lab File: BG039993.D
 Acq: 19 Mar 2019 6:26

Tgt Ion:165 Resp: 13472
 Ion Ratio Lower Upper
 165 100
 63 0.0 47.0 70.6#
 89 0.0 45.8 68.8#









#57
 2,4-Dinitrotoluene
 Concen: 5.046 ng
 RT: 14.77 min Scan# 1989
 Delta R.T. -0.38 min
 Lab File: BG039993.D
 Acq: 19 Mar 2019 6:26

Instrument :
 BNA_G
 ClientSampleId :
 PB117977BL

Tgt Ion:	165	Resp:	13472
Ion	Ratio	Lower	Upper
165	100		
63	0.0	41.0	61.6#
89	0.0	64.6	96.8#
182	0.0	2.0	3.0#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.52 min Scan# 2456
 Delta R.T. -0.02 min
 Lab File: BG039993.D
 Acq: 19 Mar 2019 6:26

Tgt Ion:	188	Resp:	268674
Ion	Ratio	Lower	Upper
188	100		
94	8.1	6.9	10.3
80	9.1	8.1	12.1



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 2.545 ng
 RT: 16.26 min Scan# 2242
 Delta R.T. -0.46 min
 Lab File: BG039993.D
 Acq: 19 Mar 2019 6:26

Instrument :
 BNA_G
 ClientSampleId :
 PB117977BL

Tgt Ion:248 Resp: 7653
 Ion Ratio Lower Upper
 248 100
 250 190.4 77.6 116.4#
 141 516.1 63.9 95.9#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.80 min Scan# 3185
 Delta R.T. -0.03 min
 Lab File: BG039993.D
 Acq: 19 Mar 2019 6:26

Tgt Ion:240 Resp: 286090
 Ion Ratio Lower Upper
 240 100
 120 8.2 7.0 10.6
 236 26.3 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 51.851 ng

RT: 20.11 min Scan# 2897

Delta R.T. -0.02 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26

Instrument :

BNA_G

ClientSampleId :

PB117977BL


Tgt Ion:244 Resp: 673728

Ion Ratio Lower Upper

244 100

212 8.4 7.3 10.9




122 8.9 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.17 min Scan# 3758

Delta R.T. -0.04 min

Lab File: BG039993.D

Acq: 19 Mar 2019 6:26


Tgt Ion:264 Resp: 280814

Ion Ratio Lower Upper

264 100

260 23.7 18.2 27.4

265 21.2 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

