

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031919\
 Data File : BG040008.D
 Acq On : 19 Mar 2019 18:39
 Operator : JU/SJ
 Sample : K1958-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-2

Quant Time: Mar 20 04:34:32 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	42566	20.00	ng	-0.03
21) Naphthalene-d8	10.96	136	174557	20.00	ng	-0.03
39) Acenaphthene-d10	14.77	164	111832	20.00	ng	-0.02
64) Phenanthrene-d10	17.51	188	272157	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	295472	20.00	ng	-0.03
87) Perylene-d12	25.16	264	299240	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	292890	117.39	ng	-0.02
7) Phenol-d6	7.29	99	425274	114.31	ng	-0.02
23) Nitrobenzene-d5	9.32	82	261573	81.04	ng	-0.03
42) 2,4,6-Tribromophenol	16.26	330	154303	118.38	ng	-0.02
45) 2-Fluorobiphenyl	13.39	172	593049	75.51	ng	-0.02
79) Terphenyl-d14	20.11	244	952882	71.01	ng	-0.02
Target Compounds						
50) Dimethylphthalate	14.21	163	54955	5.877	ng	Qvalue # 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031919\
Data File : BG040008.D
Acq On : 19 Mar 2019 18:39
Operator : JU/SJ
Sample : K1958-03
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-2

Quant Time: Mar 20 04:34:32 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.14 min Scan# 860
Delta R.T. -0.03 min
Lab File: BG040008.D
Acq: 19 Mar 2019 18:39

Instrument :
BNA_G
ClientSampled :
TP-2

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.0	123.7	185.5
115	60.4	45.9	68.9





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 117.388 ng
RT: 5.69 min Scan# 442
Delta R.T. -0.02 min
Lab File: BG040008.D
Acq: 19 Mar 2019 18:39

Tgt Ion	Ratio	Lower	Upper
112	100		
64	70.4	57.8	86.8
63	39.8	29.8	44.6





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 114.312 ng

RT: 7.29 min Scan# 715

Delta R.T. -0.02 min

Lab File: BG040008.D

Acq: 19 Mar 2019 18:39

Instrument :

BNA_G

ClientSampleId :

TP-2


Tot Ion: 99 Resp: 425274

Ion Ratio Lower Upper




99 100

42 21.0 18.2 27.2

71 36.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.96 min Scan# 1340

Delta R.T. -0.03 min

Lab File: BG040008.D

Acq: 19 Mar 2019 18:39

Tgt Ion: 136 Resp: 174557


Ion Ratio Lower Upper

136 100



137 11.4 9.1 13.7


54 11.9 9.4 14.2

68 5.6 4.2 6.4



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
 Nitrobenzene-d5
 Concen: 81.045 ng
 RT: 9.32 min Scan# 1060
 Delta R.T. -0.03 min
 Lab File: BG040008.D
 Acq: 19 Mar 2019 18:39




Instrument :
 BNA_G
 ClientSampleId :
 TP-2


Tot Ion: 82 Resp: 261573
 Ion Ratio Lower Upper
 82 100
 128 42.0 31.3 46.9
 54 60.2 50.9 76.3



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.77 min Scan# 1988
 Delta R.T. -0.02 min
 Lab File: BG040008.D
 Acq: 19 Mar 2019 18:39

Tgt Ion: 164 Resp: 111832
 Ion Ratio Lower Upper
 164 100
 162 104.5 81.6 122.4
 160 43.8 34.2 51.2









#42
 2,4,6-Tribromophenol
 Concen: 118.377 ng
 RT: 16.26 min Scan# 2241
 Delta R.T. -0.02 min
 Lab File: BG040008.D
 Acq: 19 Mar 2019 18:39

Instrument :
 BNA_G
 ClientSampleId :
 TP-2

Tot Ion:330 Resp: 154303
 Ion Ratio Lower Upper
 330 100
 332 94.3 75.7 113.5
 141 42.8 35.6 53.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 75.506 ng
 RT: 13.39 min Scan# 1754
 Delta R.T. -0.02 min
 Lab File: BG040008.D
 Acq: 19 Mar 2019 18:39

Tgt Ion:172 Resp: 593049
 Ion Ratio Lower Upper
 172 100
 171 37.6 30.8 46.2
 170 24.3 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 5.877 ng

RT: 14.21 min Scan# 1893

Delta R.T. -0.03 min

Lab File: BG040008.D

Acq: 19 Mar 2019 18:39

Instrument :

BNA_G

ClientSampled :

TP-2


Tot Ion:163 Resp: 54955

Ion Ratio Lower Upper

163 100

194 5.8 3.6 5.4#




164 11.4 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.51 min Scan# 2455

Delta R.T. -0.02 min

Lab File: BG040008.D

Acq: 19 Mar 2019 18:39


Tgt Ion:188 Resp: 272157

Ion Ratio Lower Upper

188 100

94 7.2 6.9 10.3



80 8.8 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.80 min Scan# 3185
Delta R.T. -0.03 min
Lab File: BG040008.D
Acq: 19 Mar 2019 18:39




Instrument :
BNA_G
ClientSampled :
TP-2


Tot Ion:240 Resp: 295472
Ion Ratio Lower Upper
240 100
120 8.4 7.0 10.6
236 26.0 21.0 31.4



#79
Terphenyl-d14
Concen: 71.007 ng
RT: 20.11 min Scan# 2897
Delta R.T. -0.02 min
Lab File: BG040008.D
Acq: 19 Mar 2019 18:39

Tgt Ion:244 Resp: 952882
Ion Ratio Lower Upper
244 100
212 8.6 7.3 10.9
122 8.7 8.4 12.6





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.16 min Scan# 3757
Delta R.T. -0.04 min
Lab File: BG040008.D
Acq: 19 Mar 2019 18:39

Instrument :
BNA_G
ClientSampleId :
TP-2

Tot Ion:264 Resp: 299240
Ion Ratio Lower Upper
264 100
260 23.5 18.2 27.4
265 21.3 18.5 27.7

