

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031919\
 Data File : BG040034.D
 Acq On : 20 Mar 2019 11:54
 Operator : JU/SJ
 Sample : K1956-08
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-8

Quant Time: Mar 20 14:28:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	37430	20.00	ng	-0.03
21) Naphthalene-d8	10.96	136	154698	20.00	ng	-0.03
39) Acenaphthene-d10	14.77	164	104659	20.00	ng	-0.02
64) Phenanthrene-d10	17.51	188	283054	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	312361	20.00	ng	-0.03
87) Perylene-d12	25.16	264	303363	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	295706	134.78	ng	-0.02
7) Phenol-d6	7.29	99	399893	122.24	ng	-0.02
23) Nitrobenzene-d5	9.32	82	280679	98.13	ng	-0.03
42) 2,4,6-Tribromophenol	16.26	330	182305	149.45	ng	-0.02
45) 2-Fluorobiphenyl	13.39	172	667853	90.86	ng	-0.03
79) Terphenyl-d14	20.10	244	1268049	89.38	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031919\
Data File : BG040034.D
Acq On : 20 Mar 2019 11:54
Operator : JU/SJ
Sample : K1956-08
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-8

Quant Time: Mar 20 14:28:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.14 min Scan# 860
Delta R.T. -0.03 min
Lab File: BG040034.D
Acq: 20 Mar 2019 11:54

Instrument :
BNA_G
ClientSampleId :
TP-8

Tot Ion:152 Resp: 37430
Ion Ratio Lower Upper
152 100
150 149.9 123.7 185.5
115 60.1 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.779 ng
RT: 5.69 min Scan# 442
Delta R.T. -0.02 min
Lab File: BG040034.D
Acq: 20 Mar 2019 11:54

Tgt Ion:112 Resp: 295706
Ion Ratio Lower Upper
112 100
64 71.3 57.8 86.8
63 38.7 29.8 44.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 122.239 ng

RT: 7.29 min Scan# 715

Delta R.T. -0.02 min

Lab File: BG040034.D

Acq: 20 Mar 2019 11:54

Instrument :

BNA_G

ClientSampleId :

TP-8


Tot Ion: 99 Resp: 399893

Ion Ratio Lower Upper




99 100

42 20.7 18.2 27.2

71 36.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.96 min Scan# 1340

Delta R.T. -0.03 min

Lab File: BG040034.D

Acq: 20 Mar 2019 11:54

Tgt Ion: 136 Resp: 154698


Ion Ratio Lower Upper

136 100



137 10.5 9.1 13.7


54 12.1 9.4 14.2

68 6.7 4.2 6.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 98.128 ng
RT: 9.32 min Scan# 1060
Delta R.T. -0.03 min
Lab File: BG040034.D
Acq: 20 Mar 2019 11:54

Instrument :
BNA_G
ClientSampled :
TP-8

Tot Ion: 82 Resp: 280679
Ion Ratio Lower Upper
82 100
128 41.4 31.3 46.9
54 60.2 50.9 76.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.77 min Scan# 1988
Delta R.T. -0.02 min
Lab File: BG040034.D
Acq: 20 Mar 2019 11:54

Tgt Ion:164 Resp: 104659
Ion Ratio Lower Upper
164 100
162 101.7 81.6 122.4
160 45.7 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC






#42
 2,4,6-Tribromophenol
 Concen: 149.445 ng
 RT: 16.26 min Scan# 2241
 Delta R.T. -0.02 min
 Lab File: BG040034.D
 Acq: 20 Mar 2019 11:54

Instrument :
 BNA_G
 ClientSampleId :
 TP-8

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	75.7	113.5
141	43.0	35.6	53.4






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 90.858 ng
 RT: 13.39 min Scan# 1753
 Delta R.T. -0.03 min
 Lab File: BG040034.D
 Acq: 20 Mar 2019 11:54

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.4	30.8	46.2
170	24.7	20.2	30.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.51 min Scan# 2455
Delta R.T. -0.02 min
Lab File: BG040034.D
Acq: 20 Mar 2019 11:54




Instrument :
BNA_G
ClientSampled :
TP-8


Tot Ion:188 Resp: 283054
Ion Ratio Lower Upper
188 100
94 8.0 6.9 10.3
80 8.5 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.80 min Scan# 3184
Delta R.T. -0.03 min
Lab File: BG040034.D
Acq: 20 Mar 2019 11:54

Tgt Ion:240 Resp: 312361
Ion Ratio Lower Upper
240 100
120 8.8 7.0 10.6
236 25.8 21.0 31.4





#79

Terphenyl-d14

Concen: 89.384 ng

RT: 20.10 min Scan# 2896

Delta R.T. -0.02 min

Lab File: BG040034.D

Acq: 20 Mar 2019 11:54

Instrument :

BNA_G

ClientSampleId :

TP-8


Tot Ion:244 Resp: 1268049

Ion Ratio Lower Upper

244 100

212 9.5 7.3 10.9




122 9.7 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.16 min Scan# 3756

Delta R.T. -0.04 min

Lab File: BG040034.D

Acq: 20 Mar 2019 11:54


Tgt Ion:264 Resp: 303363

Ion Ratio Lower Upper

264 100

260 25.4 18.2 27.4

265 20.9 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

