

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG032019\
 Data File : BG040061.D
 Acq On : 21 Mar 2019 9:06
 Operator : JU/SJ
 Sample : K1688-28
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JC-02-031919-D

Quant Time: Mar 21 12:00:53 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	34596	20.00	ng	-0.03
21) Naphthalene-d8	10.96	136	152722	20.00	ng	-0.03
39) Acenaphthene-d10	14.77	164	109585	20.00	ng	-0.02
64) Phenanthrene-d10	17.51	188	277541	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	284632	20.00	ng	-0.03
87) Perylene-d12	25.15	264	282375	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	262147	129.27	ng	-0.02
7) Phenol-d6	7.29	99	343593	113.63	ng	-0.02
23) Nitrobenzene-d5	9.32	82	270764	95.89	ng	-0.02
42) 2,4,6-Tribromophenol	16.26	330	184898	144.76	ng	-0.02
45) 2-Fluorobiphenyl	13.39	172	667605	86.74	ng	-0.02
79) Terphenyl-d14	20.11	244	1184151	91.60	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG032019\
Data File : BG040061.D
Acq On : 21 Mar 2019 9:06
Operator : JU/SJ
Sample : K1688-28
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JC-02-031919-D

Quant Time: Mar 21 12:00:53 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.14 min Scan# 860
Delta R.T. -0.03 min
Lab File: BG040061.D
Acq: 21 Mar 2019 9:06

Instrument :
BNA_G
ClientSampleId :
JC-02-031919-D

Tgt Ion:152 Resp: 34596
Ion Ratio Lower Upper
152 100
150 143.7 123.7 185.5
115 57.4 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.271 ng
RT: 5.69 min Scan# 443
Delta R.T. -0.02 min
Lab File: BG040061.D
Acq: 21 Mar 2019 9:06

Tgt Ion:112 Resp: 262147
Ion Ratio Lower Upper
112 100
64 66.8 57.8 86.8
63 36.1 29.8 44.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 113.633 ng

RT: 7.29 min Scan# 715

Delta R.T. -0.02 min

Lab File: BG040061.D

Acq: 21 Mar 2019 9:06

Instrument :

BNA_G

ClientSampleId :

JC-02-031919-D


Tgt Ion: 99 Resp: 343593

Ion Ratio Lower Upper




99 100

42 19.6 18.2 27.2

71 37.3 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.96 min Scan# 1340

Delta R.T. -0.03 min

Lab File: BG040061.D

Acq: 21 Mar 2019 9:06

Tgt Ion: 136 Resp: 152722


Ion Ratio Lower Upper

136 100



137 11.2 9.1 13.7


54 10.4 9.4 14.2

68 5.8 4.2 6.4



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 95.887 ng
 RT: 9.32 min Scan# 1061
 Delta R.T. -0.02 min
 Lab File: BG040061.D
 Acq: 21 Mar 2019 9:06




Instrument :
 BNA_G
 ClientSampleId :
 JC-02-031919-D


Tgt Ion: 82 Resp: 270764
 Ion Ratio Lower Upper
 82 100
 128 43.3 31.3 46.9
 54 58.0 50.9 76.3



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.77 min Scan# 1988
 Delta R.T. -0.02 min
 Lab File: BG040061.D
 Acq: 21 Mar 2019 9:06

Tgt Ion: 164 Resp: 109585
 Ion Ratio Lower Upper
 164 100
 162 103.9 81.6 122.4
 160 43.9 34.2 51.2









#42
 2,4,6-Tribromophenol
 Concen: 144.758 ng
 RT: 16.26 min Scan# 2242
 Delta R.T. -0.02 min
 Lab File: BG040061.D
 Acq: 21 Mar 2019 9:06

Instrument :
 BNA_G
 ClientSampleId :
 JC-02-031919-D

Tgt Ion:330 Resp: 184898
 Ion Ratio Lower Upper
 330 100
 332 94.3 75.7 113.5
 141 42.1 35.6 53.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 86.741 ng
 RT: 13.39 min Scan# 1754
 Delta R.T. -0.02 min
 Lab File: BG040061.D
 Acq: 21 Mar 2019 9:06

Tgt Ion:172 Resp: 667605
 Ion Ratio Lower Upper
 172 100
 171 38.0 30.8 46.2
 170 24.5 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.51 min Scan# 2455
Delta R.T. -0.02 min
Lab File: BG040061.D
Acq: 21 Mar 2019 9:06

Instrument :
BNA_G
ClientSampleId :
JC-02-031919-D

Tgt Ion:188 Resp: 277541
Ion Ratio Lower Upper
188 100
94 8.4 6.9 10.3
80 8.5 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.80 min Scan# 3185
Delta R.T. -0.03 min
Lab File: BG040061.D
Acq: 21 Mar 2019 9:06

Tgt Ion:240 Resp: 284632
Ion Ratio Lower Upper
240 100
120 8.3 7.0 10.6
236 25.8 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 91.601 ng

RT: 20.11 min Scan# 2897

Delta R.T. -0.02 min

Lab File: BG040061.D

Acq: 21 Mar 2019 9:06

Instrument :

BNA_G

ClientSampleId :

JC-02-031919-D


Tgt Ion:244 Resp: 1184151

Ion Ratio Lower Upper

244 100

212 9.2 7.3 10.9




122 9.1 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.15 min Scan# 3756

Delta R.T. -0.05 min

Lab File: BG040061.D

Acq: 21 Mar 2019 9:06


Tgt Ion:264 Resp: 282375

Ion Ratio Lower Upper

264 100

260 23.4 18.2 27.4

265 20.8 18.5 27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

