

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG032819\
 Data File : BG040222.D
 Acq On : 29 Mar 2019 6:22
 Operator : JU/SJ
 Sample : K2107-08
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-4

Quant Time: Mar 29 08:19:59 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 28 05:47:00 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	57814	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	241222	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	146899	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	376489	20.00	ng	0.00
76) Chrysene-d12	21.72	240	407407	20.00	ng	0.00
87) Perylene-d12	25.02	264	400628	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	419710	120.69	ng	0.00
7) Phenol-d6	7.22	99	532348	110.76	ng	0.00
23) Nitrobenzene-d5	9.25	82	383938	84.60	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	214079	134.84	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	808068	81.51	ng	0.00
79) Terphenyl-d14	20.05	244	1468824	81.11	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.25	70	48444	14.058	ng	# 71
51) 2,6-Dinitrotoluene	14.69	165	19392	7.512	ng	# 24
57) 2,4-Dinitrotoluene	14.69	165	19392	5.406	ng	# 24
67) 4-Bromophenyl-phenylether	16.19	248	16569	3.911	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG032819\
Data File : BG040222.D
Acq On : 29 Mar 2019 6:22
Operator : JU/SJ
Sample : K2107-08
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-4

Quant Time: Mar 29 08:19:59 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 28 05:47:00 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.07 min Scan# 847
Delta R.T. -0.00 min
Lab File: BG040222.D
Acq: 29 Mar 2019 6:22

Instrument :
BNA_G
ClientSampleId :
TP-4

Tgt Ion:152 Resp: 57814
Ion Ratio Lower Upper
152 100
150 159.7 123.7 185.5
115 63.6 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 120.685 ng
RT: 5.62 min Scan# 431
Delta R.T. 0.00 min
Lab File: BG040222.D
Acq: 29 Mar 2019 6:22

Tgt Ion:112 Resp: 419710
Ion Ratio Lower Upper
112 100
64 65.1 54.2 81.2
63 33.0 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 110.761 ng

RT: 7.22 min Scan# 703

Delta R.T. -0.00 min

Lab File: BG040222.D

Acq: 29 Mar 2019 6:22

Instrument :

BNA_G

ClientSampleId :

TP-4


Tgt Ion: 99 Resp: 532348

Ion Ratio Lower Upper




99 100

42 18.7 16.2 24.2

71 33.4 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 14.058 ng

RT: 9.25 min Scan# 1048

Delta R.T. 0.37 min

Lab File: BG040222.D

Acq: 29 Mar 2019 6:22

Tgt Ion: 70 Resp: 48444


Ion Ratio Lower Upper

70 100



42 48.3 54.0 81.0#


101 0.0 8.6 13.0#

130 1.6 18.2 27.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.88 min Scan# 1326
Delta R.T. -0.00 min
Lab File: BG040222.D
Acq: 29 Mar 2019 6:22




Instrument :
BNA_G
ClientSampleId :
TP-4


Tgt Ion:	136	Resp:	241222
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	10.1	9.6	14.4
68	6.0	5.1	7.7



#23
Nitrobenzene-d5
Concen: 84.601 ng
RT: 9.25 min Scan# 1048
Delta R.T. 0.00 min
Lab File: BG040222.D
Acq: 29 Mar 2019 6:22

Tgt Ion:	82	Resp:	383938
Ion	Ratio	Lower	Upper
82	100		
128	43.0	35.8	53.8
54	54.0	46.2	69.2





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.70 min Scan# 1976

Delta R.T. -0.00 min

Lab File: BG040222.D

Acq: 29 Mar 2019 6:22

Instrument :

BNA_G

ClientSampleId :

TP-4


Tgt Ion:164 Resp: 146899

Ion Ratio Lower Upper

164 100

162 100.4 77.4 116.2




160 45.9 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 134.845 ng

RT: 16.19 min Scan# 2229

Delta R.T. -0.00 min

Lab File: BG040222.D

Acq: 29 Mar 2019 6:22


Tgt Ion:330 Resp: 214079

Ion Ratio Lower Upper

330 100

332 96.4 76.6 115.0



141 38.8 32.6 48.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 81.509 ng
RT: 13.32 min Scan# 1741
Delta R.T. -0.00 min
Lab File: BG040222.D
Acq: 29 Mar 2019 6:22




Instrument :
BNA_G
ClientSampleId :
TP-4


Tgt Ion:172 Resp: 808068
Ion Ratio Lower Upper
172 100
171 37.2 30.5 45.7
170 24.8 20.1 30.1



#51
2,6-Dinitrotoluene
Concen: 7.512 ng
RT: 14.69 min Scan# 1975
Delta R.T. 0.41 min
Lab File: BG040222.D
Acq: 29 Mar 2019 6:22

Tgt Ion:165 Resp: 19392
Ion Ratio Lower Upper
165 100
63 0.0 44.1 66.1#
89 0.0 44.9 67.3#









#57
 2,4-Dinitrotoluene
 Concen: 5.406 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. -0.37 min
 Lab File: BG040222.D
 Acq: 29 Mar 2019 6:22




Instrument :
 BNA_G
 ClientSampleId :
 TP-4


Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.8	50.6#
89	0.0	55.4	83.2#
182	0.0	2.2	3.4#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2443
 Delta R.T. -0.00 min
 Lab File: BG040222.D
 Acq: 29 Mar 2019 6:22

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.6	7.0	10.4
80	9.2	8.6	13.0









#67
 4-Bromophenyl-phenylether
 Concen: 3.911 ng
 RT: 16.19 min Scan# 2229
 Delta R.T. -0.44 min
 Lab File: BG040222.D
 Acq: 29 Mar 2019 6:22

Instrument :
 BNA_G
 ClientSampleId :
 TP-4

Tgt Ion:248 Resp: 16569
 Ion Ratio Lower Upper
 248 100
 250 189.9 76.4 114.6#
 141 498.9 53.8 80.8#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.72 min Scan# 3171
 Delta R.T. -0.01 min
 Lab File: BG040222.D
 Acq: 29 Mar 2019 6:22

Tgt Ion:240 Resp: 407407
 Ion Ratio Lower Upper
 240 100
 120 9.8 8.4 12.6
 236 25.8 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 81.107 ng

RT: 20.05 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG040222.D

Acq: 29 Mar 2019 6:22

Instrument :

BNA_G

ClientSampled :

TP-4


Tgt Ion:244 Resp: 1468824

Ion Ratio Lower Upper

244 100

212 9.1 7.0 10.6




122 11.4 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.01 min

Lab File: BG040222.D

Acq: 29 Mar 2019 6:22


Tgt Ion:264 Resp: 400628

Ion Ratio Lower Upper

264 100

260 23.3 17.9 26.9

265 21.8 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

