

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG040219\
 Data File : BG040304.D
 Acq On : 2 Apr 2019 19:58
 Operator : JU/SJ
 Sample : K2179-16
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Apr 03 00:51:28 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 28 05:47:00 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	70062	20.00	ng	-0.02
21) Naphthalene-d8	10.87	136	297757	20.00	ng	-0.02
39) Acenaphthene-d10	14.68	164	208403	20.00	ng	-0.02
64) Phenanthrene-d10	17.43	188	522944	20.00	ng	-0.02
76) Chrysene-d12	21.71	240	527738	20.00	ng	-0.02
87) Perylene-d12	25.02	264	525615	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	478878	113.63	ng	0.00
7) Phenol-d6	7.21	99	584772	100.40	ng	-0.02
23) Nitrobenzene-d5	9.23	82	488765	87.25	ng	-0.02
42) 2,4,6-Tribromophenol	16.17	330	278644	123.72	ng	-0.02
45) 2-Fluorobiphenyl	13.31	172	1122266	79.79	ng	-0.02
79) Terphenyl-d14	20.03	244	1828512	77.95	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.23	70	61782	14.795	ng	# 71
51) 2,6-Dinitrotoluene	14.68	165	26047	7.112	ng	# 26
57) 2,4-Dinitrotoluene	14.68	165	26047	5.119	ng	# 26
67) 4-Bromophenyl-phenylether	16.17	248	21425	3.641	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG040219\
Data File : BG040304.D
Acq On : 2 Apr 2019 19:58
Operator : JU/SJ
Sample : K2179-16
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Apr 03 00:51:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 28 05:47:00 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 845
Delta R.T. -0.02 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 70062
Ion Ratio Lower Upper
152 100
150 151.5 123.7 185.5
115 59.0 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 113.627 ng
RT: 5.61 min Scan# 429
Delta R.T. -0.01 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Tgt Ion:112 Resp: 478878
Ion Ratio Lower Upper
112 100
64 67.0 54.2 81.2
63 32.9 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 100.399 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.02 min

Lab File: BG040304.D

Acq: 2 Apr 2019 19:58

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 584772

Ion Ratio Lower Upper




99 100

42 19.4 16.2 24.2

71 33.7 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 14.795 ng

RT: 9.23 min Scan# 1045

Delta R.T. 0.35 min

Lab File: BG040304.D

Acq: 2 Apr 2019 19:58

Tgt Ion: 70 Resp: 61782


Ion Ratio Lower Upper

70 100



42 48.5 54.0 81.0#


101 0.0 8.6 13.0#

130 1.9 18.2 27.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1324
Delta R.T. -0.02 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Instrument :
BNA_G
ClientSampled :

Tot Ion:136	Resp:	297757
Ion	Ratio	Lower Upper
136	100	
137	10.6	8.9 13.3
54	10.7	9.6 14.4
68	7.4	5.1 7.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 87.251 ng
RT: 9.23 min Scan# 1045
Delta R.T. -0.02 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Tgt Ion: 82	Resp:	488765
Ion	Ratio	Lower Upper
82	100	
128	44.0	35.8 53.8
54	54.8	46.2 69.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.68 min Scan# 1973
Delta R.T. -0.02 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Instrument :
BNA_G
ClientSampleId :

Tot Ion:164 Resp: 208403
Ion Ratio Lower Upper
164 100
162 102.4 77.4 116.2
160 44.9 35.3 52.9




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#42
2,4,6-Tribromophenol
Concen: 123.716 ng
RT: 16.17 min Scan# 2227
Delta R.T. -0.02 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Tgt Ion:330 Resp: 278644
Ion Ratio Lower Upper
330 100
332 97.4 76.6 115.0
141 39.5 32.6 48.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 79.794 ng
RT: 13.31 min Scan# 1739
Delta R.T. -0.02 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58




Instrument :
BNA_G
ClientSampleId :


Tot Ion:172 Resp: 1122266
Ion Ratio Lower Upper
172 100
171 37.9 30.5 45.7
170 25.7 20.1 30.1



#51
2,6-Dinitrotoluene
Concen: 7.112 ng
RT: 14.68 min Scan# 1973
Delta R.T. 0.40 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Tgt Ion:165 Resp: 26047
Ion Ratio Lower Upper
165 100
63 2.0 44.1 66.1#
89 1.2 44.9 67.3#






#57
 2,4-Dinitrotoluene
 Concen: 5.119 ng
 RT: 14.68 min Scan# 1973
 Delta R.T. -0.39 min
 Lab File: BG040304.D
 Acq: 2 Apr 2019 19:58

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
165	100		
63	2.0	33.8	50.6#
89	1.2	55.4	83.2#
182	0.0	2.2	3.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.43 min Scan# 2440
 Delta R.T. -0.02 min
 Lab File: BG040304.D
 Acq: 2 Apr 2019 19:58



Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.9	7.0	10.4
80	10.7	8.6	13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 3.641 ng
RT: 16.17 min Scan# 2227
Delta R.T. -0.46 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Instrument :
BNA_G
ClientSampleId :

Tot Ion:248 Resp: 21425
Ion Ratio Lower Upper
248 100
250 187.9 76.4 114.6#
141 457.6 53.8 80.8#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.71 min Scan# 3169
Delta R.T. -0.02 min
Lab File: BG040304.D
Acq: 2 Apr 2019 19:58

Tgt Ion:240 Resp: 527738
Ion Ratio Lower Upper
240 100
120 9.6 8.4 12.6
236 26.5 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 77.946 ng

RT: 20.03 min Scan# 2884

Delta R.T. -0.02 min

Lab File: BG040304.D

Acq: 2 Apr 2019 19:58

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 1828512

Ion Ratio Lower Upper

244 100

212 9.2 7.0 10.6




122 11.6 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.02 min

Lab File: BG040304.D

Acq: 2 Apr 2019 19:58


Tgt Ion:264 Resp: 525615

Ion Ratio Lower Upper

264 100

260 23.7 17.9 26.9

265 20.2 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

