

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG040219\
 Data File : BG040305.D
 Acq On : 2 Apr 2019 20:38
 Operator : JU/SJ
 Sample : K2179-20
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-5S

Quant Time: Apr 03 01:31:09 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 28 05:47:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	65419	20.00	ng	-0.02
21) Naphthalene-d8	10.87	136	278447	20.00	ng	-0.02
39) Acenaphthene-d10	14.68	164	192504	20.00	ng	-0.02
64) Phenanthrene-d10	17.43	188	484185	20.00	ng	-0.02
76) Chrysene-d12	21.70	240	471045	20.00	ng	-0.03
87) Perylene-d12	25.02	264	476648	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	423696	107.67	ng	0.00
7) Phenol-d6	7.21	99	516446	94.96	ng	-0.02
23) Nitrobenzene-d5	9.23	82	431387	82.35	ng	-0.02
42) 2,4,6-Tribromophenol	16.17	330	244005	117.28	ng	-0.02
45) 2-Fluorobiphenyl	13.31	172	1019156	78.45	ng	-0.02
79) Terphenyl-d14	20.03	244	1656958	79.13	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG040219\
Data File : BG040305.D
Acq On : 2 Apr 2019 20:38
Operator : JU/SJ
Sample : K2179-20
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-5S

Quant Time: Apr 03 01:31:09 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 28 05:47:00 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 845
Delta R.T. -0.02 min
Lab File: BG040305.D
Acq: 2 Apr 2019 20:38

Instrument :
BNA_G
ClientSampleId :
TP-5S

Tgt Ion:152 Resp: 65419
Ion Ratio Lower Upper
152 100
150 159.1 123.7 185.5
115 59.4 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 107.669 ng
RT: 5.61 min Scan# 429
Delta R.T. -0.01 min
Lab File: BG040305.D
Acq: 2 Apr 2019 20:38

Tgt Ion:112 Resp: 423696
Ion Ratio Lower Upper
112 100
64 66.7 54.2 81.2
63 33.4 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 94.961 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.02 min

Lab File: BG040305.D

Acq: 2 Apr 2019 20:38

Instrument :

BNA_G

ClientSampleId :

TP-5S


Tgt Ion: 99 Resp: 516446

Ion Ratio Lower Upper




99 100

42 20.0 16.2 24.2

71 33.1 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1324

Delta R.T. -0.02 min

Lab File: BG040305.D

Acq: 2 Apr 2019 20:38

Tgt Ion: 136 Resp: 278447


Ion Ratio Lower Upper

136 100



137 10.3 8.9 13.3

54 9.6 9.6 14.4#

68 6.3 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 82.348 ng
RT: 9.23 min Scan# 1045
Delta R.T. -0.02 min
Lab File: BG040305.D
Acq: 2 Apr 2019 20:38




Instrument :
BNA_G
ClientSampleId :
TP-5S


Tgt Ion: 82 Resp: 431387
Ion Ratio Lower Upper
82 100
128 44.8 35.8 53.8
54 55.7 46.2 69.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.68 min Scan# 1973
Delta R.T. -0.02 min
Lab File: BG040305.D
Acq: 2 Apr 2019 20:38

Tgt Ion: 164 Resp: 192504
Ion Ratio Lower Upper
164 100
162 102.6 77.4 116.2
160 43.9 35.3 52.9









#42
 2,4,6-Tribromophenol
 Concen: 117.284 ng
 RT: 16.17 min Scan# 2227
 Delta R.T. -0.02 min
 Lab File: BG040305.D
 Acq: 2 Apr 2019 20:38




Instrument :
 BNA_G
 ClientSampleId :
 TP-5S


Tgt Ion:330 Resp: 244005
 Ion Ratio Lower Upper
 330 100
 332 97.1 76.6 115.0
 141 37.9 32.6 48.8



#45
 2-Fluorobiphenyl
 Concen: 78.448 ng
 RT: 13.31 min Scan# 1739
 Delta R.T. -0.02 min
 Lab File: BG040305.D
 Acq: 2 Apr 2019 20:38

Tgt Ion:172 Resp: 1019156
 Ion Ratio Lower Upper
 172 100
 171 37.3 30.5 45.7
 170 25.2 20.1 30.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.43 min Scan# 2441

Delta R.T. -0.02 min

Lab File: BG040305.D

Acq: 2 Apr 2019 20:38

Instrument :

BNA_G

ClientSampleId :

TP-5S


Tgt Ion:188 Resp: 484185

Ion Ratio Lower Upper

188 100

94 8.6 7.0 10.4




80 10.0 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3168

Delta R.T. -0.03 min

Lab File: BG040305.D

Acq: 2 Apr 2019 20:38


Tgt Ion:240 Resp: 471045

Ion Ratio Lower Upper

240 100

120 11.0 8.4 12.6



236 26.1 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 79.134 ng

RT: 20.03 min Scan# 2884

Delta R.T. -0.02 min

Lab File: BG040305.D

Acq: 2 Apr 2019 20:38

Instrument :

BNA_G

ClientSampled :

TP-5S


Tgt Ion:244 Resp: 1656958

Ion Ratio Lower Upper

244 100

212 9.2 7.0 10.6




122 11.5 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.02 min

Lab File: BG040305.D

Acq: 2 Apr 2019 20:38


Tgt Ion:264 Resp: 476648

Ion Ratio Lower Upper

264 100

260 23.5 17.9 26.9

265 21.8 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

