

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG040521\
 Data File : BG048591.D
 Acq On : 5 Apr 2021 20:00
 Operator : CG/JU
 Sample : M1908-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-2(2-2.5)

Quant Time: Apr 06 04:42:17 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG033021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 02 10:20:56 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.091	152	27496	20.00	ng	# 0.00
21) Naphthalene-d8	10.917	136	114137	20.00	ng	0.00
39) Acenaphthene-d10	14.742	164	77818	20.00	ng	0.00
64) Phenanthrene-d10	17.497	188	188528	20.00	ng	# 0.00
76) Chrysene-d12	21.792	240	177244	20.00	ng	# 0.00
86) Perylene-d12	25.135	264	177431	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.641	112	222541	142.89	ng	0.00
7) Phenol-d6	7.245	99	285707	126.49	ng	0.00
23) Nitrobenzene-d5	9.260	82	204321	86.67	ng	0.00
42) 2,4,6-Tribromophenol	16.234	330	138689	135.58	ng	0.00
45) 2-Fluorobiphenyl	13.367	172	460367	87.93	ng	0.00
79) Terphenyl-d14	20.112	244	756855	78.09	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.184	163	13987	2.42	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG040521\
Data File : BG048591.D
Acq On : 5 Apr 2021 20:00
Operator : CG/JU
Sample : M1908-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-2(2-2.5)

Quant Time: Apr 06 04:42:17 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG033021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 02 10:20:56 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.091 min Scan# 809
Delta R.T. -0.003 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00




Instrument :
BNA_G
ClientSampleId :
SB-2(2-2.5)


Tgt Ion:152 Resp: 27496
Ion Ratio Lower Upper
152 100
150 156.7 101.3 151.9#
115 71.2 42.3 63.5#



#5
2-Fluorophenol
Concen: 142.89 ng
RT: 5.641 min Scan# 392
Delta R.T. 0.003 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00

Tgt Ion:112 Resp: 222541
Ion Ratio Lower Upper
112 100
64 56.4 50.4 75.6
63 34.5 31.4 47.2









#7
Phenol-d6
Concen: 126.49 ng
RT: 7.245 min Scan# 665
Delta R.T. -0.003 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00

Instrument :
BNA_G
ClientSampleId :
SB-2(2-2.5)

Tgt Ion: 99 Resp: 285707




Ion	Ratio	Lower	Upper
99	100		
42	22.5	15.5	23.3
71	48.3	36.6	54.8




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.917 min Scan# 1290
Delta R.T. -0.009 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00

Tgt Ion: 136 Resp: 114137

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	12.8
54	5.9	4.2	6.4
68	3.1	3.0	4.4









#23
Nitrobenzene-d5
Concen: 86.67 ng
RT: 9.260 min Scan# 1008
Delta R.T. -0.009 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00




Instrument :
BNA_G
ClientSampleId :
SB-2(2-2.5)


Tgt Ion: 82 Resp: 204321
Ion Ratio Lower Upper
82 100
128 40.3 26.2 39.4#
54 52.9 38.9 58.3



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.742 min Scan# 1941
Delta R.T. -0.009 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00

Tgt Ion:164 Resp: 77818
Ion Ratio Lower Upper
164 100
162 97.3 87.0 130.6
160 41.5 38.4 57.6









#42
2,4,6-Tribromophenol
Concen: 135.58 ng
RT: 16.234 min Scan# 2195
Delta R.T. -0.009 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00




Instrument :
BNA_G
ClientSampleId :
SB-2(2-2.5)


Tgt Ion:330 Resp: 138689
Ion Ratio Lower Upper
330 100
332 97.1 77.6 116.4
141 44.1 34.6 52.0



#45
2-Fluorobiphenyl
Concen: 87.93 ng
RT: 13.367 min Scan# 1707
Delta R.T. -0.003 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00

Tgt Ion:172 Resp: 460367
Ion Ratio Lower Upper
172 100
171 33.1 28.5 42.7
170 22.7 19.8 29.6









#50
Dimethylphthalate
Concen: 2.42 ng
RT: 14.184 min Scan# 1846
Delta R.T. -0.015 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00




Instrument :
BNA_G
ClientSampleId :
SB-2(2-2.5)


Tgt Ion:163 Resp: 13987
Ion Ratio Lower Upper
163 100
194 7.6 4.1 6.1#
164 9.1 8.6 12.8



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.497 min Scan# 2410
Delta R.T. -0.009 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00

Tgt Ion:188 Resp: 188528
Ion Ratio Lower Upper
188 100
94 5.6 3.0 4.6#
80 6.0 4.5 6.7









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.792 min Scan# 3141
Delta R.T. -0.009 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00




Instrument :
BNA_G
ClientSampleId :
SB-2(2-2.5)


Tgt Ion:240 Resp: 177244
Ion Ratio Lower Upper
240 100
120 5.1 2.6 3.8#
236 26.7 19.8 29.6



#79
Terphenyl-d14
Concen: 78.09 ng
RT: 20.112 min Scan# 2855
Delta R.T. -0.003 min
Lab File: BG048591.D
Acq: 5 Apr 2021 20:00

Tgt Ion:244 Resp: 756855
Ion Ratio Lower Upper
244 100
212 7.8 6.0 9.0
122 6.3 5.8 8.6





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.135 min Scan# 3710
 Delta R.T. -0.015 min
 Lab File: BG048591.D
 Acq: 5 Apr 2021 20:00

Instrument :
 BNA_G
 ClientSampleId :
 SB-2(2-2.5)

Tgt Ion:264 Resp: 177431
 Ion Ratio Lower Upper
 264 100
 260 22.2 19.1 28.7
 265 22.8 16.1 24.1

