

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG040723\
 Data File : BG057025.D
 Acq On : 7 Apr 2023 13:55
 Operator : CG/JU
 Sample : 02222-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 E-H4(ELEV-24)

Quant Time: Apr 08 04:49:33 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG033023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 08 04:45:47 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.411	152	13090	20.000	ng	0.00
21) Naphthalene-d8	11.248	136	53073	20.000	ng	0.00
39) Acenaphthene-d10	15.020	164	39925	20.000	ng	0.00
64) Phenanthrene-d10	17.757	188	98693	20.000	ng	0.00
76) Chrysene-d12	22.075	240	87916	20.000	ng	0.00
86) Perylene-d12	25.617	264	92426	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.920	112	97068	118.680	ng	0.00
7) Phenol-d6	7.542	99	137648	112.525	ng	0.00
23) Nitrobenzene-d5	9.586	82	90529	69.795	ng	0.00
42) 2,4,6-Tribromophenol	16.500	330	73966	115.968	ng	0.00
45) 2-Fluorobiphenyl	13.645	172	208209	70.716	ng	0.00
79) Terphenyl-d14	20.330	244	393463	75.732	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG040723\
Data File : BG057025.D
Acq On : 7 Apr 2023 13:55
Operator : CG/JU
Sample : 02222-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
E-H4(ELEV-24)

Quant Time: Apr 08 04:49:33 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG033023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 08 04:45:47 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.411 min Scan# 81
Delta R.T. 0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55




Instrument :
BNA_G
ClientSampleId :
E-H4(ELEV-24)


Tgt Ion:152 Resp: 13090
Ion Ratio Lower Upper
152 100
150 148.2 124.1 186.1
115 64.7 49.1 73.7



#5
2-Fluorophenol
Concen: 118.680 ng
RT: 5.920 min Scan# 405
Delta R.T. 0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55

Tgt Ion:112 Resp: 97068
Ion Ratio Lower Upper
112 100
64 62.6 53.2 79.8
63 39.4 32.6 48.8









#7
Phenol-d6
Concen: 112.525 ng
RT: 7.542 min Scan# 61
Delta R.T. 0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55




Instrument :
BNA_G
ClientSampleId :
E-H4(ELEV-24)


Tgt Ion: 99 Resp: 137648
Ion Ratio Lower Upper
99 100
42 18.6 15.7 23.5
71 42.4 32.5 48.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.248 min Scan# 1312
Delta R.T. -0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55

Tgt Ion:136 Resp: 53073
Ion Ratio Lower Upper
136 100
137 12.4 8.6 13.0
54 8.4 6.9 10.3
68 5.0 3.8 5.6









#23
Nitrobenzene-d5
Concen: 69.795 ng
RT: 9.586 min Scan# 1029
Delta R.T. -0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55




Instrument :
BNA_G
ClientSampleId :
E-H4(ELEV-24)


Tgt Ion: 82 Resp: 90529
Ion Ratio Lower Upper
82 100
128 34.8 27.9 41.9
54 48.1 39.4 59.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.020 min Scan# 1954
Delta R.T. -0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55


Tgt Ion:164 Resp: 39925
Ion Ratio Lower Upper
164 100
162 102.6 77.8 116.8
160 43.3 33.5 50.3








#42
2,4,6-Tribromophenol
Concen: 115.968 ng
RT: 16.500 min Scan# 21
Delta R.T. -0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55

Instrument :
BNA_G
ClientSampleId :
E-H4(ELEV-24)







Tgt Ion:330 Resp: 73966
Ion Ratio Lower Upper
330 100
332 96.4 76.1 114.1
141 30.4 25.8 38.6



#45
2-Fluorobiphenyl
Concen: 70.716 ng
RT: 13.645 min Scan# 1720
Delta R.T. -0.003 min
Lab File: BG057025.D
Acq: 7 Apr 2023 13:55

Tgt Ion:172 Resp: 208209
Ion Ratio Lower Upper
172 100
171 38.1 30.6 46.0
170 25.2 20.6 30.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.757 min Scan# 2420

Delta R.T. -0.003 min

Lab File: BG057025.D

Acq: 7 Apr 2023 13:55

Instrument :

BNA_G

ClientSampleId :

E-H4(ELEV-24)





Tgt Ion:188 Resp: 98693

Ion Ratio Lower Upper

188 100

94 6.0 4.6 6.8

80 7.6 5.5 8.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 22.075 min Scan# 3155

Delta R.T. -0.008 min

Lab File: BG057025.D

Acq: 7 Apr 2023 13:55




Tgt Ion:240 Resp: 87916


Ion Ratio Lower Upper

240 100

120 4.7 3.8 5.6

236 25.5 21.0 31.6









#79
 Terphenyl-d14
 Concen: 75.732 ng
 RT: 20.330 min Scan# 21
 Delta R.T. 0.003 min
 Lab File: BG057025.D
 Acq: 7 Apr 2023 13:55

Instrument :
 BNA_G
 ClientSampleId :
 E-H4(ELEV-24)

Tgt Ion:244 Resp: 393463
 Ion Ratio Lower Upper
 244 100
 212 6.7 6.1 9.1
 122 5.3 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.617 min Scan# 3758
 Delta R.T. -0.014 min
 Lab File: BG057025.D
 Acq: 7 Apr 2023 13:55

Tgt Ion:264 Resp: 92426
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.0 28.4
 265 23.2 17.8 26.6

