

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041119\
 Data File : BG040440.D
 Acq On : 11 Apr 2019 14:08
 Operator : JU/SJ
 Sample : PB118804BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Apr 12 01:25:02 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 28 05:47:00 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	65578	20.00	ng	-0.03
21) Naphthalene-d8	10.86	136	264678	20.00	ng	-0.03
39) Acenaphthene-d10	14.68	164	161980	20.00	ng	-0.03
64) Phenanthrene-d10	17.42	188	410455	20.00	ng	-0.03
76) Chrysene-d12	21.69	240	421792	20.00	ng	-0.04
87) Perylene-d12	24.98	264	412867	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	380913	96.56	ng	-0.01
7) Phenol-d6	7.20	99	513245	94.14	ng	-0.02
23) Nitrobenzene-d5	9.22	82	305054	61.26	ng	-0.03
42) 2,4,6-Tribromophenol	16.16	330	172150	98.34	ng	-0.03
45) 2-Fluorobiphenyl	13.30	172	704061	64.41	ng	-0.03
79) Terphenyl-d14	20.02	244	1142872	60.96	ng	-0.03
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.22	70	38310	9.801	ng	# 71
51) 2,6-Dinitrotoluene	14.67	165	20631	7.248	ng	# 24
57) 2,4-Dinitrotoluene	14.67	165	20631	5.216	ng	# 24
67) 4-Bromophenyl-phenylether	16.16	248	12814	2.774	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041119\
Data File : BG040440.D
Acq On : 11 Apr 2019 14:08
Operator : JU/SJ
Sample : PB118804BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Apr 12 01:25:02 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 28 05:47:00 2019
Response via : Initial Calibration








#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.03 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08

Instrument :
BNA_G
ClientSampleId :




Tot Ion:152 Resp: 65578
Ion Ratio Lower Upper
152 100
150 160.7 123.7 185.5
115 56.5 46.9 70.3



#5

2-Fluorophenol
Concen: 96.562 ng
RT: 5.60 min Scan# 428
Delta R.T. -0.01 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08

Tgt Ion:112 Resp: 380913
Ion Ratio Lower Upper
112 100
64 68.3 54.2 81.2
63 35.1 26.4 39.6





#7

Phenol-d6

Concen: 94.144 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.02 min

Lab File: BG040440.D

Acq: 11 Apr 2019 14:08

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 513245

Ion Ratio Lower Upper




99 100

42 19.0 16.2 24.2

71 32.6 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 9.801 ng

RT: 9.22 min Scan# 1044

Delta R.T. 0.35 min

Lab File: BG040440.D

Acq: 11 Apr 2019 14:08

Tgt Ion: 70 Resp: 38310


Ion Ratio Lower Upper

70 100



42 47.8 54.0 81.0#

101 0.0 8.6 13.0#

130 2.9 18.2 27.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.86 min Scan# 1322
Delta R.T. -0.03 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	264678
Ion	Ratio	Lower Upper
136	100	
137	11.1	8.9 13.3
54	10.7	9.6 14.4
68	7.0	5.1 7.7




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 61.262 ng
RT: 9.22 min Scan# 1043
Delta R.T. -0.03 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08

Tgt Ion: 82	Resp:	305054
Ion	Ratio	Lower Upper
82	100	
128	43.7	35.8 53.8
54	54.5	46.2 69.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.68 min Scan# 1972

Delta R.T. -0.03 min

Lab File: BG040440.D

Acq: 11 Apr 2019 14:08

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 161980

Ion Ratio Lower Upper

164 100

162 103.2 77.4 116.2




160 46.4 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 98.339 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.03 min

Lab File: BG040440.D

Acq: 11 Apr 2019 14:08


Tgt Ion:330 Resp: 172150

Ion Ratio Lower Upper

330 100

332 96.0 76.6 115.0



141 38.2 32.6 48.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 64.406 ng
RT: 13.30 min Scan# 1737
Delta R.T. -0.03 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08




Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
172	100		
171	36.7	30.5	45.7
170	24.5	20.1	30.1



#51
2,6-Dinitrotoluene
Concen: 7.248 ng
RT: 14.67 min Scan# 1971
Delta R.T. 0.38 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.1	66.1#
89	0.0	44.9	67.3#






#57
 2,4-Dinitrotoluene
 Concen: 5.216 ng
 RT: 14.67 min Scan# 1971
 Delta R.T. -0.40 min
 Lab File: BG040440.D
 Acq: 11 Apr 2019 14:08

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:165	Resp:	20631
Ion Ratio	Lower	Upper
165	100	
63	0.0	33.8 50.6#
89	0.0	55.4 83.2#
182	0.0	2.2 3.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.42 min Scan# 2439
 Delta R.T. -0.03 min
 Lab File: BG040440.D
 Acq: 11 Apr 2019 14:08



Tgt Ion:188	Resp:	410455
Ion Ratio	Lower	Upper
188	100	
94	9.2	7.0 10.4
80	10.5	8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 2.774 ng
RT: 16.16 min Scan# 2225
Delta R.T. -0.47 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08

Instrument :
BNA_G
ClientSampled :

Tot Ion:248 Resp: 12814
Ion Ratio Lower Upper
248 100
250 156.2 76.4 114.6#
141 383.0 53.8 80.8#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.69 min Scan# 3166
Delta R.T. -0.04 min
Lab File: BG040440.D
Acq: 11 Apr 2019 14:08

Tgt Ion:240 Resp: 421792
Ion Ratio Lower Upper
240 100
120 10.4 8.4 12.6
236 25.6 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 60.956 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.03 min

Lab File: BG040440.D

Acq: 11 Apr 2019 14:08

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 1142872

Ion Ratio Lower Upper

244 100

212 8.5 7.0 10.6




122 11.1 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.98 min Scan# 3725

Delta R.T. -0.06 min

Lab File: BG040440.D

Acq: 11 Apr 2019 14:08


Tgt Ion:264 Resp: 412867

Ion Ratio Lower Upper

264 100

260 24.4 17.9 26.9

265 19.9 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

