

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041519\
 Data File : BG040480.D
 Acq On : 15 Apr 2019 14:58
 Operator : JU/SJ
 Sample : PB118875BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Apr 15 23:20:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 28 05:47:00 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	50070	20.00	ng	-0.03
21) Naphthalene-d8	10.86	136	196292	20.00	ng	-0.02
39) Acenaphthene-d10	14.68	164	125605	20.00	ng	-0.03
64) Phenanthrene-d10	17.43	188	352827	20.00	ng	-0.02
76) Chrysene-d12	21.70	240	350690	20.00	ng	-0.03
87) Perylene-d12	24.99	264	375481	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	419808	139.38	ng	-0.01
7) Phenol-d6	7.20	99	575300	138.21	ng	-0.02
23) Nitrobenzene-d5	9.22	82	341135	92.38	ng	-0.02
42) 2,4,6-Tribromophenol	16.17	330	213962	157.62	ng	-0.02
45) 2-Fluorobiphenyl	13.30	172	800262	94.41	ng	-0.02
79) Terphenyl-d14	20.02	244	1458085	93.54	ng	-0.03
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.22	70	43471	14.566	ng	# 75
51) 2,6-Dinitrotoluene	14.68	165	15901	7.204	ng	# 24
57) 2,4-Dinitrotoluene	14.68	165	15901	5.185	ng	# 24
67) 4-Bromophenyl-phenylether	16.17	248	17074	4.300	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041519\
Data File : BG040480.D
Acq On : 15 Apr 2019 14:58
Operator : JU/SJ
Sample : PB118875BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Apr 15 23:20:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 28 05:47:00 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.03 min
Lab File: BG040480.D
Acq: 15 Apr 2019 14:58

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 50070
Ion Ratio Lower Upper
152 100
150 156.8 123.7 185.5
115 58.9 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 139.384 ng
RT: 5.60 min Scan# 428
Delta R.T. -0.01 min
Lab File: BG040480.D
Acq: 15 Apr 2019 14:58

Tgt Ion:112 Resp: 419808
Ion Ratio Lower Upper
112 100
64 68.4 54.2 81.2
63 34.6 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 138.211 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.02 min

Lab File: BG040480.D

Acq: 15 Apr 2019 14:58

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 575300

Ion Ratio Lower Upper




99 100

42 19.7 16.2 24.2

71 33.4 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 14.566 ng

RT: 9.22 min Scan# 1044

Delta R.T. 0.35 min

Lab File: BG040480.D

Acq: 15 Apr 2019 14:58

Tgt Ion: 70 Resp: 43471


Ion Ratio Lower Upper

70 100



42 52.0 54.0 81.0#


101 0.0 8.6 13.0#

130 2.7 18.2 27.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.86 min Scan# 1323
Delta R.T. -0.02 min
Lab File: BG040480.D
Acq: 15 Apr 2019 14:58

Instrument :
BNA_G
ClientSampled :

Tot Ion:136	Resp:	196292
Ion Ratio	Lower	Upper
136	100	
137	12.5	8.9 13.3
54	10.7	9.6 14.4
68	6.6	5.1 7.7




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 92.375 ng
RT: 9.22 min Scan# 1044
Delta R.T. -0.02 min
Lab File: BG040480.D
Acq: 15 Apr 2019 14:58

Tgt Ion: 82	Resp:	341135
Ion Ratio	Lower	Upper
82	100	
128	45.1	35.8 53.8
54	55.7	46.2 69.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.68 min Scan# 1972

Delta R.T. -0.03 min

Lab File: BG040480.D

Acq: 15 Apr 2019 14:58

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 125605

Ion Ratio Lower Upper

164 100

162 102.1 77.4 116.2




160 44.9 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 157.619 ng

RT: 16.17 min Scan# 2226

Delta R.T. -0.02 min

Lab File: BG040480.D

Acq: 15 Apr 2019 14:58


Tgt Ion:330 Resp: 213962

Ion Ratio Lower Upper

330 100

332 95.4 76.6 115.0



141 38.0 32.6 48.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 94.407 ng
 RT: 13.30 min Scan# 1738
 Delta R.T. -0.02 min
 Lab File: BG040480.D
 Acq: 15 Apr 2019 14:58




Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:172 Resp: 800262
 Ion Ratio Lower Upper
 172 100
 171 35.9 30.5 45.7
 170 24.9 20.1 30.1



#51
 2,6-Dinitrotoluene
 Concen: 7.204 ng
 RT: 14.68 min Scan# 1973
 Delta R.T. 0.40 min
 Lab File: BG040480.D
 Acq: 15 Apr 2019 14:58

Tgt Ion:165 Resp: 15901
 Ion Ratio Lower Upper
 165 100
 63 0.0 44.1 66.1#
 89 0.0 44.9 67.3#






#57
 2,4-Dinitrotoluene
 Concen: 5.185 ng
 RT: 14.68 min Scan# 1973
 Delta R.T. -0.39 min
 Lab File: BG040480.D
 Acq: 15 Apr 2019 14:58

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:	165	Resp:	15901
Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.8	50.6#
89	0.0	55.4	83.2#
182	0.0	2.2	3.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.43 min Scan# 2440
 Delta R.T. -0.02 min
 Lab File: BG040480.D
 Acq: 15 Apr 2019 14:58



Tgt Ion:	188	Resp:	352827
Ion	Ratio	Lower	Upper
188	100		
94	9.0	7.0	10.4
80	10.2	8.6	13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 4.300 ng
 RT: 16.17 min Scan# 2226
 Delta R.T. -0.46 min
 Lab File: BG040480.D
 Acq: 15 Apr 2019 14:58

Instrument :
 BNA_G
 ClientSampleID :

Tot Ion:248 Resp: 17074
 Ion Ratio Lower Upper
 248 100
 250 175.6 76.4 114.6#
 141 431.2 53.8 80.8#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.70 min Scan# 3167
 Delta R.T. -0.03 min
 Lab File: BG040480.D
 Acq: 15 Apr 2019 14:58

Tgt Ion:240 Resp: 350690
 Ion Ratio Lower Upper
 240 100
 120 10.5 8.4 12.6
 236 25.3 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 93.535 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.03 min

Lab File: BG040480.D

Acq: 15 Apr 2019 14:58

Instrument :

BNA_G

ClientSampled :


Tot Ion:244 Resp: 1458085

Ion Ratio Lower Upper

244 100

212 8.6 7.0 10.6




122 11.4 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.99 min Scan# 3727

Delta R.T. -0.04 min

Lab File: BG040480.D

Acq: 15 Apr 2019 14:58


Tgt Ion:264 Resp: 375481

Ion Ratio Lower Upper

264 100

260 24.7 17.9 26.9

265 20.4 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

