

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG041519\
 Data File : BG040496.D
 Acq On : 16 Apr 2019 1:40
 Operator : JU/SJ
 Sample : K2397-04
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-1-S

Quant Time: Apr 16 04:23:47 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 28 05:47:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	50950	20.00	ng	-0.03
21) Naphthalene-d8	10.86	136	196720	20.00	ng	-0.03
39) Acenaphthene-d10	14.68	164	125235	20.00	ng	-0.03
64) Phenanthrene-d10	17.42	188	343481	20.00	ng	-0.03
76) Chrysene-d12	21.70	240	343195	20.00	ng	-0.03
87) Perylene-d12	24.98	264	364786	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	342617	111.79	ng	-0.02
7) Phenol-d6	7.20	99	411943	97.26	ng	-0.02
23) Nitrobenzene-d5	9.22	82	345121	93.25	ng	-0.03
42) 2,4,6-Tribromophenol	16.16	330	180960	133.70	ng	-0.03
45) 2-Fluorobiphenyl	13.30	172	781082	92.42	ng	-0.03
79) Terphenyl-d14	20.02	244	1434212	94.01	ng	-0.03


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG041519\
Data File : BG040496.D
Acq On : 16 Apr 2019 1:40
Operator : JU/SJ
Sample : K2397-04
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-1-S

Quant Time: Apr 16 04:23:47 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 28 05:47:00 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.03 min
Lab File: BG040496.D
Acq: 16 Apr 2019 1:40

Instrument :
BNA_G
ClientSampleId :
TP-1-S

Tgt Ion:152 Resp: 50950
Ion Ratio Lower Upper
152 100
150 148.8 123.7 185.5
115 61.2 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 111.790 ng
RT: 5.60 min Scan# 427
Delta R.T. -0.02 min
Lab File: BG040496.D
Acq: 16 Apr 2019 1:40

Tgt Ion:112 Resp: 342617
Ion Ratio Lower Upper
112 100
64 68.5 54.2 81.2
63 34.1 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 97.256 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.02 min

Lab File: BG040496.D

Acq: 16 Apr 2019 1:40

Instrument :

BNA_G

ClientSampleId :

TP-1-S


Tgt Ion: 99 Resp: 411943

Ion Ratio Lower Upper




99 100

42 18.6 16.2 24.2

71 31.1 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1322

Delta R.T. -0.03 min

Lab File: BG040496.D

Acq: 16 Apr 2019 1:40

Tgt Ion: 136 Resp: 196720


Ion Ratio Lower Upper

136 100



137 11.9 8.9 13.3

54 10.9 9.6 14.4

68 6.4 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 93.251 ng
 RT: 9.22 min Scan# 1043
 Delta R.T. -0.03 min
 Lab File: BG040496.D
 Acq: 16 Apr 2019 1:40




Instrument :
 BNA_G
 ClientSampleID :
 TP-1-S

Tgt Ion: 82 Resp: 345121
 Ion Ratio Lower Upper
 82 100
 128 42.9 35.8 53.8
 54 55.7 46.2 69.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.68 min Scan# 1972
 Delta R.T. -0.03 min
 Lab File: BG040496.D
 Acq: 16 Apr 2019 1:40

Tgt Ion: 164 Resp: 125235
 Ion Ratio Lower Upper
 164 100
 162 105.7 77.4 116.2
 160 48.8 35.3 52.9








#42
 2,4,6-Tribromophenol
 Concen: 133.701 ng
 RT: 16.16 min Scan# 2225
 Delta R.T. -0.03 min
 Lab File: BG040496.D
 Acq: 16 Apr 2019 1:40

Instrument :
 BNA_G
 ClientSampleId :
 TP-1-S

Tgt Ion:330 Resp: 180960
 Ion Ratio Lower Upper
 330 100
 332 95.5 76.6 115.0
 141 37.4 32.6 48.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 92.416 ng
 RT: 13.30 min Scan# 1737
 Delta R.T. -0.03 min
 Lab File: BG040496.D
 Acq: 16 Apr 2019 1:40

Tgt Ion:172 Resp: 781082
 Ion Ratio Lower Upper
 172 100
 171 37.0 30.5 45.7
 170 25.1 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. -0.03 min

Lab File: BG040496.D

Acq: 16 Apr 2019 1:40

Instrument :

BNA_G

ClientSampleId :

TP-1-S


Tgt Ion:188 Resp: 343481

Ion Ratio Lower Upper

188 100

94 9.3 7.0 10.4




80 9.5 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3167

Delta R.T. -0.03 min

Lab File: BG040496.D

Acq: 16 Apr 2019 1:40


Tgt Ion:240 Resp: 343195

Ion Ratio Lower Upper

240 100

120 9.9 8.4 12.6



236 26.2 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 94.013 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.03 min

Lab File: BG040496.D

Acq: 16 Apr 2019 1:40

Instrument :

BNA_G

ClientSampleId :

TP-1-S


Tgt Ion:244 Resp: 1434212

Ion Ratio Lower Upper

244 100

212 8.8 7.0 10.6




122 11.2 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.98 min Scan# 3725

Delta R.T. -0.06 min

Lab File: BG040496.D

Acq: 16 Apr 2019 1:40


Tgt Ion:264 Resp: 364786

Ion Ratio Lower Upper

264 100

260 22.5 17.9 26.9

265 20.4 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

