

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041719\
 Data File : BG040541.D
 Acq On : 17 Apr 2019 22:30
 Operator : JU/SJ
 Sample : K2197-06
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Apr 18 01:24:56 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 13 00:33:11 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	55457	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	210430	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	123295	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	320250	20.00	ng	0.00
76) Chrysene-d12	21.69	240	320217	20.00	ng	0.00
87) Perylene-d12	24.96	264	336779	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	409643	122.80	ng	0.00
7) Phenol-d6	7.20	99	504178	109.36	ng	0.00
23) Nitrobenzene-d5	9.22	82	387563	97.90	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	200962	150.82	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	798183	95.93	ng	0.00
79) Terphenyl-d14	20.02	244	1406554	98.82	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.22	70	50075	15.149	ng	# 71
51) 2,6-Dinitrotoluene	14.67	165	15756	7.272	ng	# 25
57) 2,4-Dinitrotoluene	14.67	165	15756	5.233	ng	# 25
67) 4-Bromophenyl-phenylether	16.16	248	15316	4.250	ng	# 1
77) Benzidine	20.02	184	23166	2.003	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041719\
Data File : BG040541.D
Acq On : 17 Apr 2019 22:30
Operator : JU/SJ
Sample : K2197-06
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Apr 18 01:24:56 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 13 00:33:11 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.00 min
Lab File: BG040541.D
Acq: 17 Apr 2019 22:30

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 55457
Ion Ratio Lower Upper
152 100
150 168.9 123.7 185.5
115 60.5 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.797 ng
RT: 5.60 min Scan# 428
Delta R.T. 0.00 min
Lab File: BG040541.D
Acq: 17 Apr 2019 22:30

Tgt Ion:112 Resp: 409643
Ion Ratio Lower Upper
112 100
64 68.9 54.2 81.2
63 34.9 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 109.359 ng

RT: 7.20 min Scan# 700

Delta R.T. 0.00 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 504178

Ion Ratio Lower Upper




99 100

42 20.6 16.2 24.2

71 34.0 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 15.149 ng

RT: 9.22 min Scan# 1043

Delta R.T. 0.37 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30

Tgt Ion: 70 Resp: 50075


Ion Ratio Lower Upper

70 100



42 48.5 54.0 81.0#


101 0.0 8.6 13.0#

130 1.6 18.2 27.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.86 min Scan# 1322
Delta R.T. -0.00 min
Lab File: BG040541.D
Acq: 17 Apr 2019 22:30

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	210430
Ion Ratio	Lower	Upper
136 100		
137 10.6	8.9	13.3
54 10.9	9.6	14.4
68 6.8	5.1	7.7




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 97.896 ng
RT: 9.22 min Scan# 1043
Delta R.T. -0.00 min
Lab File: BG040541.D
Acq: 17 Apr 2019 22:30

Tgt Ion: 82	Resp: 387563
Ion Ratio	Lower Upper
82 100	
128 43.7	35.8 53.8
54 60.4	46.2 69.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.67 min Scan# 1972

Delta R.T. -0.00 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 123295

Ion Ratio Lower Upper

164 100

162 104.2 77.4 116.2




160 45.2 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 150.816 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.00 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30


Tgt Ion:330 Resp: 200962

Ion Ratio Lower Upper

330 100

332 98.5 76.6 115.0



141 41.2 32.6 48.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 95.926 ng
RT: 13.29 min Scan# 1737
Delta R.T. -0.00 min
Lab File: BG040541.D
Acq: 17 Apr 2019 22:30




Instrument :
BNA_G
ClientSampleId :


Tot Ion:172 Resp: 798183
Ion Ratio Lower Upper
172 100
171 38.0 30.5 45.7
170 24.7 20.1 30.1



#51
2,6-Dinitrotoluene
Concen: 7.272 ng
RT: 14.67 min Scan# 1971
Delta R.T. 0.41 min
Lab File: BG040541.D
Acq: 17 Apr 2019 22:30

Tgt Ion:165 Resp: 15756
Ion Ratio Lower Upper
165 100
63 0.0 44.1 66.1#
89 1.6 44.9 67.3#





#57

2,4-Dinitrotoluene

Concen: 5.233 ng

RT: 14.67 min Scan# 1971

Delta R.T. -0.37 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30

Instrument :

BNA_G

ClientSampleId :

Tot Ion:165 Resp: 15756


Ion Ratio Lower Upper

165 100

63 0.0 33.8 50.6#

89 1.6 55.4 83.2#

182 0.0 2.2 3.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. -0.00 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30


Tgt Ion:188 Resp: 320250

Ion Ratio Lower Upper

188 100

94 9.3 7.0 10.4



80 10.7 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 4.250 ng
 RT: 16.16 min Scan# 2225
 Delta R.T. -0.44 min
 Lab File: BG040541.D
 Acq: 17 Apr 2019 22:30

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:248 Resp: 15316
 Ion Ratio Lower Upper
 248 100
 250 216.4 76.4 114.6#
 141 574.1 53.8 80.8#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.69 min Scan# 3166
 Delta R.T. -0.01 min
 Lab File: BG040541.D
 Acq: 17 Apr 2019 22:30

Tgt Ion:240 Resp: 320217
 Ion Ratio Lower Upper
 240 100
 120 9.8 8.4 12.6
 236 26.2 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.003 ng

RT: 20.02 min Scan# 2882

Delta R.T. 0.37 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30

Instrument :

BNA_G

ClientSampleId :


Tot Ion:184 Resp: 23166

Ion Ratio Lower Upper

184 100

185 14.0 13.3 19.9




183 9.6 10.3 15.5#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 98.816 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG040541.D

Acq: 17 Apr 2019 22:30


Tgt Ion:244 Resp: 1406554

Ion Ratio Lower Upper

244 100

212 9.1 7.0 10.6



122 11.0 8.5 12.7






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.96 min Scan# 3723
Delta R.T. -0.01 min
Lab File: BG040541.D
Acq: 17 Apr 2019 22:30

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.1	17.9	26.9
265	20.5	16.8	25.2

