

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041719\
 Data File : BG040545.D
 Acq On : 18 Apr 2019 1:12
 Operator : JU/SJ
 Sample : K2198-04
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Apr 18 02:36:37 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 13 00:33:11 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	48981	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	184102	20.00	ng	0.00
39) Acenaphthene-d10	14.68	164	116137	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	330452	20.00	ng	0.00
76) Chrysene-d12	21.69	240	335662	20.00	ng	0.00
87) Perylene-d12	24.96	264	356766	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	369942	125.56	ng	0.00
7) Phenol-d6	7.20	99	466573	114.58	ng	0.00
23) Nitrobenzene-d5	9.22	82	353821	102.15	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	204405	162.85	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	734456	93.71	ng	0.00
79) Terphenyl-d14	20.02	244	1492440	100.03	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.22	70	44647	15.293	ng	# 76
51) 2,6-Dinitrotoluene	14.67	165	15164	7.430	ng	# 24
57) 2,4-Dinitrotoluene	14.67	165	15164	5.347	ng	# 24
77) Benzidine	20.02	184	25818	2.130	ng	# 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041719\
Data File : BG040545.D
Acq On : 18 Apr 2019 1:12
Operator : JU/SJ
Sample : K2198-04
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Apr 18 02:36:37 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 13 00:33:11 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.00 min
Lab File: BG040545.D
Acq: 18 Apr 2019 1:12

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 48981
Ion Ratio Lower Upper
152 100
150 156.2 123.7 185.5
115 57.1 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 125.558 ng
RT: 5.60 min Scan# 427
Delta R.T. -0.00 min
Lab File: BG040545.D
Acq: 18 Apr 2019 1:12

Tgt Ion:112 Resp: 369942
Ion Ratio Lower Upper
112 100
64 70.6 54.2 81.2
63 34.7 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 114.582 ng

RT: 7.20 min Scan# 699

Delta R.T. -0.00 min

Lab File: BG040545.D

Acq: 18 Apr 2019 1:12

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 466573

Ion Ratio Lower Upper




99 100

42 20.5 16.2 24.2

71 34.3 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 15.293 ng

RT: 9.22 min Scan# 1043

Delta R.T. 0.37 min

Lab File: BG040545.D

Acq: 18 Apr 2019 1:12

Tgt Ion: 70 Resp: 44647


Ion Ratio Lower Upper

70 100



42 53.8 54.0 81.0#

101 0.0 8.6 13.0#

130 1.7 18.2 27.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.86 min Scan# 1322
Delta R.T. -0.00 min
Lab File: BG040545.D
Acq: 18 Apr 2019 1:12

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	184102
Ion Ratio	Lower	Upper
136	100	
137	10.6	8.9 13.3
54	10.0	9.6 14.4
68	7.0	5.1 7.7




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 102.154 ng
RT: 9.22 min Scan# 1043
Delta R.T. -0.00 min
Lab File: BG040545.D
Acq: 18 Apr 2019 1:12

Tgt Ion: 82	Resp:	353821
Ion Ratio	Lower	Upper
82	100	
128	42.3	35.8 53.8
54	57.9	46.2 69.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.68 min Scan# 1972

Delta R.T. -0.00 min

Lab File: BG040545.D

Acq: 18 Apr 2019 1:12

Instrument :

BNA_G

ClientSampled :


Tot Ion:164 Resp: 116137

Ion Ratio Lower Upper

164 100

162 99.7 77.4 116.2




160 47.2 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 162.855 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.00 min

Lab File: BG040545.D

Acq: 18 Apr 2019 1:12


Tgt Ion:330 Resp: 204405

Ion Ratio Lower Upper

330 100

332 94.4 76.6 115.0



141 43.0 32.6 48.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 93.707 ng
RT: 13.30 min Scan# 1737
Delta R.T. -0.00 min
Lab File: BG040545.D
Acq: 18 Apr 2019 1:12




Instrument :
BNA_G
ClientSampled :

Tot Ion	Ratio	Lower	Upper
172	100		
171	36.2	30.5	45.7
170	24.6	20.1	30.1



#51
2,6-Dinitrotoluene
Concen: 7.430 ng
RT: 14.67 min Scan# 1971
Delta R.T. 0.41 min
Lab File: BG040545.D
Acq: 18 Apr 2019 1:12

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.1	66.1#
89	0.0	44.9	67.3#






#57
 2,4-Dinitrotoluene
 Concen: 5.347 ng
 RT: 14.67 min Scan# 1971
 Delta R.T. -0.37 min
 Lab File: BG040545.D
 Acq: 18 Apr 2019 1:12

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.8	50.6#
89	0.0	55.4	83.2#
182	0.0	2.2	3.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.42 min Scan# 2439
 Delta R.T. -0.00 min
 Lab File: BG040545.D
 Acq: 18 Apr 2019 1:12



Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.9	7.0	10.4
80	9.6	8.6	13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.69 min Scan# 3166
 Delta R.T. -0.01 min
 Lab File: BG040545.D
 Acq: 18 Apr 2019 1:12




Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:240 Resp: 335662
 Ion Ratio Lower Upper
 240 100
 120 11.1 8.4 12.6
 236 27.3 20.8 31.2



#77
 Benzidine
 Concen: 2.130 ng
 RT: 20.02 min Scan# 2881
 Delta R.T. 0.36 min
 Lab File: BG040545.D
 Acq: 18 Apr 2019 1:12

Tgt Ion:184 Resp: 25818
 Ion Ratio Lower Upper
 184 100
 185 17.2 13.3 19.9
 183 7.1 10.3 15.5#





#79

Terphenyl-d14

Concen: 100.025 ng

RT: 20.02 min Scan# 2881

Delta R.T. -0.01 min

Lab File: BG040545.D

Acq: 18 Apr 2019 1:12

Instrument :

BNA_G

ClientSampled :


Tot Ion:244 Resp: 1492440

Ion Ratio Lower Upper

244 100

212 8.9 7.0 10.6




122 12.2 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.96 min Scan# 3723

Delta R.T. -0.01 min

Lab File: BG040545.D

Acq: 18 Apr 2019 1:12


Tgt Ion:264 Resp: 356766

Ion Ratio Lower Upper

264 100

260 22.4 17.9 26.9

265 21.1 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

