

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG041719\
 Data File : BG040532.D
 Acq On : 17 Apr 2019 16:28
 Operator : JU/SJ
 Sample : PB118938BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB118938BL

Quant Time: Apr 18 04:15:27 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 13 00:33:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	53823	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	212166	20.00	ng	0.00
39) Acenaphthene-d10	14.68	164	125211	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	338599	20.00	ng	0.00
76) Chrysene-d12	21.69	240	361159	20.00	ng	0.00
87) Perylene-d12	24.96	264	384537	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	334510	103.32	ng	0.00
7) Phenol-d6	7.20	99	446787	99.85	ng	0.00
23) Nitrobenzene-d5	9.22	82	265572	66.53	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	139164	102.84	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	586645	69.42	ng	0.00
79) Terphenyl-d14	20.02	244	1115617	69.49	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG041719\
Data File : BG040532.D
Acq On : 17 Apr 2019 16:28
Operator : JU/SJ
Sample : PB118938BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB118938BL

Quant Time: Apr 18 04:15:27 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 13 00:33:11 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.00 min
Lab File: BG040532.D
Acq: 17 Apr 2019 16:28

Instrument :
BNA_G
ClientSampleId :
PB118938BL

Tgt Ion:152 Resp: 53823
Ion Ratio Lower Upper
152 100
150 152.7 123.7 185.5
115 56.5 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 103.319 ng
RT: 5.60 min Scan# 427
Delta R.T. -0.00 min
Lab File: BG040532.D
Acq: 17 Apr 2019 16:28

Tgt Ion:112 Resp: 334510
Ion Ratio Lower Upper
112 100
64 69.7 54.2 81.2
63 33.1 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 99.852 ng

RT: 7.20 min Scan# 699

Delta R.T. -0.00 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28

Instrument :

BNA_G

ClientSampleId :

PB118938BL


Tgt Ion: 99 Resp: 446787

Ion Ratio Lower Upper




99 100

42 20.5 16.2 24.2

71 33.9 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1322

Delta R.T. -0.00 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28

Tgt Ion: 136 Resp: 212166


Ion Ratio Lower Upper

136 100



137 11.4 8.9 13.3


54 9.9 9.6 14.4

68 6.9 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 66.533 ng
RT: 9.22 min Scan# 1043
Delta R.T. -0.00 min
Lab File: BG040532.D
Acq: 17 Apr 2019 16:28

Instrument :
BNA_G
ClientSampleId :
PB118938BL

Tgt Ion: 82 Resp: 265572
Ion Ratio Lower Upper
82 100
128 46.5 35.8 53.8
54 58.2 46.2 69.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.68 min Scan# 1972
Delta R.T. -0.00 min
Lab File: BG040532.D
Acq: 17 Apr 2019 16:28

Tgt Ion: 164 Resp: 125211
Ion Ratio Lower Upper
164 100
162 102.8 77.4 116.2
160 41.4 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 102.840 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.00 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28

Instrument :

BNA_G

ClientSampleId :

PB118938BL


Tgt Ion:330 Resp: 139164

Ion Ratio Lower Upper

330 100

332 99.4 76.6 115.0




141 42.1 32.6 48.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 69.424 ng

RT: 13.30 min Scan# 1737

Delta R.T. -0.00 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28


Tgt Ion:172 Resp: 586645

Ion Ratio Lower Upper

172 100

171 36.8 30.5 45.7



170 24.9 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. -0.00 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28

Instrument :

BNA_G

ClientSampled :

PB118938BL


Tgt Ion:188 Resp: 338599

Ion Ratio Lower Upper

188 100

94 8.7 7.0 10.4




80 10.4 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3166

Delta R.T. -0.01 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28


Tgt Ion:240 Resp: 361159

Ion Ratio Lower Upper

240 100

120 10.3 8.4 12.6



236 25.2 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 69.492 ng

RT: 20.02 min Scan# 2881

Delta R.T. -0.01 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28

Instrument :

BNA_G

ClientSampleId :

PB118938BL


Tgt Ion:244 Resp: 1115617

Ion Ratio Lower Upper

244 100

212 8.4 7.0 10.6




122 11.4 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.96 min Scan# 3723

Delta R.T. -0.01 min

Lab File: BG040532.D

Acq: 17 Apr 2019 16:28


Tgt Ion:264 Resp: 384537

Ion Ratio Lower Upper

264 100

260 24.1 17.9 26.9

265 22.1 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

