

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041720\
 Data File : BG045075.D
 Acq On : 18 Apr 2020 20:21
 Operator : CG/JU
 Sample : L2283-05
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PA-4

Quant Time: Apr 20 04:09:52 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG041520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 17 11:08:29 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	57833	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	249537	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	199540	20.00	ng	0.00
64) Phenanthrene-d10	17.40	188	478363	20.00	ng	0.00
76) Chrysene-d12	21.66	240	444866	20.00	ng	0.00
87) Perylene-d12	24.84	264	483407	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	301158	85.97	ng	0.00
7) Phenol-d6	7.18	99	491360	94.41	ng	0.00
23) Nitrobenzene-d5	9.18	82	343679	62.84	ng	0.00
42) 2,4,6-Tribromophenol	16.14	330	307146	99.64	ng	0.00
45) 2-Fluorobiphenyl	13.28	172	885313	65.06	ng	0.00
79) Terphenyl-d14	20.01	244	1516142	74.28	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.10	163	146055	8.989	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG041720\
Data File : BG045075.D
Acq On : 18 Apr 2020 20:21
Operator : CG/JU
Sample : L2283-05
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PA-4

Quant Time: Apr 20 04:09:52 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG041520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 17 11:08:29 2020
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.02 min Scan# 839
 Delta R.T. -0.01 min
 Lab File: BG045075.D
 Acq: 18 Apr 2020 20:21




Instrument :
 BNA_G
 ClientSampleId :
 PA-4


Tot Ion:	152	Resp:	57833
Ion	Ratio	Lower	Upper
152	100		
150	148.4	123.6	185.4
115	53.6	49.1	73.7



#5
 2-Fluorophenol
 Concen: 85.971 ng
 RT: 5.59 min Scan# 426
 Delta R.T. 0.00 min
 Lab File: BG045075.D
 Acq: 18 Apr 2020 20:21

Tgt Ion:	112	Resp:	301158
Ion	Ratio	Lower	Upper
112	100		
64	55.9	42.4	63.6
63	33.3	23.1	34.7





#7

Phenol-d6

Concen: 94.409 ng

RT: 7.18 min Scan# 697

Delta R.T. 0.00 min

Lab File: BG045075.D

Acq: 18 Apr 2020 20:21

Instrument :

BNA_G

ClientSampleId :

PA-4


Tot Ion: 99 Resp: 491360

Ion Ratio Lower Upper




99 100

42 13.7 11.3 16.9

71 36.1 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1317

Delta R.T. -0.01 min

Lab File: BG045075.D

Acq: 18 Apr 2020 20:21

Tgt Ion: 136 Resp: 249537


Ion Ratio Lower Upper

136 100



137 11.6 8.6 13.0


54 5.5 4.8 7.2

68 6.5 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 62.843 ng
RT: 9.18 min Scan# 1036
Delta R.T. -0.01 min
Lab File: BG045075.D
Acq: 18 Apr 2020 20:21




Instrument :
BNA_G
ClientSampleId :
PA-4


Tot Ion	82.00	Resp	343679
Ion Ratio	Lower	Upper	
82	100		
128	38.7	33.0	49.4
54	38.5	30.4	45.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1969
Delta R.T. 0.00 min
Lab File: BG045075.D
Acq: 18 Apr 2020 20:21

Tgt Ion	164.00	Resp	199540
Ion Ratio	Lower	Upper	
164	100		
162	99.3	78.7	118.1
160	45.1	32.8	49.2









#42
 2,4,6-Tribromophenol
 Concen: 99.638 ng
 RT: 16.14 min Scan# 2222
 Delta R.T. 0.00 min
 Lab File: BG045075.D
 Acq: 18 Apr 2020 20:21




Instrument :
 BNA_G
 ClientSampled :
 PA-4


Tot Ion:	330	Resp:	307146
Ion	Ratio	Lower	Upper
330	100		
332	97.5	79.1	118.7
141	35.1	27.1	40.7



#45
 2-Fluorobiphenyl
 Concen: 65.057 ng
 RT: 13.28 min Scan# 1734
 Delta R.T. -0.01 min
 Lab File: BG045075.D
 Acq: 18 Apr 2020 20:21

Tgt Ion:	172	Resp:	885313
Ion	Ratio	Lower	Upper
172	100		
171	36.3	30.6	46.0
170	23.4	20.5	30.7









#50
Dimethylphthalate
Concen: 8.989 ng
RT: 14.10 min Scan# 1875
Delta R.T. -0.01 min
Lab File: BG045075.D
Acq: 18 Apr 2020 20:21

Instrument :
BNA_G
ClientSampleId :
PA-4

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.5	3.5	5.3
164	10.4	8.2	12.4




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.40 min Scan# 2436
Delta R.T. 0.00 min
Lab File: BG045075.D
Acq: 18 Apr 2020 20:21

Tgt Ion	Ratio	Lower	Upper
188	100		
94	7.2	6.2	9.4
80	8.5	7.0	10.6



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.66 min Scan# 3161
Delta R.T. -0.01 min
Lab File: BG045075.D
Acq: 18 Apr 2020 20:21




Instrument :
BNA_G
ClientSampleId :
PA-4


Tot Ion	Ratio	Lower	Upper
240	100		
120	7.6	6.6	10.0
236	24.6	22.2	33.2



#79
Terphenyl-d14
Concen: 74.282 ng
RT: 20.01 min Scan# 2880
Delta R.T. -0.01 min
Lab File: BG045075.D
Acq: 18 Apr 2020 20:21

Tgt Ion	Ratio	Lower	Upper
244	100		
212	9.1	7.9	11.9
122	8.6	7.7	11.5





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.84 min Scan# 3703
Delta R.T. -0.01 min
Lab File: BG045075.D
Acq: 18 Apr 2020 20:21

Instrument :
BNA_G
ClientSampleId :
PA-4

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.2	28.8
265	21.7	19.0	28.4

