

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF041922\
 Data File : BF127841.D
 Acq On : 19 Apr 2022 14:47
 Operator : CG\JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Apr 19 16:09:11 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF041922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 19 15:01:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.945	152	127320	20.000	ng	0.00
21) Naphthalene-d8	8.233	136	531968	20.000	ng	# 0.00
39) Acenaphthene-d10	9.998	164	358083	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	739390	20.000	ng	0.00
76) Chrysene-d12	14.139	240	348445	20.000	ng	# 0.00
86) Perylene-d12	15.651	264	220899	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	829036	105.805	ng	0.00
7) Phenol-d6	6.587	99	1197368	116.810	ng	0.01
23) Nitrobenzene-d5	7.528	82	1199892	100.556	ng	0.01
42) 2,4,6-Tribromophenol	10.792	330	380360	99.818	ng	0.00
45) 2-Fluorobiphenyl	9.316	172	2881501	113.838	ng	0.00
79) Terphenyl-d14	13.080	244	2778562	131.622	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.804	88	179241	48.228	ng	88
3) Pyridine	3.581	79	558920	57.098	ng	85
4) n-Nitrosodimethylamine	3.569	42	311450	59.163	ng	# 94
6) Aniline	6.628	93	746916	61.094	ng	96
8) 2-Chlorophenol	6.739	128	525092	66.063	ng	99
9) Benzaldehyde	6.504	77	320039	55.247	ng	98
10) Phenol	6.598	94	608298	59.348	ng	85
11) bis(2-Chloroethyl)ether	6.692	93	554838	65.548	ng	91
12) 1,3-Dichlorobenzene	6.892	146	605140	66.630	ng	98
13) 1,4-Dichlorobenzene	6.969	146	498152	54.260	ng	97
14) 1,2-Dichlorobenzene	7.122	146	468452	53.381	ng	97
15) Benzyl Alcohol	7.098	79	480646	53.635	ng	96
16) 2,2'-oxybis(1-Chloropr...	7.222	45	625343	46.803	ng	93
17) 2-Methylphenol	7.198	107	366757	53.046	ng	94
18) Hexachloroethane	7.457	117	200247	57.160	ng	95
19) n-Nitroso-di-n-propyla...	7.381	70	371680	56.062	ng	96
20) 3+4-Methylphenols	7.363	107	477994	54.252	ng	# 86
22) Acetophenone	7.369	105	668523	46.766	ng	# 86
24) Nitrobenzene	7.539	77	556822	48.139	ng	95
25) Isophorone	7.781	82	983462	47.233	ng	98
26) 2-Nitrophenol	7.851	139	239259	57.557	ng	# 94
27) 2,4-Dimethylphenol	7.881	122	370276	45.496	ng	86
28) bis(2-Chloroethoxy)met...	7.981	93	608542	47.399	ng	99
29) 2,4-Dichlorophenol	8.092	162	449686	51.291	ng	97
30) 1,2,4-Trichlorobenzene	8.175	180	533345	52.857	ng	98
31) Naphthalene	8.257	128	1498421	53.755	ng	98
32) Benzoic acid	8.039	122	322814	54.670	ng	94
33) 4-Chloroaniline	8.304	127	625890	57.012	ng	100
34) Hexachlorobutadiene	8.363	225	459110	66.145	ng	99
35) Caprolactam	8.710	113	163323	63.029	ng	# 71
36) 4-Chloro-3-methylphenol	8.792	107	694251	75.529	ng	100
37) 2-Methylnaphthalene	8.945	142	1371279	73.552	ng	100
38) 1-Methylnaphthalene	9.051	142	1307522	72.659	ng	99
40) 1,2,4,5-Tetrachloroben...	9.110	216	745100	63.441	ng	99
41) Hexachlorocyclopentadiene	9.092	237	491299	69.444	ng	96
43) 2,4,6-Trichlorophenol	9.228	196	534201	66.995	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF041922\
 Data File : BF127841.D
 Acq On : 19 Apr 2022 14:47
 Operator : CG\JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :


Quant Time: Apr 19 16:09:11 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF041922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 19 15:01:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.269	196	550627	68.435	ng	98
46) 1,1'-Biphenyl	9.416	154	1660400	60.631	ng	99
47) 2-Chloronaphthalene	9.445	162	1311190	60.249	ng	98
48) 2-Nitroaniline	9.539	65	467514	69.168	ng	97
49) Acenaphthylene	9.863	152	1884944	56.943	ng	99
50) Dimethylphthalate	9.722	163	1614115	62.187	ng	98
51) 2,6-Dinitrotoluene	9.786	165	328487	67.140	ng	91
52) Acenaphthene	10.033	154	939371	45.043	ng	99
53) 3-Nitroaniline	9.957	138	337925	65.380	ng	98
54) 2,4-Dinitrophenol	10.057	184	153449	72.302	ng #	81
55) Dibenzofuran	10.204	168	1179315	38.751	ng	93
56) 4-Nitrophenol	10.116	139	198760	48.959	ng #	79
57) 2,4-Dinitrotoluene	10.192	165	271843	44.816	ng	93
58) Fluorene	10.551	166	927518	41.248	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.322	232	292921	41.780	ng	96
60) Diethylphthalate	10.416	149	998704	40.209	ng	97
61) 4-Chlorophenyl-phenyle...	10.539	204	519842	42.075	ng	98
62) 4-Nitroaniline	10.586	138	204201	41.949	ng #	77
63) Azobenzene	10.698	77	1077190	38.812	ng	98
65) 4,6-Dinitro-2-methylph...	10.604	198	177080	49.585	ng	87
66) n-Nitrosodiphenylamine	10.663	169	791346	33.983	ng	98
67) 4-Bromophenyl-phenylether	11.027	248	352511	39.284	ng #	89
68) Hexachlorobenzene	11.092	284	390969	39.857	ng #	92
69) Atrazine	11.186	200	276927	35.793	ng	97
70) Pentachlorophenol	11.286	266	281254	48.006	ng	99
71) Phenanthrene	11.516	178	1939345	49.504	ng	99
72) Anthracene	11.569	178	1938136	50.015	ng	98
73) Carbazole	11.722	167	1821852	50.174	ng	98
74) Di-n-butylphthalate	12.045	149	2155268	49.653	ng	99
75) Fluoranthene	12.704	202	2071763	48.463	ng	98
77) Benzidine	12.821	184	569906	62.664	ng	99
78) Pyrene	12.939	202	2051756	69.731	ng	98
80) Butylbenzylphthalate	13.545	149	801685	73.177	ng	95
81) Benzo(a)anthracene	14.127	228	1338551	57.517	ng	98
82) 3,3'-Dichlorobenzidine	14.086	252	398635	54.944	ng	99
83) Chrysene	14.168	228	1210993	54.209	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	833566	53.979	ng	96
85) Di-n-octyl phthalate	14.721	149	1002907	44.417	ng	94
87) Indeno(1,2,3-cd)pyrene	17.221	276	877758	63.598	ng #	96
88) Benzo(b)fluoranthene	15.204	252	793783	55.859	ng #	98
89) Benzo(k)fluoranthene	15.239	252	809618	57.444	ng #	97
90) Benzo(a)pyrene	15.592	252	672194	58.198	ng	97
91) Dibenzo(a,h)anthracene	17.245	278	721290	64.502	ng #	95
92) Benzo(g,h,i)perylene	17.703	276	712973	62.191	ng #	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: Apr 19 16:09:11 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF041922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 19 15:01:41 2022
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.945 min Scan# 792
 Delta R.T. 0.000 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47

Instrument :
 BNA_G
 ClientSampleId :







Tgt Ion:152 Resp: 127320
 Ion Ratio Lower Upper
 152 100
 150 149.8 117.2 175.8
 115 67.8 49.8 74.6



#2
 1,4-Dioxane
 Concen: 48.228 ng
 RT: 2.804 min Scan# 88
 Delta R.T. -0.006 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47


Tgt Ion: 88 Resp: 179241
 Ion Ratio Lower Upper
 88 100
 58 81.8 77.0 115.4
 43 36.4 31.3 46.9








#3
 Pyridine
 Concen: 57.098 ng
 RT: 3.581 min Scan# 219
 Delta R.T. 0.006 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47

Instrument :
 BNA_G
 ClientSampleId :







Tgt Ion: 79 Resp: 558920
 Ion Ratio Lower Upper
 79 100
 52 75.9 74.2 111.4
 51 40.0 36.7 55.1



#4
 n-Nitrosodimethylamine
 Concen: 59.163 ng
 RT: 3.569 min Scan# 218
 Delta R.T. 0.018 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47

Tgt Ion: 42 Resp: 311450
 Ion Ratio Lower Upper
 42 100
 74 109.2 92.4 138.6
 44 5.6 6.0 9.0#









#5
2-Fluorophenol
Concen: 105.805 ng
RT: 5.575 min Scan# 51
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:112 Resp: 829036
Ion Ratio Lower Upper
112 100
64 65.4 58.4 87.6
63 38.3 30.1 45.1



#6
Aniline
Concen: 61.094 ng
RT: 6.628 min Scan# 738
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion: 93 Resp: 746916
Ion Ratio Lower Upper
93 100
66 41.7 36.2 54.4
65 23.3 18.4 27.6





#7

Phenol-d6

Concen: 116.810 ng

RT: 6.587 min Scan# 71

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47





Instrument :

BNA_G

ClientSampleId :

Tgt Ion: 99 Resp: 1197368

Ion	Ratio	Lower	Upper
99	100		
42	22.9	17.8	26.6
71	44.9	29.6	44.4#



#8

2-Chlorophenol

Concen: 66.063 ng

RT: 6.739 min Scan# 757




Delta R.T. 0.006 min


Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Tgt Ion: 128 Resp: 525092

Ion	Ratio	Lower	Upper
128	100		
130	32.2	11.3	51.3
64	58.3	38.4	78.4









#9
Benzaldehyde
Concen: 55.247 ng
RT: 6.504 min Scan# 716
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 77 Resp: 320039
Ion Ratio Lower Upper
77 100
105 89.7 66.8 106.8
106 85.1 64.3 104.3



#10
Phenol
Concen: 59.348 ng
RT: 6.598 min Scan# 733
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion: 94 Resp: 608298
Ion Ratio Lower Upper
94 100
65 38.3 13.1 53.1
66 56.9 24.9 64.9





#11

bis(2-Chloroethyl)ether

Concen: 65.548 ng

RT: 6.692 min Scan# 74

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion: 93 Resp: 554838

Ion Ratio Lower Upper

93 100

63 78.3 69.6 109.6

95 32.8 11.6 51.6



#12

1,3-Dichlorobenzene

Concen: 66.630 ng

RT: 6.892 min Scan# 783

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:146 Resp: 605140


Ion Ratio Lower Upper

146 100

148 65.4 50.6 76.0

75 40.1 32.4 48.6





#13

1,4-Dichlorobenzene

Concen: 54.260 ng

RT: 6.969 min Scan# 795

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:146 Resp: 498152

Ion Ratio Lower Upper

146 100

148 64.3 51.3 76.9

111 47.0 34.2 51.4



#14

1,2-Dichlorobenzene

Concen: 53.381 ng

RT: 7.122 min Scan# 822

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:146 Resp: 468452


Ion Ratio Lower Upper

146 100

148 63.9 51.4 77.2

111 50.0 36.4 54.6









#15
Benzyl Alcohol
Concen: 53.635 ng
RT: 7.098 min Scan# 816
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 79 Resp: 480646
Ion Ratio Lower Upper
79 100
108 64.9 52.2 78.2
77 65.8 48.3 72.5



#16
2,2'-oxybis(1-Chloropropane)
Concen: 46.803 ng
RT: 7.222 min Scan# 839
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion: 45 Resp: 625343
Ion Ratio Lower Upper
45 100
77 15.7 0.0 32.9
79 12.5 0.0 29.9









#17
2-Methylphenol
Concen: 53.046 ng
RT: 7.198 min Scan# 811
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:107 Resp: 366757
Ion Ratio Lower Upper
107 100
108 111.7 90.7 136.1
77 61.2 42.9 64.3
79 61.8 43.0 64.6



#18
Hexachloroethane
Concen: 57.160 ng
RT: 7.457 min Scan# 879
Delta R.T. -0.000 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Tgt Ion:117 Resp: 200247
Ion Ratio Lower Upper
117 100
119 95.2 77.6 116.4
201 102.1 88.2 132.2








#19
n-Nitroso-di-n-propylamine
Concen: 56.062 ng
RT: 7.381 min Scan# 80
Delta R.T. 0.018 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Instrument :
BNA_G
ClientSampleId :







Tgt Ion: 70 Resp: 371680
Ion Ratio Lower Upper
70 100
42 63.3 53.0 79.6
101 8.8 6.8 10.2
130 19.1 13.8 20.6



#20
3+4-Methylphenols
Concen: 54.252 ng
RT: 7.363 min Scan# 863
Delta R.T. 0.018 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Tgt Ion: 107 Resp: 477994
Ion Ratio Lower Upper
107 100
108 93.5 70.7 110.7
77 119.0 127.9 167.9#
79 40.7 16.8 56.8








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.233 min Scan# 1010
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Instrument :
BNA_G
ClientSampleId :







Tgt Ion:136 Resp: 531968
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 8.7 9.2 13.8#
68 5.7 5.4 8.0



#22
Acetophenone
Concen: 46.766 ng
RT: 7.369 min Scan# 864
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:105 Resp: 668523
Ion Ratio Lower Upper
105 100
71 5.4 7.3 10.9#
51 35.1 38.8 58.2#
120 19.9 16.5 24.7





#23

Nitrobenzene-d5

Concen: 100.556 ng

RT: 7.528 min Scan# 891

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion: 82 Resp: 1199892

Ion Ratio Lower Upper

82 100

128 37.1 30.6 45.8

54 53.5 48.2 72.2



#24

Nitrobenzene

Concen: 48.139 ng

RT: 7.539 min Scan# 893

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion: 77 Resp: 556822


Ion Ratio Lower Upper

77 100

123 36.1 32.0 48.0

65 15.9 12.2 18.2









#25
Isophorone
Concen: 47.233 ng
RT: 7.781 min Scan# 91
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 82 Resp: 983462
Ion Ratio Lower Upper
82 100
95 8.6 5.8 8.8
138 14.8 11.6 17.4



#26
2-Nitrophenol
Concen: 57.557 ng
RT: 7.851 min Scan# 946
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:139 Resp: 239259
Ion Ratio Lower Upper
139 100
109 45.3 28.2 42.2#
65 68.5 55.3 82.9





#27

2,4-Dimethylphenol

Concen: 45.496 ng

RT: 7.881 min Scan# 91

Delta R.T. 0.006 min


Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :






Tgt Ion:122 Resp: 370276

Ion Ratio Lower Upper

122 100

107 135.8 93.0 139.4

121 59.8 44.9 67.3



#28

bis(2-Chloroethoxy)methane

Concen: 47.399 ng

RT: 7.981 min Scan# 968

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion: 93 Resp: 608542


Ion Ratio Lower Upper

93 100

95 32.5 26.3 39.5

123 10.6 8.0 12.0









#29
2,4-Dichlorophenol
Concen: 51.291 ng
RT: 8.092 min Scan# 91
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:162 Resp: 449686
Ion Ratio Lower Upper
162 100
164 65.1 43.7 83.7
98 40.0 23.5 63.5



#30
1,2,4-Trichlorobenzene
Concen: 52.857 ng
RT: 8.175 min Scan# 1001
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Tgt Ion:180 Resp: 533345
Ion Ratio Lower Upper
180 100
182 93.5 73.8 110.6
145 30.6 23.3 34.9








#31
Naphthalene
Concen: 53.755 ng
RT: 8.257 min Scan# 1014
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Instrument :
BNA_G
ClientSampleId :







Tgt Ion:128 Resp: 1498421
Ion Ratio Lower Upper
128 100
129 11.4 8.4 12.6
127 13.5 10.2 15.2



#32
Benzoic acid
Concen: 54.670 ng
RT: 8.039 min Scan# 978
Delta R.T. 0.035 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:122 Resp: 322814
Ion Ratio Lower Upper
122 100
105 144.8 117.1 157.1
77 118.7 93.0 133.0









#33
4-Chloroaniline
Concen: 57.012 ng
RT: 8.304 min Scan# 1022
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:127	Resp: 625890
Ion Ratio	Lower Upper
127 100	
129 32.6	25.9 38.9
65 39.6	31.4 47.0
92 22.7	18.3 27.5



#34
Hexachlorobutadiene
Concen: 66.145 ng
RT: 8.363 min Scan# 1033
Delta R.T. -0.000 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Tgt Ion:225	Resp: 459110
Ion Ratio	Lower Upper
225 100	
223 62.2	50.6 76.0
227 63.0	49.6 74.4








#35
 Caprolactam
 Concen: 63.029 ng
 RT: 8.710 min Scan# 1106
 Delta R.T. 0.029 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47


Instrument :
 BNA_G
 ClientSampleId :





Tgt Ion:113 Resp: 163323
 Ion Ratio Lower Upper
 113 100
 55 181.9 218.7 258.7#
 56 144.2 156.2 196.2#




#36
 4-Chloro-3-methylphenol
 Concen: 75.529 ng
 RT: 8.792 min Scan# 1106
 Delta R.T. 0.018 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47



Tgt Ion:107 Resp: 694251
 Ion Ratio Lower Upper
 107 100
 144 24.2 19.3 28.9
 142 74.4 59.8 89.8





#37

2-Methylnaphthalene

Concen: 73.552 ng

RT: 8.945 min Scan# 1132

Delta R.T. -0.000 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G





ClientSampleId :

Tgt Ion:142 Resp: 1371279

Ion Ratio Lower Upper

142 100

141 88.1 70.6 106.0



#38

1-Methylnaphthalene

Concen: 72.659 ng

RT: 9.051 min Scan# 1150

Delta R.T. 0.006 min

Lab File: BF127841.D




Acq: 19 Apr 2022 14:47


Tgt Ion:142 Resp: 1307522

Ion Ratio Lower Upper

142 100


141 91.4 74.2 111.2








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.998 min Scan# 1160
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Instrument :
BNA_G
ClientSampleId :





Tgt Ion:164 Resp: 358083
Ion Ratio Lower Upper
164 100
162 101.2 81.2 121.8
160 44.7 34.6 52.0




#40
1,2,4,5-Tetrachlorobenzene
Concen: 63.441 ng
RT: 9.110 min Scan# 1160
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47



Tgt Ion:216 Resp: 745100
Ion Ratio Lower Upper
216 100
214 79.1 63.0 94.4
179 20.5 15.5 23.3
108 19.4 13.8 20.6









#41
Hexachlorocyclopentadiene
Concen: 69.444 ng
RT: 9.092 min Scan# 1157
Delta R.T. -0.000 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:237 Resp: 491299
Ion Ratio Lower Upper
237 100
235 64.2 40.4 80.4
272 11.6 0.0 31.8



#42
2,4,6-Tribromophenol
Concen: 99.818 ng
RT: 10.792 min Scan# 1446
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:330 Resp: 380360
Ion Ratio Lower Upper
330 100
332 95.2 79.1 118.7
141 34.8 26.2 39.4





#43

2,4,6-Trichlorophenol

Concen: 66.995 ng

RT: 9.228 min Scan# 1180

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:196 Resp: 534201

Ion Ratio Lower Upper

196 100

198 94.3 77.8 116.6

200 32.2 25.9 38.9



#44

2,4,5-Trichlorophenol

Concen: 68.435 ng

RT: 9.269 min Scan# 1187

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Tgt Ion:196 Resp: 550627




Ion Ratio Lower Upper


196 100

198 94.3 75.3 112.9

97 55.4 46.8 70.2


132 27.5 22.7 34.1








#45
2-Fluorobiphenyl
Concen: 113.838 ng
RT: 9.316 min Scan# 1194
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Instrument :
BNA_G
ClientSampleId :





Tgt Ion:172 Resp: 2881501
Ion Ratio Lower Upper
172 100
171 36.0 28.4 42.6
170 24.7 18.6 27.8




#46
1,1'-Biphenyl
Concen: 60.631 ng
RT: 9.416 min Scan# 1212
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47



Tgt Ion:154 Resp: 1660400
Ion Ratio Lower Upper
154 100
153 41.0 20.3 60.3
76 13.2 0.0 33.9





#47

2-Chloronaphthalene

Concen: 60.249 ng

RT: 9.445 min Scan# 11

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:162 Resp: 1311190

Ion Ratio Lower Upper

162 100

127 40.3 31.8 47.6

164 34.2 26.4 39.6



#48

2-Nitroaniline

Concen: 69.168 ng

RT: 9.539 min Scan# 1233

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion: 65 Resp: 467514


Ion Ratio Lower Upper

65 100

92 62.7 50.0 75.0

138 84.6 64.1 96.1





#49

Acenaphthylene

Concen: 56.943 ng

RT: 9.863 min Scan# 1

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:152 Resp: 1884944

Ion Ratio Lower Upper

152 100

151 20.5 15.8 23.8

153 13.5 10.5 15.7



#50

Dimethylphthalate

Concen: 62.187 ng

RT: 9.722 min Scan# 1264

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:163 Resp: 1614115


Ion Ratio Lower Upper

163 100

194 4.0 3.3 4.9

164 10.6 7.8 11.8









#51
2,6-Dinitrotoluene
Concen: 67.140 ng
RT: 9.786 min Scan# 11
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:165 Resp: 328487
Ion Ratio Lower Upper
165 100
63 61.5 58.3 87.5
89 61.7 51.5 77.3



#52
Acenaphthene
Concen: 45.043 ng
RT: 10.033 min Scan# 1317
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:154 Resp: 939371
Ion Ratio Lower Upper
154 100
153 111.5 87.6 131.4
152 53.2 42.9 64.3









#53
3-Nitroaniline
Concen: 65.380 ng
RT: 9.957 min Scan# 11
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:138 Resp: 337925
Ion Ratio Lower Upper
138 100
108 11.6 9.4 14.0
92 129.8 106.1 159.1



#54
2,4-Dinitrophenol
Concen: 72.302 ng
RT: 10.057 min Scan# 1321
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:184 Resp: 153449
Ion Ratio Lower Upper
184 100
63 89.5 58.1 87.1#
154 81.0 53.2 79.8#





#55

Dibenzofuran

Concen: 38.751 ng

RT: 10.204 min Scan# 11

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:168 Resp: 1179315

Ion Ratio Lower Upper

168 100

139 44.0 30.3 45.5

169 13.6 10.8 16.2



#56

4-Nitrophenol

Concen: 48.959 ng

RT: 10.116 min Scan# 1331

Delta R.T. 0.018 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:139 Resp: 198760


Ion Ratio Lower Upper

139 100

109 105.3 64.3 104.3#


65 114.6 117.5 157.5#








#57
2,4-Dinitrotoluene
Concen: 44.816 ng
RT: 10.192 min Scan# 11
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Instrument :
BNA_G
ClientSampleId :





Tgt Ion:165 Resp: 271843
Ion Ratio Lower Upper
165 100
63 59.0 53.1 79.7
89 82.1 69.2 103.8
182 2.6 2.2 3.2




#58
Fluorene
Concen: 41.248 ng
RT: 10.551 min Scan# 1405
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47



Tgt Ion:166 Resp: 927518
Ion Ratio Lower Upper
166 100
165 98.1 78.1 117.1
167 13.3 10.5 15.7





#59

2,3,4,6-Tetrachlorophenol

Concen: 41.780 ng

RT: 10.322 min Scan# 1366

Delta R.T. 0.012 min


Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :



Tgt Ion:232 Resp: 292921




Ion Ratio Lower Upper

232 100

131 44.8 33.4 50.0

130 2.6 1.8 2.6

166 30.1 22.6 34.0



#60

Diethylphthalate

Concen: 40.209 ng

RT: 10.416 min Scan# 1382

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:149 Resp: 998704


Ion Ratio Lower Upper

149 100

177 21.6 18.9 28.3

150 13.0 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 42.075 ng
RT: 10.539 min Scan# 1402
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:204 Resp: 519842
Ion Ratio Lower Upper
204 100
206 33.3 25.9 38.9
141 61.3 47.8 71.8



#62
4-Nitroaniline
Concen: 41.949 ng
RT: 10.586 min Scan# 1411
Delta R.T. 0.018 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:138 Resp: 204201
Ion Ratio Lower Upper
138 100
92 61.8 40.5 80.5
108 123.7 69.2 109.2#





#63

Azobenzene

Concen: 38.812 ng

RT: 10.698 min Scan# 1429

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :

Tgt Ion: 77 Resp: 1077190





Ion Ratio Lower Upper

77 100

182 22.3 4.5 44.5

105 18.5 0.3 40.3

51 34.8 15.0 55.0



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.486 min Scan# 1564

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion: 188 Resp: 739390


Ion Ratio Lower Upper

188 100

94 8.7 7.4 11.0

80 9.6 8.0 12.0









#65
4,6-Dinitro-2-methylphenol
Concen: 49.585 ng
RT: 10.604 min Scan# 1411
Delta R.T. 0.018 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:198 Resp: 177080
Ion Ratio Lower Upper
198 100
51 48.2 42.7 82.7
105 42.5 25.4 65.4



#66
n-Nitrosodiphenylamine
Concen: 33.983 ng
RT: 10.663 min Scan# 1424
Delta R.T. 0.012 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:169 Resp: 791346
Ion Ratio Lower Upper
169 100
168 67.2 52.7 79.1
167 37.3 28.9 43.3









#67
4-Bromophenyl-phenylether
Concen: 39.284 ng
RT: 11.027 min Scan# 1485
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:248 Resp: 352511
Ion Ratio Lower Upper
248 100
250 97.5 76.6 115.0
141 85.0 52.2 78.2#



#68
Hexachlorobenzene
Concen: 39.857 ng
RT: 11.092 min Scan# 1497
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:284 Resp: 390969
Ion Ratio Lower Upper
284 100
142 36.1 23.8 35.8#
249 32.7 23.9 35.9





#69

Atrazine

Concen: 35.793 ng

RT: 11.186 min Scan# 1511

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:200 Resp: 276927

Ion Ratio Lower Upper

200 100

173 24.4 2.9 42.9

215 46.3 28.0 68.0



#70

Pentachlorophenol

Concen: 48.006 ng

RT: 11.286 min Scan# 1530

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:266 Resp: 281254


Ion Ratio Lower Upper

266 100

268 62.9 50.4 75.6

264 62.3 48.5 72.7









#71
Phenanthrene
Concen: 49.504 ng
RT: 11.516 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:178 Resp: 1939345
Ion Ratio Lower Upper
178 100
176 20.2 15.4 23.2
179 15.8 12.4 18.6



#72
Anthracene
Concen: 50.015 ng
RT: 11.569 min Scan# 1578
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:178 Resp: 1938136
Ion Ratio Lower Upper
178 100
176 19.6 14.6 22.0
179 16.1 12.4 18.6









#73
Carbazole
Concen: 50.174 ng
RT: 11.722 min Scan# 1604
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:167 Resp: 1821852
Ion Ratio Lower Upper
167 100
166 22.2 17.0 25.4
139 14.0 10.5 15.7



#74
Di-n-butylphthalate
Concen: 49.653 ng
RT: 12.045 min Scan# 1659
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:149 Resp: 2155268
Ion Ratio Lower Upper
149 100
150 9.2 7.5 11.3
104 5.9 4.2 6.2









#75
Fluoranthene
Concen: 48.463 ng
RT: 12.704 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:202 Resp: 2071763
Ion Ratio Lower Upper
202 100
101 10.0 0.0 29.0
203 18.5 0.0 37.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.139 min Scan# 2015
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:240 Resp: 348445
Ion Ratio Lower Upper
240 100
120 6.8 7.1 10.7#
236 25.5 20.7 31.1









#77
Benzidine
Concen: 62.664 ng
RT: 12.821 min Scan# 1791
Delta R.T. -0.000 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:184 Resp: 569906
Ion Ratio Lower Upper
184 100
185 15.6 12.2 18.2
183 11.3 9.4 14.0



#78
Pyrene
Concen: 69.731 ng
RT: 12.939 min Scan# 1811
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Tgt Ion:202 Resp: 2051756
Ion Ratio Lower Upper
202 100
200 22.4 17.1 25.7
203 18.3 14.3 21.5








#79
 Terphenyl-d14
 Concen: 131.622 ng
 RT: 13.080 min Scan# 1835
 Delta R.T. 0.006 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47

Instrument :
 BNA_G
 ClientSampleId :







Tgt Ion:244 Resp: 2778562
 Ion Ratio Lower Upper
 244 100
 212 8.0 5.7 8.5
 122 8.8 6.2 9.2



#80
 Butylbenzylphthalate
 Concen: 73.177 ng
 RT: 13.545 min Scan# 1914
 Delta R.T. -0.000 min
 Lab File: BF127841.D
 Acq: 19 Apr 2022 14:47


Tgt Ion:149 Resp: 801685
 Ion Ratio Lower Upper
 149 100
 91 81.8 69.1 103.7
 206 20.5 17.7 26.5








#81
Benzo(a)anthracene
Concen: 57.517 ng
RT: 14.127 min Scan# 2012
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47


Instrument :
BNA_G
ClientSampleId :





Tgt Ion:228 Resp: 1338551
Ion Ratio Lower Upper
228 100
226 28.0 21.6 32.4
229 20.0 15.4 23.2




#82
3,3'-Dichlorobenzidine
Concen: 54.944 ng
RT: 14.086 min Scan# 2006
Delta R.T. 0.006 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47



Tgt Ion:252 Resp: 398635
Ion Ratio Lower Upper
252 100
254 63.4 50.2 75.4
126 9.5 8.7 13.1





#83

Chrysene

Concen: 54.209 ng

RT: 14.168 min Scan# 2018

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:228 Resp: 1210993

Ion Ratio Lower Upper

228 100

226 30.0 24.2 36.4

229 19.3 15.4 23.2



#84

Bis(2-ethylhexyl)phthalate

Concen: 53.979 ng

RT: 14.098 min Scan# 2008

Delta R.T. -0.000 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:149 Resp: 833566


Ion Ratio Lower Upper

149 100

167 26.4 22.9 34.3

279 4.3 3.2 4.8





#85

Di-n-octyl phthalate

Concen: 44.417 ng

RT: 14.721 min Scan# 2114

Delta R.T. 0.006 min


Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :






Tgt Ion:149 Resp: 1002907

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 11.2 11.0 16.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.651 min Scan# 2272

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:264 Resp: 220899


Ion Ratio Lower Upper

264 100

260 24.0 19.1 28.7

265 21.7 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 63.598 ng

RT: 17.221 min Scan# 2196

Delta R.T. 0.018 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:276 Resp: 877758

Ion Ratio Lower Upper

276 100

138 16.9 17.1 25.7#

277 24.8 19.9 29.9



#88

Benzo(b)fluoranthene

Concen: 55.859 ng

RT: 15.204 min Scan# 2196

Delta R.T. 0.006 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:252 Resp: 793783


Ion Ratio Lower Upper

252 100

253 22.1 17.9 26.9

125 6.8 7.0 10.4#





#89

Benzo(k)fluoranthene

Concen: 57.444 ng

RT: 15.239 min Scan# 21

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:252 Resp: 809618

Ion Ratio Lower Upper

252 100

253 22.3 17.3 25.9

125 6.3 6.9 10.3#



#90

Benzo(a)pyrene

Concen: 58.198 ng

RT: 15.592 min Scan# 2262

Delta R.T. 0.012 min

Lab File: BF127841.D

Acq: 19 Apr 2022 14:47




Tgt Ion:252 Resp: 672194


Ion Ratio Lower Upper

252 100

253 22.2 17.0 25.6

125 6.9 6.7 10.1









#91
Dibenzo(a,h)anthracene
Concen: 64.502 ng
RT: 17.245 min Scan# 21
Delta R.T. 0.023 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Instrument :
BNA_G
ClientSampleId :

Tgt Ion:278 Resp: 721290
Ion Ratio Lower Upper
278 100
139 10.2 10.8 16.2#
279 23.7 17.7 26.5



#92
Benzo(g,h,i)perylene
Concen: 62.191 ng
RT: 17.703 min Scan# 2621
Delta R.T. 0.023 min
Lab File: BF127841.D
Acq: 19 Apr 2022 14:47

Tgt Ion:276 Resp: 712973
Ion Ratio Lower Upper
276 100
277 23.3 19.0 28.4
138 13.5 14.6 22.0#

