

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042022\
 Data File : BG053229.D
 Acq On : 20 Apr 2022 23:44
 Operator : CG/JU
 Sample : N2432-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FB220414

Quant Time: Apr 21 06:05:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 08 15:31:24 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.114	152	36068	20.000	ng	0.00
21) Naphthalene-d8	10.928	136	135533	20.000	ng	0.00
39) Acenaphthene-d10	14.735	164	93682	20.000	ng	-0.01
64) Phenanthrene-d10	17.478	188	216684	20.000	ng	-0.01
76) Chrysene-d12	21.766	240	224771	20.000	ng	0.00
86) Perylene-d12	25.062	264	229727	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.682	112	110270	52.407	ng	0.00
7) Phenol-d6	7.274	99	92378	28.470	ng	0.00
23) Nitrobenzene-d5	9.277	82	286881	85.945	ng	0.00
42) 2,4,6-Tribromophenol	16.221	330	182300	122.313	ng	-0.01
45) 2-Fluorobiphenyl	13.360	172	605193	89.078	ng	0.00
79) Terphenyl-d14	20.086	244	1092731	82.107	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042022\
Data File : BG053229.D
Acq On : 20 Apr 2022 23:44
Operator : CG/JU
Sample : N2432-05
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FB220414

Quant Time: Apr 21 06:05:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 08 15:31:24 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.114 min Scan# 80
Delta R.T. -0.008 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44




Instrument :
BNA_G
ClientSampleId :
FB220414


Tgt Ion:152 Resp: 36068
Ion Ratio Lower Upper
152 100
150 144.5 114.6 172.0
115 61.7 45.9 68.9



#5
2-Fluorophenol
Concen: 52.407 ng
RT: 5.682 min Scan# 390
Delta R.T. -0.002 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44

Tgt Ion:112 Resp: 110270
Ion Ratio Lower Upper
112 100
64 70.7 48.0 72.0
63 38.5 26.5 39.7









#7
Phenol-d6
Concen: 28.470 ng
RT: 7.274 min Scan# 60
Delta R.T. -0.008 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44




Instrument :
BNA_G
ClientSampleId :
FB220414


Tgt Ion: 99 Resp: 92378
Ion Ratio Lower Upper
99 100
42 21.3 14.7 22.1
71 43.2 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.928 min Scan# 1283
Delta R.T. -0.008 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44

Tgt Ion: 136 Resp: 135533
Ion Ratio Lower Upper
136 100
137 11.7 9.4 14.2
54 8.6 6.4 9.6
68 5.7 5.0 7.6









#23
Nitrobenzene-d5
Concen: 85.945 ng
RT: 9.277 min Scan# 10
Delta R.T. -0.008 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44




Instrument :
BNA_G
ClientSampleId :
FB220414


Tgt Ion: 82 Resp: 286881
Ion Ratio Lower Upper
82 100
128 35.9 31.3 46.9
54 51.3 37.8 56.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.735 min Scan# 1931
Delta R.T. -0.014 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44


Tgt Ion:164 Resp: 93682
Ion Ratio Lower Upper
164 100
162 101.5 80.0 120.0
160 41.5 38.8 58.2








#42
2,4,6-Tribromophenol
Concen: 122.313 ng
RT: 16.221 min Scan# 2187
Delta R.T. -0.014 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44

Instrument :
BNA_G
ClientSampleId :
FB220414







Tgt Ion:330 Resp: 182300
Ion Ratio Lower Upper
330 100
332 95.9 75.8 113.6
141 32.8 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 89.078 ng
RT: 13.360 min Scan# 1697
Delta R.T. -0.008 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44

Tgt Ion:172 Resp: 605193
Ion Ratio Lower Upper
172 100
171 35.6 28.3 42.5
170 22.7 18.0 27.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.478 min Scan# 21
Delta R.T. -0.014 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44




Instrument :
BNA_G
ClientSampleId :
FB220414


Tgt Ion:188 Resp: 216684
Ion Ratio Lower Upper
188 100
94 6.8 5.7 8.5
80 7.6 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.766 min Scan# 3128
Delta R.T. -0.008 min
Lab File: BG053229.D
Acq: 20 Apr 2022 23:44

Tgt Ion:240 Resp: 224771
Ion Ratio Lower Upper
240 100
120 5.5 5.4 8.0
236 25.5 19.8 29.6









#79
 Terphenyl-d14
 Concen: 82.107 ng
 RT: 20.086 min Scan# 21
 Delta R.T. -0.008 min
 Lab File: BG053229.D
 Acq: 20 Apr 2022 23:44

Instrument :
 BNA_G
 ClientSampleId :
 FB220414

Tgt Ion:244 Resp: 1092731
 Ion Ratio Lower Upper
 244 100
 212 7.7 5.4 8.2
 122 6.1 5.8 8.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.062 min Scan# 3689
 Delta R.T. -0.014 min
 Lab File: BG053229.D
 Acq: 20 Apr 2022 23:44

Tgt Ion:264 Resp: 229727
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.2 27.2
 265 21.0 15.1 22.7

