

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042022\
 Data File : BG053232.D
 Acq On : 21 Apr 2022 1:40
 Operator : CG/JU
 Sample : N2468-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WC-15-1-7

Quant Time: Apr 21 06:05:49 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 08 15:31:24 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.116	152	40268	20.000	ng	0.00
21) Naphthalene-d8	10.924	136	152545	20.000	ng	-0.01
39) Acenaphthene-d10	14.737	164	105220	20.000	ng	-0.01
64) Phenanthrene-d10	17.480	188	216912	20.000	ng	-0.01
76) Chrysene-d12	21.762	240	230273	20.000	ng	-0.01
86) Perylene-d12	25.064	264	249938	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.684	112	300449	127.899	ng	0.00
7) Phenol-d6	7.276	99	401424	110.812	ng	0.00
23) Nitrobenzene-d5	9.273	82	325721	86.698	ng	-0.01
42) 2,4,6-Tribromophenol	16.223	330	208135	124.333	ng	-0.01
45) 2-Fluorobiphenyl	13.362	172	696517	91.278	ng	0.00
79) Terphenyl-d14	20.088	244	1019676	74.787	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042022\
Data File : BG053232.D
Acq On : 21 Apr 2022 1:40
Operator : CG/JU
Sample : N2468-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WC-15-1-7

Quant Time: Apr 21 06:05:49 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 08 15:31:24 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.116 min Scan# 806
Delta R.T. -0.006 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40




Instrument :
BNA_G
ClientSampleId :
WC-15-1-7

Tgt Ion:152 Resp: 40268
Ion Ratio Lower Upper
152 100
150 159.7 114.6 172.0
115 60.6 45.9 68.9



#5
2-Fluorophenol
Concen: 127.899 ng
RT: 5.684 min Scan# 391
Delta R.T. 0.000 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40

Tgt Ion:112 Resp: 300449
Ion Ratio Lower Upper
112 100
64 70.8 48.0 72.0
63 39.7 26.5 39.7#








#7
Phenol-d6
Concen: 110.812 ng
RT: 7.276 min Scan# 60
Delta R.T. -0.006 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40




Instrument :
BNA_G
ClientSampleId :
WC-15-1-7

Tgt Ion: 99 Resp: 401424
Ion Ratio Lower Upper
99 100
42 20.8 14.7 22.1
71 42.9 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.924 min Scan# 1283
Delta R.T. -0.012 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40

Tgt Ion: 136 Resp: 152545
Ion Ratio Lower Upper
136 100
137 10.5 9.4 14.2
54 8.1 6.4 9.6
68 6.0 5.0 7.6









#23
Nitrobenzene-d5
Concen: 86.698 ng
RT: 9.273 min Scan# 10
Delta R.T. -0.012 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40




Instrument :
BNA_G
ClientSampleId :
WC-15-1-7


Tgt Ion: 82 Resp: 325721
Ion Ratio Lower Upper
82 100
128 35.7 31.3 46.9
54 52.5 37.8 56.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.737 min Scan# 1932
Delta R.T. -0.012 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40

Tgt Ion: 164 Resp: 105220
Ion Ratio Lower Upper
164 100
162 101.4 80.0 120.0
160 45.2 38.8 58.2









#42
2,4,6-Tribromophenol
Concen: 124.333 ng
RT: 16.223 min Scan# 2187
Delta R.T. -0.012 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40




Instrument :
BNA_G
ClientSampleId :
WC-15-1-7

Tgt Ion:330 Resp: 208135
Ion Ratio Lower Upper
330 100
332 96.7 75.8 113.6
141 34.9 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 91.278 ng
RT: 13.362 min Scan# 1698
Delta R.T. -0.006 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40

Tgt Ion:172 Resp: 696517
Ion Ratio Lower Upper
172 100
171 35.1 28.3 42.5
170 23.4 18.0 27.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.480 min Scan# 21
Delta R.T. -0.012 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40




Instrument :
BNA_G
ClientSampleId :
WC-15-1-7


Tgt Ion:188 Resp: 216912
Ion Ratio Lower Upper
188 100
94 8.0 5.7 8.5
80 8.5 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.762 min Scan# 3128
Delta R.T. -0.012 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40


Tgt Ion:240 Resp: 230273
Ion Ratio Lower Upper
240 100
120 6.2 5.4 8.0
236 24.8 19.8 29.6







#79
Terphenyl-d14
Concen: 74.787 ng
RT: 20.088 min Scan# 21
Delta R.T. -0.006 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40

Instrument :
BNA_G
ClientSampleId :
WC-15-1-7



Tgt Ion:244 Resp: 1019676
Ion Ratio Lower Upper
244 100
212 7.6 5.4 8.2
122 5.6 5.8 8.6#



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.064 min Scan# 3690
Delta R.T. -0.012 min
Lab File: BG053232.D
Acq: 21 Apr 2022 1:40

Tgt Ion:264 Resp: 249938
Ion Ratio Lower Upper
264 100
260 24.0 18.2 27.2
265 20.6 15.1 22.7

