

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042221\
 Data File : BG048841.D
 Acq On : 22 Apr 2021 10:59
 Operator : CG/JU
 Sample : M2111-04
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 S-4

Quant Time: Apr 22 11:49:27 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG041421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 20 17:33:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.062	152	19534	20.00	ng	0.00
21) Naphthalene-d8	10.888	136	71830	20.00	ng	# 0.00
39) Acenaphthene-d10	14.725	164	48827	20.00	ng	0.00
64) Phenanthrene-d10	17.480	188	120751	20.00	ng	# 0.00
76) Chrysene-d12	21.775	240	122291	20.00	ng	# 0.00
86) Perylene-d12	25.107	264	121327	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.612	112	93829	80.34	ng	0.00
7) Phenol-d6	7.222	99	124043	75.08	ng	0.00
23) Nitrobenzene-d5	9.231	82	93427	58.23	ng	0.00
42) 2,4,6-Tribromophenol	16.217	330	55560	84.87	ng	0.00
45) 2-Fluorobiphenyl	13.338	172	188178	55.66	ng	0.00
79) Terphenyl-d14	20.095	244	323317	45.50	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.167	163	11587	3.16	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042221\
Data File : BG048841.D
Acq On : 22 Apr 2021 10:59
Operator : CG/JU
Sample : M2111-04
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
S-4

Quant Time: Apr 22 11:49:27 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG041421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 20 17:33:30 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.062 min Scan# 804
Delta R.T. 0.001 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59




Instrument :
BNA_G
ClientSampled :
S-4


Tgt Ion:152 Resp: 19534
Ion Ratio Lower Upper
152 100
150 132.4 119.4 179.0
115 62.2 60.2 90.4



#5
2-Fluorophenol
Concen: 80.34 ng
RT: 5.612 min Scan# 387
Delta R.T. 0.007 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59

Tgt Ion:112 Resp: 93829
Ion Ratio Lower Upper
112 100
64 61.7 46.7 70.1
63 41.6 35.3 52.9









#7
Phenol-d6
Concen: 75.08 ng
RT: 7.222 min Scan# 661
Delta R.T. 0.001 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59




Instrument :
BNA_G
ClientSampled :
S-4


Tgt Ion: 99 Resp: 124043
Ion Ratio Lower Upper
99 100
42 24.9 20.5 30.7
71 50.4 41.5 62.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.888 min Scan# 1285
Delta R.T. -0.005 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59

Tgt Ion:136 Resp: 71830
Ion Ratio Lower Upper
136 100
137 9.7 8.2 12.2
54 8.5 5.5 8.3#
68 4.5 2.3 3.5#









#23
Nitrobenzene-d5
Concen: 58.23 ng
RT: 9.231 min Scan# 1003
Delta R.T. -0.005 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59




Instrument :
BNA_G
ClientSampled :
S-4


Tgt Ion:	82	Resp:	93427
Ion	Ratio	Lower	Upper
82	100		
128	34.4	29.8	44.6
54	52.4	45.8	68.8



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.725 min Scan# 1938
Delta R.T. 0.001 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59

Tgt Ion:	164	Resp:	48827
Ion	Ratio	Lower	Upper
164	100		
162	102.5	81.4	122.0
160	45.7	34.9	52.3









#42
2,4,6-Tribromophenol
Concen: 84.87 ng
RT: 16.217 min Scan# 2192
Delta R.T. 0.001 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59




Instrument :
BNA_G
ClientSampled :
S-4


Tgt Ion:330 Resp: 55560
Ion Ratio Lower Upper
330 100
332 91.7 77.3 115.9
141 44.9 35.6 53.4



#45
2-Fluorobiphenyl
Concen: 55.66 ng
RT: 13.338 min Scan# 1702
Delta R.T. -0.005 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59

Tgt Ion:172 Resp: 188178
Ion Ratio Lower Upper
172 100
171 34.7 28.6 43.0
170 23.4 18.6 27.8









#50
Dimethylphthalate
Concen: 3.16 ng
RT: 14.167 min Scan# 1843
Delta R.T. -0.005 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59




Instrument :
BNA_G
ClientSampled :
S-4


Tgt Ion:163 Resp: 11587
Ion Ratio Lower Upper
163 100
194 1.9 3.0 4.6#
164 8.9 8.6 12.8



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.480 min Scan# 2407
Delta R.T. 0.001 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59

Tgt Ion:188 Resp: 120751
Ion Ratio Lower Upper
188 100
94 4.3 5.4 8.0#
80 5.2 3.7 5.5









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.775 min Scan# 3138
Delta R.T. -0.005 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59




Instrument :
BNA_G
ClientSampled :
S-4


Tgt Ion:240 Resp: 122291
Ion Ratio Lower Upper
240 100
120 3.9 4.2 6.2#
236 24.6 21.8 32.6



#79
Terphenyl-d14
Concen: 45.50 ng
RT: 20.095 min Scan# 2852
Delta R.T. 0.001 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59

Tgt Ion:244 Resp: 323317
Ion Ratio Lower Upper
244 100
212 7.8 6.9 10.3
122 5.8 5.0 7.6





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.107 min Scan# 3705
Delta R.T. -0.005 min
Lab File: BG048841.D
Acq: 22 Apr 2021 10:59

Instrument :
BNA_G
ClientSampleId :
S-4

Tgt Ion:264 Resp: 121327

Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.4	29.2
265	21.1	16.9	25.3

