

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG050719\
 Data File : BG040771.D
 Acq On : 7 May 2019 15:57
 Operator : HP/JU
 Sample : K2680-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSSI-0502-S-TCLP-9

Quant Time: May 08 08:32:50 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG042319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 24 05:35:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	43373	20.00	ng	-0.01
21) Naphthalene-d8	10.97	136	173028	20.00	ng	-0.02
39) Acenaphthene-d10	14.77	164	130404	20.00	ng	-0.02
64) Phenanthrene-d10	17.52	188	363597	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	361959	20.00	ng	-0.03
87) Perylene-d12	25.15	264	291943	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	335013	136.16	ng	-0.01
7) Phenol-d6	7.28	99	428231	113.03	ng	-0.02
23) Nitrobenzene-d5	9.32	82	448067	119.65	ng	-0.02
42) 2,4,6-Tribromophenol	16.26	330	226897	126.59	ng	-0.02
45) 2-Fluorobiphenyl	13.40	172	964912	106.86	ng	-0.02
79) Terphenyl-d14	20.11	244	1946902	119.16	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG050719\
Data File : BG040771.D
Acq On : 7 May 2019 15:57
Operator : HP/JU
Sample : K2680-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SSSI-0502-S-TCLP-9

Quant Time: May 08 08:32:50 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG042319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 24 05:35:33 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.15 min Scan# 861
Delta R.T. -0.01 min
Lab File: BG040771.D
Acq: 7 May 2019 15:57

Instrument :
BNA_G
ClientSampleId :
SSSI-0502-S-TCLP-9




Tot Ion	Ratio	Lower	Upper
152	100		
150	157.1	120.2	180.2
115	60.0	46.2	69.2




#5

2-Fluorophenol
Concen: 136.156 ng
RT: 5.67 min Scan# 440
Delta R.T. -0.01 min
Lab File: BG040771.D
Acq: 7 May 2019 15:57

Tgt Ion	Ratio	Lower	Upper
112	100		
64	75.9	61.4	92.0
63	43.3	37.8	56.6





#7

Phenol-d6

Concen: 113.035 ng

RT: 7.28 min Scan# 713

Delta R.T. -0.02 min

Lab File: BG040771.D

Acq: 7 May 2019 15:57

Instrument :

BNA_G

ClientSampleId :

SSSI-0502-S-TCLP-9


Tot Ion: 99 Resp: 428231

Ion Ratio Lower Upper

99 100

42 24.9 21.8 32.8

71 45.9 38.6 57.8






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.97 min Scan# 1341

Delta R.T. -0.02 min

Lab File: BG040771.D

Acq: 7 May 2019 15:57

Tgt Ion: 136 Resp: 173028


Ion Ratio Lower Upper

136 100

137 11.8 9.7 14.5

54 9.2 8.6 12.8

68 5.6 4.8 7.2





Abundance


Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 119.654 ng
 RT: 9.32 min Scan# 1061
 Delta R.T. -0.02 min
 Lab File: BG040771.D
 Acq: 7 May 2019 15:57




Instrument :
 BNA_G
 ClientSampleId :
 SSSI-0502-S-TCLP-9


Tot Ion	82	Resp	448067
Ion Ratio	Lower	Upper	
82	100		
128	38.1	28.9	43.3
54	57.2	47.2	70.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.77 min Scan# 1989
 Delta R.T. -0.02 min
 Lab File: BG040771.D
 Acq: 7 May 2019 15:57

Tgt Ion	164	Resp	130404
Ion Ratio	Lower	Upper	
164	100		
162	101.5	81.9	122.9
160	45.9	35.4	53.2






#42
 2,4,6-Tribromophenol
 Concen: 126.586 ng
 RT: 16.26 min Scan# 2241
 Delta R.T. -0.02 min
 Lab File: BG040771.D
 Acq: 7 May 2019 15:57

Instrument :
 BNA_G
 ClientSampleId :
 SSSI-0502-S-TCLP-9

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	75.9	113.9
141	35.9	32.4	48.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 106.862 ng
 RT: 13.40 min Scan# 1755
 Delta R.T. -0.02 min
 Lab File: BG040771.D
 Acq: 7 May 2019 15:57

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	29.4	44.2
170	25.2	19.9	29.9






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.52 min Scan# 2456

Delta R.T. -0.02 min

Lab File: BG040771.D

Acq: 7 May 2019 15:57

Instrument :

BNA_G

ClientSampleId :

SSSI-0502-S-TCLP-9


Tot Ion:188 Resp: 363597

Ion Ratio Lower Upper

188 100

94 6.8 5.6 8.4




80 7.8 6.4 9.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.80 min Scan# 3184

Delta R.T. -0.03 min

Lab File: BG040771.D

Acq: 7 May 2019 15:57


Tgt Ion:240 Resp: 361959

Ion Ratio Lower Upper

240 100

120 5.8 5.0 7.6



236 26.0 20.3 30.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 119.163 ng

RT: 20.11 min Scan# 2897

Delta R.T. -0.02 min

Lab File: BG040771.D

Acq: 7 May 2019 15:57

Instrument :

BNA_G

ClientSampleId :

SSSI-0502-S-TCLP-9


Tot Ion:244 Resp: 1946902

Ion Ratio Lower Upper




244 100

212 9.3 7.2 10.8

122 8.1 6.6 10.0



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.15 min Scan# 3755

Delta R.T. -0.05 min

Lab File: BG040771.D

Acq: 7 May 2019 15:57


Tgt Ion:264 Resp: 291943

Ion Ratio Lower Upper

264 100

260 23.3 19.2 28.8

265 21.0 16.6 25.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

