

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG050719\
 Data File : BG040782.D
 Acq On : 8 May 2019 00:52
 Operator : HP/JU
 Sample : PB119477BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB119477BL

Quant Time: May 08 09:14:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG042319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 24 05:35:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	44452	20.00	ng	-0.02
21) Naphthalene-d8	10.97	136	184193	20.00	ng	-0.02
39) Acenaphthene-d10	14.77	164	136952	20.00	ng	-0.02
64) Phenanthrene-d10	17.51	188	373933	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	375607	20.00	ng	-0.03
87) Perylene-d12	25.15	264	302803	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	413428	163.95	ng	-0.01
7) Phenol-d6	7.28	99	593924	152.97	ng	-0.01
23) Nitrobenzene-d5	9.32	82	420945	105.60	ng	-0.02
42) 2,4,6-Tribromophenol	16.26	330	287221	152.58	ng	-0.02
45) 2-Fluorobiphenyl	13.39	172	946149	99.77	ng	-0.02
79) Terphenyl-d14	20.11	244	1843675	108.74	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG050719\
Data File : BG040782.D
Acq On : 8 May 2019 00:52
Operator : HP/JU
Sample : PB119477BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB119477BL

Quant Time: May 08 09:14:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG042319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 24 05:35:33 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.14 min Scan# 860
Delta R.T. -0.02 min
Lab File: BG040782.D
Acq: 8 May 2019 00:52

Instrument :
BNA_G
ClientSampleId :
PB119477BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	165.3	120.2	180.2
115	70.4	46.2	69.2





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 163.947 ng
RT: 5.67 min Scan# 440
Delta R.T. -0.01 min
Lab File: BG040782.D
Acq: 8 May 2019 00:52

Tgt Ion	Ratio	Lower	Upper
112	100		
64	76.2	61.4	92.0
63	42.8	37.8	56.6





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 152.965 ng

RT: 7.28 min Scan# 714

Delta R.T. -0.01 min

Lab File: BG040782.D

Acq: 8 May 2019 00:52

Instrument :

BNA_G

ClientSampleId :

PB119477BL


Tot Ion: 99 Resp: 593924

Ion Ratio Lower Upper




99 100

42 24.5 21.8 32.8

71 46.0 38.6 57.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.97 min Scan# 1341

Delta R.T. -0.02 min

Lab File: BG040782.D

Acq: 8 May 2019 00:52

Tgt Ion: 136 Resp: 184193


Ion Ratio Lower Upper

136 100



137 10.6 9.7 14.5


54 8.4 8.6 12.8#

68 5.2 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 105.597 ng
 RT: 9.32 min Scan# 1061
 Delta R.T. -0.02 min
 Lab File: BG040782.D
 Acq: 8 May 2019 00:52




Instrument :
 BNA_G
 ClientSampleId :
 PB119477BL

Tot Ion	82	Resp	420945
Ion Ratio	Lower	Upper	
82	100		
128	37.9	28.9	43.3
54	55.4	47.2	70.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.77 min Scan# 1988
 Delta R.T. -0.02 min
 Lab File: BG040782.D
 Acq: 8 May 2019 00:52

Tgt Ion	164	Resp	136952
Ion Ratio	Lower	Upper	
164	100		
162	104.0	81.9	122.9
160	44.5	35.4	53.2






#42
 2,4,6-Tribromophenol
 Concen: 152.579 ng
 RT: 16.26 min Scan# 2241
 Delta R.T. -0.02 min
 Lab File: BG040782.D
 Acq: 8 May 2019 00:52

Instrument :
 BNA_G
 ClientSampleId :
 PB119477BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.7	75.9	113.9
141	36.4	32.4	48.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 99.774 ng
 RT: 13.39 min Scan# 1754
 Delta R.T. -0.02 min
 Lab File: BG040782.D
 Acq: 8 May 2019 00:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.6	29.4	44.2
170	24.9	19.9	29.9






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.51 min Scan# 2455

Delta R.T. -0.02 min

Lab File: BG040782.D

Acq: 8 May 2019 00:52

Instrument :

BNA_G

ClientSampleId :

PB119477BL


Tot Ion:188 Resp: 373933

Ion Ratio Lower Upper

188 100

94 6.8 5.6 8.4




80 7.7 6.4 9.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.80 min Scan# 3184

Delta R.T. -0.03 min

Lab File: BG040782.D

Acq: 8 May 2019 00:52


Tgt Ion:240 Resp: 375607

Ion Ratio Lower Upper

240 100

120 4.9 5.0 7.6#



236 25.1 20.3 30.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 108.744 ng

RT: 20.11 min Scan# 2897

Delta R.T. -0.02 min

Lab File: BG040782.D

Acq: 8 May 2019 00:52

Instrument :

BNA_G

ClientSampleId :

PB119477BL


Tot Ion:244 Resp: 1843675

Ion Ratio Lower Upper




244 100

212 9.5 7.2 10.8

122 7.6 6.6 10.0



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.15 min Scan# 3755

Delta R.T. -0.05 min

Lab File: BG040782.D

Acq: 8 May 2019 00:52


Tgt Ion:264 Resp: 302803

Ion Ratio Lower Upper

264 100

260 22.3 19.2 28.8

265 21.8 16.6 25.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

